
PARKER'S

Catalogue of

ARMS AND AGGESSORIES

The GUN ROOM ENCYCLOPÆDIA (vide Country Life 5/12/25)



Terms of Business.

Our goods are made for real service. If any article supplied by us or through our trade friends is unsatisfactory, we beg that it should be returned to us for replacement free of charge.

Prices are nett. Private customers who have not opened an account should (1) send cheque with order, (2) Give references, (3) Order by C.O.D. system.

Prices are subject to alteration. Cash sent in excess will be returned or credited.

Home and Overseas Orders are accepted on the Cash on Delivery system.

C.O.D.

Gunsmiths and Sporting Goods Dealers only are entitled to Trade Terms. Secretaries of Rifle Clubs and Officers Commanding are allowed a discount of 2½% for Monthly settlements.

Certificates & Permits for Firearms & Ammunition.

Under the Firearms Act of 1920 all persons (Military or Civilians) in Great Britain wishing to purchase Rifled Firearms and Ball Ammunition must apply to the Police in their immediate neighbourhood for a Firearms Certificate to enable them to purchase and own supplies.

No certificate is required to purchase Smooth Bore Shot Guns, Shot Cartridges, Air Rifles, Pistols and Pellets, (168 (4 m/m) and No. 1 (6 m/m) B.B. Caps are tolerated in the hands of responsible persons).

Anyone of good character who has facilities for using weapons is entitled to a Certificate and if unjustly refused one, should apply to a Magistrate. Also the fact that he is already the owner of a Rook Rifle should not prevent him acquiring a Target Rifle, Target Pistol, etc., etc.

Officials of affiliated Rifle Clubs, Cadet Corps and Shooting Gallery owners can purchase .22 calibre Rifles and Ammunition for use on their ranges without any formalities (see sub-section 8 of Clause 1, Firearms Act 1920). Military Units and Officers Training Corps are exempt from the provisions of the Act, but individual members are not exempt.

Those proceeding abroad must apply to the Board of Trade Export Licensing Dept., Gt. George Street, Westminster, S.W.1 for an Export Permit, to take Firearms and Cartridges in their luggage or otherwise. If full particulars are given on the Form provided there is no delay in granting permits. We are willing to undertake to obtain Export permits for customers.

In most of the Crown Colonies .303 cal. Rifles and Ammunition are not permitted, but exemptions are granted by some Overseas Authorities in the case of .303 Service Rifles required for **Service Rifle Competitions** under Rifle Association Rules.

Adaptors for reducing chambers and barrels of Service Rifles, Sporting Rifles, Service Revolvers which are listed herein are **not mentioned in the Firearms Act.** Seeing that they are useless without the parent weapon it may be argued that a Certificate is unnecessary because it is not a weapon in itself and the power of the firearm with its adapter is thereby decreased.

The Shot Gun Adapter is in a different category, as the Adapter converts the Shot Gun to a Rifle, consequently although it may be permissable to purchase a Shot Gun Rifled Adapter without a Certificate, it would be illegal to use it without a Certificate. If however the user had a Firearms Certificate enabling him to purchase .22 cal. Cartridges it should reasonably permit the use of the Adapter.

CONTENTS OF LIST No. 10E.

Section. Pages.

56c to 56F

- A 1 to 56F Service Rifles and Accessories, Target Materials, Aiming Devices, Armourers' Tools, Revolvers and Pistols. Machine Gun Devices.
- B 57 to 64A Air Pistols, Air Rifles and Accessories.
- C 65 to 98 Small Bore (.22 cal.) Target Rifles and Accessories.
- D 99 to 129B Sporting Rifles, Repeaters, Ammunition, Sights, Silencers, Hunting Knives and Sundries.
- E 130 to 165A Shot Guns and Accessories.

CONTENTS OF SECTION A.

Pages. 2 to 5 Service Rifles, Rebarrelling, etc. 6 to 9 Sights and Sight Protectors. 10 to 21A Cleaning Accessories, Barrel Preserving Preparations. 29 22 to Canvas, Leather and Rubber Goods for Service Rifles, etc. 29 to 34 Optical Goods and Telescope Stands. 35 & 36 Score Books, etc. 37 & 38 Range Materials. 39 to 43 Aiming Devices. 44 to 48 Armourers' Tools, etc. 48A to 56B Revolvers, Pistols, Targets, etc.

Machine Gun Devices.

PARKER'S




S.M.L.E. TARGET RIFLE.

.303 bore. Mark III. With



Non-Nickelling Barrel.



Our S.M.L.E. Target Rifles are manufactured at the famous B.S.A. works, and are all fitted with selected gilt edge target barrels and well seasoned woodwork.

We put the barrels through our ball burnishing process for the prevention of metallic fouling.

This new process, which was tested by many at the 1924 Bisley Meeting with complete satisfaction, smoothes out all tool marks which are the sole cause of nickelling, leaving a dead parallel and perfectly smooth surface, which cannot fail to improve the chances of the bullet finding the bulls-eye.

The ball processed barrel has a dazzlingly bright surface and a close fitting gauge will drop through quite freely after powder fouling has been rubbed out.

Ball processing saves labour and anxiety and makes shooting more of a pleasure than hitherto.

Fore-end Fitting and packing for close grouping at all distances is a special feature of our work, but there is a troublesome factor for which so far no firm has been able to find a remedy, without disqualifying the rifle for S.R. Competitions.

It is the movement of woodwork due to heat. The barrel being so light in structure cannot resist and moves with the contortion of the wood, thereby temporarily altering the shooting zero of the rifle.

Shooting men have long since noticed that they must often click up after each shot, and particularly so in hot weather.

As it is at short ranges that the S.M.L.E. is most prone to fail, our grouping tests are made at 100 yards, and a test group within two minutes of angle is sent with each rifle. Tests can be witnessed by appointment.

BUTTS. At the present time, owing to the absence of Government contracts for new Rifles, it is not commercially practicable to supply machine made butts of varying lengths. Hand made butts are very expensive, difficult to match, and not always correctly proportioned, added to which other difficulties arise which seriously impede delivery. We will undertake to lengthen butts by permanently adding a block of walnut matched as well as practicable and refitting the heel plate at a cost of 12/6, and will undertake to shorten, etc. at a cost of 7/6.

FORESIGHTS. These can be supplied in varying heights, either **extra high** for the purpose of clearing the open backsight when using the aperture sight (see page 8) or of the correct height for open sight shooting as generally issued.

In the latter case, the open backsight is somewhat in the way at 200 and 300 yards ranges when using the aperture sight, but it is possible to overcome the difficulty by carefully filing down the ramp of the open backsight where the slide touches in its lowest position. (See arrow on page 8).

Under N.R.A. rules the use of a foresight other than Government pattern renders

a competitor liable to disqualification.

PRICES.

(Government viewed and eligible for use at N.R.A. meetings.) Short Lee-Enfield Rifle as received from factory £10 10 0 For refitting fore-end, adjusting pull off, ball processing and testing as above £1 5 0 For weather proofing and polishing woodwork, extra £1 0 0

PARKER'S RENOVATED S.M.L.E. TARGET RIFLES with

BALL BURNISHED (non-nickelling) TARGET BARRELS.



Owing to the difficulty under existing conditions of manufacturing entirely new S.M.L.E. Rifles at anything approaching pre-war prices we have taken an opportunity which presented itself of purchasing a large number of second hand S.M.L.E. Mark III Rifles which we are renovating and rebarrelling so as to be fit for target purposes when adjusted and tested.

There is nothing inferior in the composition of these rifles. All worn parts are replaced, all steel parts are reblacked, and the woodwork, although bearing some evidence of previous use has a polish which makes it look better than it was originally.

We offer these Rifles in the following grades:-

List No. S.H.S.1. Properly assembled, but leaving packing and testing to be done by customer £7 10 0

No. S.H.S.2. Packed, shot and regulated, including test group ...

PARKER'S AGE TERRITORIAL TARGET

NON-NICKELLING BARRELS. (Govt. viewed).



Our Target Rifles are of the highest possible quality and have won many of the leading prizes both at home and abroad and no better shooting rifles can be obtained at any price.

Testing:—This is done by members of the firm who are Bisley men as well as practical Gunmakers.

Grouping:—Unless a rifle puts 5 consecutive shots into a 2 inch circle at 100 yards range with Mark VII Ammunition we reject it as unfit for "Target" quality.

Actions: - We pay great attention to the sharpness and regularity of the pull-off and adjust same to 51 lbs. Care is taken that the action is in exact line with the barrel and that the resisting lugs are evenly adjusted.

Stocks:-The fore-end is made of well-seasoned timber.

Barrels:-Drilled straight through from one end with such accuracy that in the best barrels setting is entirely eliminated, and also the consequent strains which would badly effect close grouping. Bores processed to prevent metallic fouling.

SPECIFICATIONS AND PRICES.

L.E.T.I. Charger loading (Territorial) Rifle ACC Ball Burnished barrel £10 10 L.E.T.2. Secondhand Rifle, rebarrelled and renovated, guaranteed target quality barrels, Ball Burnished, etc., etc. ...

£8 8

REBARRELLING '303 TARGET RIFLES.



The fitting of Target barrels requires special tools and gauges with which we are completely equipped, and the work can only be done with certainty of good results by competent mechanics who are also shooting men themselves.

manufacture by reason of the almost dead accurate gauging, and by the fact that they have not required "setting," consequently there is no chance of erratic grouping which is quite possible with barrels that have been strained in "setting" as the heat engendered by firing causes such barrels to expand unequally and more or less change direction with every shot.

barrels are ball processed to prevent nickelling.

When rebarrelling we pay special attention to the fitting of the woodwork and bands, which can seriously affect accuracy by interfering with the natural flip of the barrel.

We adjust the bolt bearings correctly and if necessary reharden the resisting lugs to

We adjust the bolt bearings correctly and if necessary reharden the resisting lugs to prevent change at zero. A new extra long bolt head is fitted free, if required, to take up wear on the action and bolt caused by previous use.

Our price for fitting an ADA Ball Burnished Target Barrel as above to any Long Lee Enfield (including testing at the range) is

Our price for fitting an ADA Ball Burnished Target Barrel to a Short Lee Enfield Rifle (including testing at the range) is £4 15 0

If ball processing is not required we can re-barrel at 5/- each less.

BALL BURNISHED NON-NICKELLING TARGET BARRELS.

We are prepared to supply .303" target barrels, which if properly stocked will shoot well within the compass of the Bulls eye at all distances, with the reliable ammunition that is now obtainable. The barrels are all put through our ball burnishing process which makes the bore perfectly parallel from end to end and smoothes out the inequalities which cause metallic fouling.

.303" Ball Burnished Target barrel for Short Lee Enfield Rifle. No. BSLI. Price 80/.303" Ball Burnished Target barrel for Lee Enfield Mark I Rifles

303" Ball Burnished Target barrel for "Territorial" Lee Enfield Rifles (the long rifle with the Charger Bridge on action). No. BCL1. Price 70/-

PARKER'S "SERVICE" VICE.


(the covered bolt pattern).

For Rebarrelling Rifles.

As supplied to Overseas Forces.

No. 343. Complete with wrench and packed in strong wood box, £10 0 0

No. 344. Barrel Positioning Gauge, 10/-



No. BOLI.

Price 70/-

LEE ENFIELD MARK I. STAR COMPONENT PARTS.



		Each	Each	Each
Action Body		35/-	Magazine Link 1/- Doz. Spring, Magazine	6 d.
Aperture Sight		1/8	Each ,, Aper: Sight	2/-
Band, lower		2/-		1/10
Band, upper		6/-		10d.
Bolt body		15/-	Slide, Sight 1/2 Screw, extractor axis	3d.
Bolt head		6/6	Sight Cap 1/6 ,, front guard	4d.
Bolt cover		2/-	Stock Bolt 1/2 ,, rear guard	3d.
Bayonet	4.4	21/-	Swivel, Butt 1/8 ,, sear axis	4d.
Cocking piece L.	М.	5/-	,, Piling 1/6 ,, swivel band	3d.
,, ,, L.	Ε.	6/6	,, Band 1/6 ,, swivel, piling	3d.
Cut Off, Magazin	e	2/2	Safety Catch 1/8 Trigger	2/-
Catch, Magazine		1/-	Sear 3/- Trigger Guard	6/8
Dial Pointer	***	10d.	Sight leaf (complete) 5/6 L.M. Bolt complete 3	32/-
Extractor	***	1/6	Spring, Bolt Retaining 1/4 L.E. ,, ,, 3	34/-
Hand Guard		4/-	Spring, Main 8d. Butt from	12/-
Magazine		10/-	,, Extractor 1/6 Fore-ends from	20/-

SPECIAL COMPONENT PARTS FOR CHARGER LOADING LONG LEE ENFIELD RIFLE.




Action Body with cha	rger bridge	35/- ea	ach Fore-end,	from			20/-	each
Bolt Body		15/-	,, Foresight,	blade			1/6	
Backsight leaf with	windguage		,,	guard		***	1/8	,,
slide		12/- ,		guard	screw		4d.	21
	***	3/-	" Magazine	141		2555	10/-	9.9
Backsight slide only	127 272	9/- ,	" Trigger gu	ıard	***		6/8	,,
Butt. from		12/-	THE 2					

SPECIAL COMPONENT PARTS FOR SHORT LEE ENFIELD SERVICE RIFLES.



Action Body Mark III. or IV	35/- each	1 Outer	Band			3/- each
Backsight, Mark III. or IV	32/- ,,	Magaz	ine, Mark III	. or IV.	2000	10/
Bayonet		Magaz	zine Platform	***		1/6 .,
Bayonet Scabbard	10/	Nosec	ap complete w	ith piling	swiv	el 18/,
Bolt, complete Mark III. or IV.	34/- ,,		Catch, two p			
Bolt body, Mark III. or IV	15/- ,,	Screw	s, band and p	iling swi	vel	
Bolt head, Mark III. or IV	6/6 ,,	Screw	, Inner Band			3d. each
Butt plate	6/6 ,,	,,	Rearguard	***		3d. ,,
Cocking piece, Mark III. or IV.	5/- ,,	,,	Striker keep	er	***	4d. ,,
Foresight, Blade Mark III	1/6 ,,	Sear				2/- ,,
Fore-end , Mark III or IV	22/6 ,,	Swive	l, Piling		12972	1/6 ,,
Handguard, front Mark III. or IV	. 7/6 ,,	,,	Band	***		1/6 ,,
Handguard, rear Mark III. or IV.		,,	Butt	***		1/8 ,,
Trigger			3/- each	i		201

PARKER'S MODEL 9G B.S.A. PATTERN. PATTERN **APERTURE** BACKSIGHT.



Manufactured by us with the special permission of B.S.A. (GUNS), Ltd. P. Pat. 7088/25

This model is substantially the same as our successful No. 9F Model, but there are three detail improvements which make for increased efficiency in construction and conduce to sweeter working and clearer clicking.

The most important of these improvements is the patented stud "V." This engages the elevating screw and is made an exact fit both on the screw and in the elevating slide itself. It obviates tap screwing the slide, which is a difficult operation, and it reduces lost movement

The other two improvements consist of locking nuts "W" and "R" on the elevation and windgauge screw heads. These locking nuts permit of adjustment when necessary which set screwed on ret.

which set screws do not.

Another feature is the spin-up locking device "U."

This does away with the device "U." This does away with the necessity of a coin for locking the sight in the raised position.

The following are its chief features:-

- (1) It can be fixed on the rifle by means of the existing screw holes and without any special tools or skill.
- It is as near to the eye as recoil will allow.
- It has half minute ball clicking move-ments on the elevation and windage screw heads.
- The Scales are Vernier divided.
- (5) The Wind Scale is in sight when about to aim.
- The screw heads are large and conveniently situated for adjustment by the right hand.
- 40 minutes wind allowance, right and left.
- Adjustable zero windage scale by means of set screw "H." (8)
- (9) 6-hole variable eyepieces are interchangeable with the standard eyepiece.

When not in use the sight folds down out of the way.

PRICE Model 9G Aperture Sight, complete as illustrated, ready for fixing on Short Lee Enfield Rifles 17 6 Model 9G Aperture Sight, complete with sight plate and screws List No. 99K. for Long Lee Enfield Rifles 17 6 List No. 990. Model 9G Aperture Sight, complete with sight plate and screws for Mauser Rifles 0 0 Model 9G Aperture Sight with sight plate and screws for the List No. 99U. U.S. Springfield Rifle 0 Can be had with 6-hole Eyepiece instead of Single-hole Eyepiece, the extra cost is 4/-



Dead Centre Six Hole Eyepiece. List No. P.H.51



Spin-up Locking Device Letter "U."



List No. 9CE.




PRICES OF SPARE PARTS.

Dumb-bell Spring "L" each 1/6 Extra large Eyepiece "X" Single-hole Eyepiece "J" Six-hole Eyepiece with central aper-1/-Windgauge Set Screw "H" ture for Short and Charger Loading Long L.E. Rifles. List No. P.H.51 3d. Spin-up Locking Device "U" 1/6 5/-., Short Fixing Screw "A" ... Rearguard Fixing Screw "C" Safety-Catch Coil Spring "B" 3d. Six-hole Eyepiece with eccentric aper-3d. ture for use on L.E. Mark I. Rifles 3d. with low sight line. List No. 9CE

N.B.—Instructions for fixing and instructions for using are boxed with each sight. Further information showing the effect of the movement of the sight on the target is available by consulting Parker's Rifle Shots Register No. 240 or the Parker-Hale S.M.L.E. Score Book No. 240A.

APERTURE SIGHT FIXING PLATES. For SHORT LEE ENFIELD RIFLES.




By means of the plates illustrated it is possible to fit to the Short Rifle, No. 9cand No. 9r, B.S.A. Service Rifle Aperture Sights which were originally designed for the Long Lee Enfield Rifle. These plates are machined from solid steel stampings.

Spare Parts.

Short fixing Screw "A" 3d.

Coil Spring "B" 3d.
Rearguard fixing Screw
"C" 3d.



Parker's "Standard" S.M.L.E. Sight Plate. List No. S.P.1. Price 6/- complete. Parker's "Close-up" S.M.L.E. Sight Plate. List No. S.P.2. Price 6/- complete.

The standard plate should be chosen by those who get their heads far forward when aiming, but those whose shooting position is well to the rear of the cocking piece would be better suited with the "Close-up" plate which brings the aperture \(^3\) of an inch nearer. For left hand men especially it can be recommended as they naturally escape the consequences of getting too close to allow for the recoil of the rifle.

PARKER'S SIGHT PLATE for Long Lee Enfield Rifles.


Supplied with long fixing screw, short fixing screw, dumb bell spring screw.

List No. S.P.3. Price 6/-

PARKER'S SIGHT PLATE for Mauser Rifles.

This Plate is fixed on the woodwork of the rifle, just clear of the Bolt Release by means of four buttress thread screws, and it makes a perfectly firm base for the Sight. It is supplied with four buttress wood screws, dumb bell spring and screw.

List No. S.P.5. Price 9/-




PARKER'S "CLOSER" PLATE for Long Lee Enfield Rifles.

This can only be used by left handed men and by those for whom the standard butt is somewhat too long. It brings the Sight 1\frac{1}{4} inches nearer the eye than the Standard sight plate. We supply it with a Spin-up sight locking screw, extra long rearguard screw, and special fixing screw for hole in centre.

List No. SP.4. Price 6/9.

"PEEP" REAMER.

A useful tool for many purposes.




For enlarging holes in peep sights. The left-hand end is used for enlarging the hole, and the righthand end for countersinking the back of it and so sharpens the edge for clear definition.

No. 95. Price 2/6 in Case. Post 2d.

Note the improved design for opening Long Nech Eyepiece from the rear.

THE PARKER-HALE MODEL 5 SERVICE RIFLE APERTURE BACKSIGHT.

(Approved by the N.R.A.) Designed jointly by A. T. C. Hale and Eli Keeling of A. G. Parker & Co., Ltd.



It is conceded by all who have had the opportunity of inspecting this model that it is a most decided improvement in sight design.

It has all the advantages of preceding designs and the following additional features :-

- (1) Ever ready for use.
- (2) No springs to break or weaken.
- (3) No danger of breakage in or out of use.
- (4) A correct Range scale "N" with an adjustable zero "L" to prevent mistakes. Can be used instead of the Vernier scale "O" if preferred.
- (5) A quick elevation re-lease "K" does away with tedious screwing. It also clamps the elevation screw "P" if required.
- (6) The elevation pillar and windgauge arm "B" are in one piece, thereby attaining the utmost rigidity.


The flat top of the Windgauge Arm acts as a level to prevent canting the rifle.

(8) When required, the working part "B" can be entirely removed in an instant by pressing inwards on part "K."

It has Ball clicking movements for elevation and windage scales. A very easily set adjustable wind zero plate "G." The body part "R" can very readily be fixed on to the rifle. In most cases, judicious paper packing about the screw "A" is all that is necessary to set it square and vertical on the ungauged surfaces to which it has to be attached.

LIST No. 99.P as illustrated, complete with fixing screws, coil spring, etc. 42/6 ditto with extra large single eyepiece 99.0 43/6 99.R ditto " six hole eyepiece


Any size single hole eyepiece can be had from '03 in. to '10 in. but unless otherwise ordered we supply '06 in. which is the most popular size for use in England. For overseas we usually fit '05 in.



THE PARKER-HALE "DEAD CENTRE" 6 HOLE EYEPIECE.

For those whose eyesight has ceased to be accommodating we recommend the new six hole eyepiece illustrated. We guarantee the centres of the holes to position to a 1000th of an inch so that no one need fear changing apertures during a shoot. We strongly advise

shooting men to test this with practice shots. List No. P.H.51. Price 5/- Post 2d.



G.I. AS FITTED ON L.L. KIFEE, COVERED

THE PARKER-HALE MODEL 6 APERTURE BACKSIGHT

For Long LEE ENFIELD Rifles.

Following our most successful No. 5 Model for the Short Service Rifle, we have modified it for the long Lee Enfield Rifle, but in so doing we had to bear in mind that two models of long Rifles were in use, viz:—the Lee Enfield Mark I fitted with a covered bolt and low barleycorn foresight, and the Charger Loading Lee Enfield which is fitted with a bridge and a high blade foresight.

Fig. 1 shows the No. 6 Parker-Hale Sight adapted for the L.E. Mark I rifle with the low sight alignment that is favoured by many riflemen because the liability to error through canting is thereby minimized.

Fig. 1.

Fig. 2 shows the No. 6 Parker-Hale Sight with the eyepiece above the windgauge arm as used on Charger Loading Lee Enfield Rifles with dovetail foresights. This admits of the use of a central aperture Six Hole Eyepiece (Parker-Hale No. 51).

The Parker-Hale Model 6 Sight has all the advantages of preceding designs, coupled with solidity and rigidity.

We have no hesitation in claiming it as the best sight in the world.

N.B.—The Moving Member "B.1." is instantly detachable and replaceable for travelling purposes.

PRICES

List No. 99S. As figure 1 with single hole eyepiece . 42/6
List No. 99T. As figure 2 with 6 hole eyepiece . 46/6



Fig. 2.

					Spare I	arts.						
			Each					Each				Each
Short Fixing Screw	Letter	A	3d.	Elevatio	n Clamp Nut				' Dead C	entre"	6 hole	
Long ,, ,,	,,	T	3d.		keeper screw	Letter	K.1	3d.		Eyepie	ceList N	No. P.H.51 5/-
Zero ,, ,,	. ,,	H	3d.	,,,	Screw Head	**	D	6d.	Single 1	Hole Eye	piece	
Adapter for low sight	line		2/-	11	Screw	22	D.1	1/-	200000000000000000000000000000000000000	fin. di	ameter	Letter J.1 1/-
,, Fixing Screw		V	6d.	- 11	Screw Lock N	uts ,	D.2	pair 6d	. Do.	₹in.	11	,, J 1/-
Elevation Clamp Nut	21	K	6d.	Windgau	ige Screw Head		E	each 6d	. Do.	žin.	**	", X 2/-
				23	Screw Lock I	Vut "	F	each 3c	i.			



HIIII

PARKER

EAD BLAG OR RIFLE SIGN

THE PARKER-HALE APERTURE SIGHT PROTECTOR


For the Parker-Hale No. 5 Model Sight,

This Cover is formed from a single steel blank by an expensive set of tools. It protects the sight when travelling and at other times when not in use from accidental blows; even should the rifle fall the protector is strong enough to withstand the blow the sight might otherwise receive. It is secured by hooking the forward part under the charger bridge, the rear part straddles the striker and hooks under the bolt handle, the cocking-piece keeping it in position. Simply lifting the bolt handle releases it, so little time is lost on the firing point in attaching and detaching it.

List No. 146Y. Price 2/6.

PARKER'S BLACK. CELEBRATED DEAD


For Rifle Sights.



This famous preparation, used for applying to foresights and backsights to make them more distinct, is in constant

demand by Target Riflemen the world over.

Sights should be wiped free from grease and the Dead Black applied lightly by means of the brush fixed to the rubber stopper. A noticeable improvement in scoring is effected by its use, which is permitted under N.R.A. and A.R.A. Rules. It can be thinned when necessary with a few spots of methylated spirit.





For blacking sights, as used in Canada and U.S.A. ... Price 5/- Post 3d.

PARKER'S PERMANENT SIGHT BLACK.

This preparation is put up in a similar manner to Parker's Dead Black except that an ordinary cork is used. Owing to the fixing solution it is not so dense as Dead Black. When too thick it can be thinned with a few spots of Amyl Acetate.

PARKER'S FLUID WHITE.
For Rifle Sights. No. 133. Price 1/- Post 2d.
Now only permitted in Sporting Rifle events under British N.R.A. Rules.






REGULATION FORESIGHTS FOR SERVICE RIFLES.

Width of Blade .05 of an inch.

The height of the Foresight is calculated from the axis of the barrel, and in many instances it is exactly **one inch** which is indicated by the zero mark "0." Foresights **higher than** one inch from the barrel axis are marked as follows:—0. 015.03.045 there being 15 thousandths of an inch variation between them. The plus sign in front of the decimal point is usually omitted. Foresights **lower than** one inch from the barrel axis are marked with a **minus** sign in front of the figures as follows:—Minus .015.—03.—.045.—.060. We offer Standard Government Blade Foresights with "05" blades in nine different heights as mentioned above at 1/6 each.



EXTRA HIGH FORESIGHTS.

The Military Backsight of a Mark III S.M.L.E. Rifle, if correctly graduated for open sight shooting, is more or less in the way at 200 and 300 yards when aiming with aperture sights. There are two ways to overcome this difficulty. Firstly, if the rifle is needed for open sight shooting as well as aperture shooting events, a filing away of the sight ramp at the point indicated by the arrow will have the desired effect without interfering with the correctness of the graduation marks on the tangent.

Secondly, by fitting a high foresight. This will have the effect of raising the elevation of the aperture sights quite clear of the open backsight and is the more satisfactory alternative for a rifleman competing in aperture sights events only.

sights events only.


We undertake to supply .051" blade foresight in the following extra heights:- .060" .090" at 2/6 each.



STREAMLINED BROAD FORESIGHTS FOR OVERSEAS USE.

We are still prepared to make foresights of varying widths for use in Competitions overseas where the rules permit. It facilitates delivery to supply these in one measurement for height above the barrel axis, viz.:—'060 which means (1'060 inches), and we therefore offer foresights of the following widths:—'040" '.050" '.060" '.070" '.080" '.090" '.100" '.120" at 2.6 seah;

LEE ENFIELD MARK I. STAR FORESIGHT PROTECTORS.



PARKER'S A.1. FORESIGHT PROTECTOR.

For L.E. Rifles with high foresights.

Made of brass, hard soldered together and heavily plated. Locks on to the barrel and completely protects the foresight. The muzzle cover is removable for cleaning purposes.

No. 137. Price 4/6 Post 2d.

PARKER'S "PERFECT" FORESIGHT PROTECTOR.


For L.E. Rifles with high foresights.


An ingenious locking protector, completely covering the foresight, with removable screw cap for cleaning.

No. 138.

Price 4/6


Post 2d.





No. 141A. Regulation pattern, extra long nickel plated, for high foresights. Price 2/- Post 2d.

No. 142A. Regulation pattern, extra long nickel plated, with hinged muzzle cap, for high foresights. Price 2/6 Post 2d.



PARKER'S "TERRITORIAL" FORESIGHT PROTECTOR

For Charger-loading Long Lee Enfield
Rifles.

Prevents the foresight being rubbed bright and keeps off dirt and fluff which otherwise gathers round it.


List No. 138A.

Price 2/ each.

3

PARKER'S S.M.L.E. FORESIGHT COVER.

Although the blade foresight of the S.M.L.E. Rifle is fairly well guarded it is surprising how easily it gets sharp knocks which distort it and how often one finds that the black has been rubbed off.




A well known member of the N.R.A. Council writes :-

"One day last Bisley I carefully blacked my blade sight but on the way to the Century Butt it somehow got rubbed. As the light was constantly varying I could see one moment as distinctly as one could wish but the next instant in full glare it was most difficult. The little protector will do away with the difficulty and I have no doubt will save valuable points."

List No. 134A.

Price 9d.

Post 2d.



PARKER'S S.M.L.E. OPEN BACKSIGHT COVER.

An open backsight which has been rubbed bright is a hopeless proposition to sight along on a bright day, and in military competitions it is often inconvenient to smoke or paint sights. Prevention of rubbing is therefore essential and we have designed a simple spring-on cover for the purpose, which fits on the backsight guard.

List No. 146Z.

Price 1/.

Post 2d.

No. 151.

TRUE FORM JAG. R. Nº 615557.

LESS.

PARKER'S CELLULOID COVERED CLEANING RODS

(Made throughout in our own factory in all lengths and calibres.)

.303 Rods are also suitable for .300 Springfield Rifle.

Celluloid covered Rods have completely ousted the wood covered variety as they stand a far greater amount of hard wear, do not absorb grease and grit, and always retain a new clean appearance.

Parker's .303 cal. Ring Handle Celluloid Covered Rod with Regd. "Trueform" Jag.




Parker's New Holdfast Knob, .303 Celluloid Covered Rods, with "Diamond Trueform" Jag.

SHOWS CELLULOID COVERING

Swivelled knob with fixed brass jag for 30in. barrels to clean

```
from breech end Price 3/9 Post 6d.
   151a.
                          with jag detachable
                                                                              4/-
                                                                                       6d
                         with fixed brass jag for 25in. barrels
   153.
                                                                              3/9
                                                                                       6d.
                   .256 cal. Swivelled Knob Celluloid Covered Rods.
No. 156m.a.
             For cleaning Military length barrels from breech
                                                                    ... Price 4/6 Post 6d.
,, 156m.c.
                         Sporting "
                                                                             4/6 ,, 6d.
                         .280 and 7m/m Celluloid Covered Rods.
No. 156b.
             For cleaning Military length barrels from breech
                                                                     ... Price 4/6 Post 6d.
                         Sporting ,,
 ,, 156d.
                                                                         ,, 4/6 ,, 6d.
                   ,,,
                 Rods marked * are suitable for Short Service Rifles.
```

PARKER'S JOINTED CELLULOID COVEREDICRODS.



Our jointed celluloid covered rods are far stronger and vastly more serviceable than the jointed wood covered rods which are made in Germany but are sold at home and abroad as British made. The section illustrated above shows the strength of our scientifically constructed joint. It is possible to whip the rod without affecting the joint, whereas if this were done with a German rod it would either bend badly or break.

Jointed rods can be made to order in all lengths and calibres and the following can be had from stock.

No. 152a. .303 cal. Celluloid Covered Rod, swivelled knob, length of parts 201 in. Price 6/6 NOW do VAILABIDO WITH IND ROVE 18in. 152b. 6/6 Do. do. ,, 256 cal. ANDdo MPLIFIEdo KNOBS doND 156j. do. 6/6 ,, ,, .280 or 7m/m do. 156dj. 18in. 6/6 ,, CR.11. .22 cal do. JOINDOS AT 1/600 ACH 1 = do. 16in. 5/6

CELLULOID-COVERED RODS BUILT TO ORDER.

Although we have standardised many varieties and lengths of cleaning Rods we could never have by us, on every occasion, just the rod a shooting man might require to fit his gun case. We are, therefore, prepared to undertake special work as follows:—

To make special lengths at 1/6 extra.

,, add additional joints at 3/- extra. ,, supply ball bearing handles to jointed cleaning rods instead of brass knobs at 1/6 extra.

PARKER'S A BALL BEARING CLEANING RODS.



The reason of the extraordinary success of these Cleaning Rods, lies in the combination of quality and design.

quality and design.

The Rod is of hardened and tempered spring steel which runs right through the ball bearing handle as shown in the sectioned illustration.

The handle will stand the roughest usage and the way it allows the rod to spin around when following the rifling is a delight for all true riflemen.





PARKER'S BALL BEARING BURNISHED STEEL CLEANING ROD.


This Rod is built for those who want the whole diameter of the rod to be composed of hard steel and who do not mind the trouble of keeping it from rusting. It is supplied with a Steel "Safesure" Jag to withstand the wearing effect of abrasive pastes used for removing metallic fouling.



List No. 154.D. For cleaning bolt action rifles with 30in. Barrels Price 6/- Post 6d. List No. 154.G. For cleaning bolt action rifles with 25in. Barrels Price 6/- Post 6d. N.B.—Cleaning Rods, Nos. 154a, 154b, 154d, can be regulated for cleaning Short Rifles by means of the Parker-Hale adjustable Rod Stop (see page 12).

PARKER'S "HELVETIC" POCKET CLEANING ROD.

Patent No. 72064. (Satisfaction absolutely guaranteed).



A Jointed Cleaning Rod that is rigid. Can be instantly assembled and taken down. No loose pieces. All the advantages of a pull through and solid rod without their disadvantages.

The top illustration shows the rod when assembled, which is done in an instant by pulling on the cord and straining it into the 2 tapered grooves cut in the handle.

The side illustration shows the rod in sections ready to stow away. Overall length when taken down 3½ inches.

The rod is very light and is easily stowed away in a shooting bag or gun case. It is composed of hard brass or steel tubes which fit on hollow steel bushes. A stout cord passes through from end to end, emerging through a hole in the side of the wood handle. The steel bushes are of sufficient length to keep the rod straight and rigid.

The rod is equipped with a jag around which the ordinary flannelette patch is wrapped.

The straining cord is therefore not called upon to do as much as the ordinary pull thro is often called upon

to do; therefore it will last indefinitely.

A Boon to Soldiers and Hunters. One less impediment for Riflemen.

List No. P.A.R.1. Brass sections with brass jag Price 6/,, P.A.R.2. Steel sections with steel jag Price 6/6

THE PARKER-HALE PATENT ARMOURER'S SCOURING


A boon to Armourers and Instructors in charge of Service Rifles.

The Armourer's task in cleaning rusty or fouled barrels has hitherto been most difficult and exasperating. The Government method of scouring from the muzzle end with brass wire strands is slow and dirty at the best, in addition to which the nosecap and woodwork should be removed to allow the muzzle guide to be affixed.

The Parker-Hale Patent Scouring Tool is in comparison delightfully easy to use and the job of dealing with a neglected rifle or rifles becomes one in which a

real interest can be taken.

A Vice for holding the Rifle is a necessity.



(2)

As shown by the above illustrations the tool consists of:—
a substantial hand steel Cleaning Rod with revolving "T" handle screwed at the other end for the Brush.
a Wire Brush which is one of Parker's famous Barrel Scourers but with inverted wires.
a Dummy Bolt the far end of which is fitted with a tube which reaches to the neck of the rifle chamber and acts as a receptacle for the brush when withdrawn from the barrel.

THE METHOD OF USING.

This is extremely simple. The tool which when not in use is as shown in Fig. 4 is put in the action of of the rifle to be cleaned, the Rifle being held firmly in a Vice. The inverted Scourer kept encased in the dummy bolt is then forced into the barrel and can be worked backwards and forwards without risk of damage

to the brush, see figs. 1, 2 and 3.

The scourer brush being practically immune from accidental damage will clean hundreds of barrels without needing renewal.

PRICES.

Complete Tool, consisting of Rod, Dummy Bolt, inverted Barrel Scourer and one spare Scourer. List No. A.S.T.1. Price 15/6 Post 9d. Jointed Rod 5/- extra.


PARKER'S "ARMOURERS" CLEANING ROD with integral SAFE-SURE JAG.

Dillio anticommentation

This rod has a strong ball bearing handle, a smooth hardened and tempered steel rod which runs right through the handle. On the end of the rod we have formed a novel flannelette patch carrier with a sure grip. We guarantee that the ball bearing handle will stand better than a fixed handle even if hammered.

No. C.A.G.3. '303 calibre threaded at end for brushes Price 5/6 No. C.A.G.1. .22 ...


PARKER'S SOLID ROD GUIDE FOR L.E. RIFLES.



This simple contrivance was introduced at Bisley Meeting, 1907, and met with instantaneous success. It is made to fit nicely into the L.E. action and acts as a guide for the cleaning rod, preventing the wood or celluloid covering of the rod from being scraped away by the sharp edge of the body, and getting into

the action, thus affecting the trigger pull. The working up and down of the rod is very much simplified. Cleaning can be done more thoroughly and with less effort. Invaluable when cleaning with "Motty" paste. No. 285. Price 4d. Post 2d.

PARKER'S SLOTTED ROD GUIDE FOR L.E. RIFLES.




This guide is used as described above, but is machined out so that the guide can be fixed in position when the rod is already in the barrel.

No. 285a. Price 6d. Post 2d.

THE PARKER-HALE ADJUSTABLE CLEANING ROD STOP.

The need for this useful accessory has long been felt. "An Old Hand" writing in the N.R.A. JOURNAL said: This gadget, if we could get it would prevent much vexation of spirit.



No doubt the difficulty has been to find a good design, for the stop should fit immovably, yet be capable of any readjustment without damaging the covering of the rod.

We have hit upon it exactly. Nothing could be simpler than the split sleeve upon which the tapered screw of the fly nut tightens. The sleeve has a coin slot cut in the base, in which a penny is inserted to hold it in position while tightening the fly nut.

When a rifle is cleaned from the breech end, it is important that the cleaning patch be kept inside the barrel. It should not be allowed to expand at the muzzle, and then be resized by the muzzle when dragged back again. This treatment wears away the rifling at the most vital spot, and such a rifle cannot be expected to group in two inches at 100 yards, which a first class rifle will often do.

N.B.—The best Rod, for the S.M.L.E. Rifle, to use with a rod stop is No. 154B on page 10.

MADE IN TWO SIZES.

For small bore celluloid-covered Cleaning Rods, with leather washer.

List No. R S 1

For Service Rifle Cleaning Rods, celluloid covered or bare steel,

Price 1/6 Post 2d.

Price 1/6 Post 2d.

.303 CAL. DREADNOUGHT BRUSH-JAG.



with leather washer. List No. R.S.2.

This Brush-Jag is strongly constructed of short hard stiff bristle for carrying a flannelette patch through the barrel instead of by means of the

Metallic Jag. This method is recommended by Messrs Tippins and Fulton. It is not intended for use as a brush. Note that the flannelette patch should be wound spirally.

List No. D.J.2 Price 1/- Post 2d.



No. 181. WOOL MOP for oiling. Price 9d. Post 2d.

Must not be used for cleaning, or the fouling it absorbs will neutralize the gun oil.

DETACHABLE TRUEFORM DIAMOND



Among its advantages are :

Being perfectly round it presses the flannelette patch evenly on the bore.
The diamond jagging process has not weakened it, therefore it cannot easily be bent.
The ordinary dangerous jag teeth are conspicuous by their absence, the diamonds overlap each other and so The whole of the instrument, except the shank, is covered with the patch. [prevent any edges touching. It causes the patch to grip the rifling and thereby clears the grooves.

The patch can be allowed to pass out and in at the far end


No. 1768. Diamond "Trueform" Detachable Jag 303 calibre. Price 1/- Post 2d.

"SAFESURE" JAG FOR CUNIRID STEEL PARKER'S "MOTTY" PASTE. AND



For cleaning with Cunirid it is necessary to use a steel implement instead of the usual brass jag to prevent discolouration of the paste on the flannelette patch. We therefore offer this very effective tool for this purpose. List No. S.S.J.1. ·303 calibre. Price 1/3 each.

PARKER'S DETACHABLE STEEL LOOP.



The Steel Loop is the implement recommended by the B.S.A. for applying Cunirid Paste to the barrel. To meet the demand we have designed and manufactured an effective implement at a low cost.

Post 2d. List No. 178S. Price 1/6

PATCHES. PARKER'S .303 FLANNELETTE



These are put up in convenient bundles cut to size (4 in. × 2 in.) ready for use on jagged rods or pull-throughs.

No. 155. Bundle of 50, 6d. each. Post 2d. One doz. bundles, 5/9 doz. Post 9d.

o. 155a. Brush-Jag Patches (smaller size than No. 155) for use on Brush Jag D.J.2, 1/- per box of 100. Post 2d.

"FORBYTOO" FLANNELETTE ROLL. PARKER'S



This is a 6 yards length of Government striped flannelette 4 ins. wide with 2 in. stripes. It is a convenient size for carrying in the shooting case. Sufficient for 27 cleans, allowing 4 pieces for a thorough cleaning operation.

A 4 in. × 2 in patch divided into 3 pieces is a correct size for .22 calibre rifles.


List No. 187c. Price 1/-Post 2d.

MARKED FLANNELETTE

As issued in Government. Made up in rolls of 60 yds. (or the reabouts) four inches wide, marked across every two inches with a red stripe.

> Per large roll of 60 yards. No 187B

> > Price 6/9 Post 9d.



A. G. PARKER AGE RIFLE BRUSHES. A SPECIAL BRUSH FOR EVERY CALIBRE.

The notable improvement in the quality of brushes in recent years is due to the combination of shooting men and practical engineers that constitute our firm.

The screw threads we adhere to are the British Government for cleaning implements, and the greatest possible care is taken to secure all-round interchangeability.

If a brush is to be of service it must contain an adequate body of carefully chosen material, and when this is the case it can only be adapted to clean one size of barrel (by this we do not mean nominal sizes, for instance .300 and .303 can be regarded as the same, also .315 and .318). When a brush contains a full body of very fine wire, it is naturally more expensive to produce than a brush filled with coarse wire, or those made up with a light body of bristle cut to size by shears.

Genuine PARKER Brushes bearing our trade mark are entirely made in our Factory by the most up-to-date methods and machinery.

The Editor of the "American Rifleman" wrote us :-

"PARKER BRUSHES are the only brushes worth while."



See that they bear our new Trade Mark.

PARKER'S .303 CAL BRISTLE BRUSHES.



PARKER'S
"DREADNOUGHT'
BRISTLE BRUSH.

Note the broad bearing surface of the bristle.



Shows the brush in its Xylonite Tube Cover.

Brushes should logically sweep the barrel, and for this reason our "Dreadnought Bristle Brush" is made only just slightly larger than the bore to give the requisite friction on the inside surface. It possesses a large body of specially suitable bristle which gives it unlimited wear. We found it was impossible to get the requisite amount of bristle into the ordinary round twist wire, and after exhaustive experiment a special semi-circular wire was made to carry a large body of bristle and it has produced a brush which is the most rigid and serviceable on the market for its particular function.

No. D.B.S. 1, for 300 and 303 Calibre. Price 1/3 Post 2d.

BRISTLE BRUSHES FOR OILING.



These brushes are made of good Hog bristle, twisted with tinned wire to prevent decay. Consequently they last much longer than cheaper qualities. Useful for oiling the barrel immediately after firing and before applying the first saturated flannelette patch.

No. 168. Ordinary quality bristle brush. Price 8d. Post 2d.

No. 169. Ordinary quality bristle, swivelled socket. Price 1/2 Post 2d.

"CRESCENT"
BRISTLE BRUSHES
FOR SCRUBBING.



The stem wire in which the bristles are held is crescent shaped, which is much stronger than the round stem wire. The bristle therefore bears harder on the barrel, and will remove all fouling except hard metallic.

No. 166. Crescent hard bristle brush as illustrated. Price 1/- Post 2d.

No. 167. do. do. with swivelled socket. Price 1/6 Post 2d.

RIFLE CLEANING AND THE WIRE BRUSH.

At last the Wire Brush which we have made for so many years, and which, in spite of misrepresentation and abuse, has been in persistent demand, has come into its own.

Major J. S. Hatcher, in an authorative article (in the "American Rifleman" of January 1st, 1926) on the Cleaning of Firearms, following a most thorough American Governmental examination of the subject, says:—"Clean with a good aqueous solvent, using a stiff brass wire brush." He states further:—"The use of a stiff wire brush is extremely important, as it permits of the complete dissolving of the potassium chloride by breaking up the insoluble powder residue and removing any lead or other metal fouling."

PARKER'S DREAD-NOUGHT SCOURER.



This brush is made with the same semi-circular twist wire as the "Dreadnought Bristle Brush" and thus the stem being much more solid than round wire, causes the scouring wires to press harder on the walls of the bore than the original pattern scourer brush and it is also far less liable to damage on the same account. Note the Broad Bearing Surface of the wire.

No. DWS.1. For 300 or 303 Cal. No. DWS.1½.

Steel scouring wires. Price (in tube cover), 1/3 Post 2d. Phosphor bronze scouring wires.

PARKER'S ORIGINAL WIRE BARREL SCOURER.



Made in brass or mild steel wire, but unless otherwise ordered we supply in steel wire, which we strongly recommend.

With steel scouring wires in tube cover. With phosphor bronze scouring wire in tube cover. List No. 162. List No. 162A ·303 calibre. ,,

Price 1/-. Post 2d.

"CRESCENT" WIRE BRUSHES FOR REMOVING METALLIC FOULING.



These brushes have the stout "Crescent" wire stem and are filled with a heavy body of mild steel wire guaranteed not to scratch the softest barrel (only hadened steel wire is capable of doing this). The Nickelling is very quickly removed it "Motty" paste is applied on this brush. It is advisable to use a Barrel Gauge to locate the fouling, as it is useless to be scrubbing where there is no fouling.

303 calibre. List No. 173A. Crescent iron wire brush.
List No. 173AB. Crescent phosphor bronze wire brush.
Price 1/3 In spring tube cover.

ORDINARY WIRE BRUSHES.



The brushes are twisted in round tinned iron wire, and can be had filled with flexible metallic wire or mild steel wire. Useful for removing hard powder fouling or rust.

List No. 173. List No. 173B. With iron cleaning wire. ·303 calibre. With phosphor bronze cleaning wire. Price 1/-. Post 2d.

THE PARKER-HALE INVERTED BARREL SCOURER.


page !8a).




As metallic fouling is usually located near the muzzle end of a barrel, it has been found easier to work with an inverted Scourer and Motty Paste to remove it.

The Rifle should be held in a vice and the rod and brush operated through a Parker-Hale Dummy Bolt (see

List No. 174. Inverted Steel Wire Scourer in tubular case. Price 1/3 Post 2d. N.B.-USE A WIRE BRUSH BEFORE WIPING OUT.



No. 187.




Barrel Cleaner consisting of best quality stiff bristle brush, strong cord, and drop weight in good leather pouch.

Price 2/- Post 2d. No. 182. No. 182a. As above, in leatherette pouch. Price 1/6 Post 2d. Government Pullthro' consisting of cord, weight and gauze. Price 8d. Post 2d. Government double Pullthro' consisting of cord, gauze, weight at one end and hand loop at other end for use by two men.

Price 1/- Post 2d. No. 186. No. 186a. No. 187. Government pattern brass Oil Bottles. Price 1/3 Post 2d. Price 3d. each. Price 4d. each. Government Pullthrough Weights No. 186e. No. 186c. Cord only No. 186d. Price 9d. dozen. Gauzes only

No. 186a.

PARKER'S "DREADNOUGHT" BRISTLE SCOURER PULLTHROUGH. .303 Cal.



We have at length succeeded in producing a thoroughly satisfactory brush pullthrough, by utilising a brush made on the "Dreadnought" principle (Registered No. 596501)

This brush carries a large, strong, and compact body of bristle, ground down to slightly over the size of the barrel, so that it actually sweeps the grooves and does not merely drag over the lands of the rifling as is usually the case.

No. B.S.P. 1, in best leather pouch. No. B.S.P. 2. ditto without pouch. Price 2/9 Post 2d. Price 2/- Post 2d.


PARKER'S SCREW STOPPERED OIL BOTTLE.



Made out of stout glass with Lignum vitae screw stopper and leather washer to prevent leakage. Very handy for the shooting bag.

No. 186в.

Price 6d. Post 2d.



PARKER'S PUSH AND PULLTHROUGH.

(Bowden System).

It is the most effective substitute for a Rod that can be devised, and carefully used, it will give unlimited service.

To use the brush, the empty loop end of the cleaner is pushed through the barrel. To use the loop, pass through the brush holder end.

No. 182B. For military calibres Price 5/- Post 2d.

No. 182D. For big game calibres Price 6/- Post 2d.

N.B.—Unless otherwise ordered Wire Brushes will be supplied. See paragraph on page 14A.

NO. 182E. AS NO. 192D. BUT IN
LEATHER POUCH WITH TWO
SOCKETS ON FRONT
CONTAINING TWO BEST
WIRE BRUSHES PRICE 86.

CLEANER AND RUST PREVENTER YOUNG'S '303



The Best Gun Oil in the World.

> FIRST IN 1900 **FOREMOST** EVER SINCE.

It has an International Reputation.

The Birmingham Small Arms Company in their "Notes on Rifle Cleaning" says:-"Young's Cleaner deservedly possesses a high reputation."



List No. 192. Small bottle, 10d. Post 4d. List No. 193. Large bottle, 1/6 Post 4d. List No. 193B. Quarter-pint tin, 2/- Post 4d.

This famous preparation was put on the market by us for the inventor in the year 1900 at our marquee in the Bazaar Lines at Bisley. It was immediately immensely successful and has maintained the premier position ever since, being used by at least 95 per cent of Bisley Competitors.

It is certainly the best and most economical article ever offered for the purpose. As it name implies it is a Cleaner and Rust Preventer Combined.

A Cleaner. Counteracting most thoroughly and efficiently the after effects of cordite and other powders.

A Rust Preventer. Being free from Acid, Water or Rust Generators. It will keep barrels free from Rust for an indefinite period.

The following entirely unsolicited testimonials are proof that it has unrivalled qualities, and is therefore THE BEST GUN OIL IN THE WORLD.

CONTINENTAL TESTIMONY.

Dear Sirs,

I am much obliged for the goods you sent me and especially for the '303 cleaning oil. I find it much superior to German oils I have been using until now, as it cleanses the barrel more effectively.

I am shooting in Austria with Austrian Mannlicher cartridges which soil the barrel a good deal. They are the worst cartridges for the barrel unless it is well looked after.

I find it much easier to clean the Mannlicher with '303 Cleaner than formerly.

Yours faithfully,

H. Wunderly-Volkart.

UNITED STATES TESTIMONY.

Gentlemen.

Your firm certainly has the best cleaner and barrel lubricant, in your YOUNG'S CLEANER, that I have ever had anything to do with. It is the only oil I have found that I can put in my Ross and Springfield Government Service Rifles after cleaning and then set them away with impunity knowing that they will not rust or sweat. I have tried Hoppe's, Acme's, and many other special preparations and feel that rifle shooters (particularly those hardling the higher powered guns) certainly do not know the merits of this oil, otherwise every sporting goods store would be compelled to carry it in stock.

Kindly see that my order in my former letter for two half-gallon cans is promptly taken care of.

RIFLE EXPERTS TESTIMONY.

Mr. L. R. Tippins in the 4th edition of Modern Rifle Shooting says:—The cleaner which has by far the largest sale—considerably greater than all the others together—is "Young's combined :303 Cleaner and Rust Preventer."

SPORTSMAN'S TESTIMONY.

In an article in the "Field" of Feb. 18th, 1926, Mr. E. P. Bernard says:—"Young's '303 Cleaner is a good Oil to use as owing to the evaporation of a component it thickens to a grease and so does not drain off; thus combining the intimacy and penetration of an oil with the permanence of a grease.

YOUNG'S CLEANER AND RUST PREVENTER IN RECTANGULAR CANS.



Half pint can, List No. 193A, 2/9 Post 5d. Pint Can, List No. 194, 4/- Post 9d.

Quart Can, List No. 195, 7/- Post 9d.

Half Gal. Can, List No. 195p, 12/6 Post 1/-

Gal. Can, List No. 195A, 22/-Carriage 2/-



YOUNG'S SEMI-LIQUID '303 CLEANER AND RUST PREVENTER.

This preparation has been introduced to suit those Riflemen who require a thicker oil than liquid '303 Cleaner and Rust Preventer but yet retaining the wonderful cleaning properties of this world famous rifle oil. We have been successful in this, but it must be borne in mind that as heavy greases cannot efficiently clean a barrel, the "semi-liquid" preparation is hardly so searching as the liquid oil which gets into the pores of the steel and neutralises the acid powder fouling.

Directions. If, therefore, the "Semi-liquid" preparation is

Directions. If, therefore, the "Semi-liquid" preparation is to be used as a Combined cleaner and rust preventer it must be well squeezed into the steel on tight fitting flannelette patches so

as to drive it well into the pores.

The barrel should then be thoroughly dried with clean flannelette patches and finally greased with a clean but loose fitting patch which will leave a substantial film covering the whole of the bore.

Large Size; No. S.L.1 Small Size; No. S.L.2 Price 1/6 Post 4d. Price 10d. Post 3d.

ACID FREE PETROLEUM JELLY.

For preserving quantities of arms for transit abroad or for winter storage where it would be too expensive to use proprietary preparations, we offer pure petroleum jelly, guaranteed free from acid. Providing barrels have been well cleaned with boiling water or with an anti-corrosive oil such as Young's .303 Cleaner and Rust Preventer, the petroleum jelly will take care of the rest.

List No. 34D. Tin containing 11b., 1/6 Post 6d.

List No. 34E. Tin containing 7lbs., 4/6 Post 1/3

List No. 34F. Tin containing 28 lbs., 14/- Carriage forward.

THREE-IN-ONE OIL.

...

We stock this well-known Oil because of the innumerable uses it can be put to. It is particularly suitable for oiling gun locks and the most delicate mechanisms, as it does not gum or clog in any climate. It is also a splendid renovator of polished woodwork. Although useful for gun cleaning it should not be relied upon for preserving the barrels of high velocity and '22" rim fire rifles.

PRICES:

One oz. bottle 9d., Post 3d.
Three oz. , 1/6 ,, 4d.
Eight oz. ,, 3/- ,, 6d.
Handy Can 1/6 ,, 3d.




B OZ. (REDUCED SIZE)

SAXONAL

irre!

THE SCIENTIFIC CLEANING OF MODERN FIREARMS BY THE B.S.A. SYSTEM.





B.S.A. FLUOR OIL.

A preparation for softening the powder fouling to facilitate its removal. 4 oz. bottle 1/- Quart tin 6/- ½ gallon tin 11/- Gallon tin 20/-

B.S.A. CUNIRID.

An abrasive paste for removing all nickel and other fouling in the barrel. Sold in tubes 1/- each; ½-lb, tins 3/6 each; 1-lb, tins 6/6 each and 5-lb, tins 28/- each.

B.S.A. KLEENWELL OIL.

A thin alkaline oil for washing out the bore after shooting or after using B.S.A. "Cunirid." 4-oz. bottle 1/-; quart tin 6/-; ½-gallon tin 11/- and 1 gallon tin 20/-

B.S.A. BORE POLISHING PASTE.

A paste specially prepared for polishing the bore if necessary after cleaning. Per 1-oz. tube 1/6.

B.S.A. SAFETIPASTE.

Should be inserted in the barrel after cleaning as above or without cleaning at all. Will keep the bore bright and right for any length of time. Sold in tubes 1/- each; 1-lb. tins 2/- each; 1-lb. tins 3/9 each; 5-lb. tins 18/6 each.

One Set complete in handy box, exclusive of Fluor Oil, 4/3. Post 6d.

PARKER'S STEEL "SAFESURE" JAG FOR CUNIRID.



For cleaning with Cunirid it is necessary to use a steel implement instead of the usual brass jag to prevent discolouration of the paste on the flannelette patch. We therefore offer this very effective tool for the purpose.

List No. S.S.J.1. 303" calibre Price 1/8 Post 2d. ,, ,, S.S.J.2. 22" calibre ,, 1/- ,, 2d.

THE K.N.S. SYSTEM OF RIFLE CLEANING.



This laboratory system of rifle cleaning was very considerably practised in pre-war days by many riflemen, and the only reason it has fallen into comparative disuse was the absence of a device for securing the observation tube to the muzzle of the S.M.L.E. Rifle.

We have not given the matter considerable attention hitherto because we believed the system had fallen into disuse, but we have had several enquiries lately as to whether we could not supply such a "Gadget" with the result shown in the accompanying illustration.

The device consists of a steel clip which easily engages the slots of the nosecap, a steel tube on which the rubber observation tube is slipped. The washers are forced on to the muzzle by screw pressure and make a water tight joint.

PRICES.

K.N.S. Outfit, consisting of Measuring Glass, glass Funnel, observation tube, and pinchcock, with instructions for use, not including tablets and adapter.

List No. K.N.S.1. Price 5/-

Tube of 25 K.N.S. Tablets. Ljst No. K.N.S.2. Price 2/6

M.L.E. K.N.S. Adapter. List No. K.N.S.3. Price 5/-

THE PARKER-HALE CLEANING BOLT FOR ALL LEE-ENFIELD RIFLES.

Pro. Patent No. 5560.



The idea of this tool occurred to us when we were asked to experiment with a wire brush tool for bottle cleaning which turned out so successful that we adapted it for rifle cleaning with the inverted scourer, as shown on page 11A, and all other cleaning implements.

The narrow end of the bolt fits into the chamber up to its neck and provides a very accessible passage for the various cleaning implements and materials preventing gritty pastes and greases from clogging the action and chamber.

It is made of steel 8 inches long-and weighs only 4 ozs. so that it can be readily carried in a shooting bag.

With a pocket cleaning rod (the Helvetic) a Wire Brush No. 173 or 173A, Young's .303 Cleaner and Rust Preventer and a packet of patches, one can carry out effective cleaning operations on the firing point that will last until the rifle is used again no matter how long this may be.

List No. 285B. Price 3/- Post 3d.

Also made to order for American Springfield Rifles.

THE "PARKER" BARREL GAUGE.



True to a 10,000th part of an inch. For detecting "nickelling" or metallic fouling in Rifle Barrels, screwed for fitting on Cleaning Rods.

ACCURACY GUARANTEED.

This gauge was introduced to us by Walter Tatlow, a well-known member of the British International Team, who saw the need of a cheap but reliable gauge for detecting the presence

of metallic fouling or nickelling in rifle barrels. This nickelling in its early stages cannot be seen with the naked eye, but if allowed to accumulate, shooting is bound to deteriorate and misses can occur at short ranges.

It is therefore essential that every rifleman should carry a gauge the exact size of his barrel to a 1 of a thousandth (new barrels though nominally 303 in. vary in size from 30275 to 305). A set of our gauges say 303", 3035", 304" and 3045" would therefore serve no matter how many new barrels or new rifles may be used.

A properly fitting gauge should drop slowly through the barrel or be capable of being pushed through with gentle pressure so that if nickel is accumulating in any particular spot the gauge will be stopped. It is then only necessary to give the barrel an application of "Motty" Paste and the obstruction will be removed.

R & CO LTP
3045
PARKER PARKER
3035" PARKER
PARKER

No. 208B.	Single	gauge	in roun	d wood c	ase		Pri	ce 4/6	Post	2d.
No. 208C.	Two ga	auges (in selvy	t lined hi	nged cas	se)	,,	11/-	,,	2d.
No. 208D.		do.		de				16/-	,,	2d.
No. 208E.	Four	do.		do	65		,,	21/-	,,	3 d.
No. 208F.	Five	do.		de).		,,	26/-	,,	3d.
Case for a	Complet	e Set	***	/474547				10/-		

Stock Sizes.—3025, 30275. 303, 30325. 3035, 3035, 30375, 304, 30425, 3045, 30475, 305. These gauges are turned out in very large quantities which accounts for their cheapness. It is therefore impossible to make specially any other than the above at the price. Stock sizes for gauging 22 cal. rifles are 214, 215, 216, 217, 218, 2185, 219, 2195, 220, same price as foregoing. Also made for 300 cal. Springfield and 7 m/m Manser.



THE "MOTTY" RIFLE PASTE.

The preparation is the invention of Mr. Harry Motton, the wellknown Australian Rifleman who shot with such extraordinary success in Scotland and at Bisley in 1907. It was put on the market by us in 1908 and met with a great demand, being exactly what Riflemen required to remove nickelling "on the spot" with a minimum of impedimenta and trouble.

It positively removes all traces of nickel. It polishes the bore without enlarging it.

By removing the nickel it allows the cordite neutralizing

oil to get at the steel and preserve it.

It contains no emery or grit.

It can do no harm if left in the barrel.

It saves labour, one cleaning being sufficient.

DIRECTIONS FOR USE.

To Remove Nickelling,—Wrap a flannelette patch tightly round jag of rod, apply paste and rub away until the struction is removed. In bad cases it can be more quickly removed when the paste is applied on a wire obstruction is removed. In bad cases it can be more quickly removed when the paste is applied on a wire brush, Parker's No. 173A.

TO Prevent Corrosion.—Proceed as above, then oil the barrel with a good rust preventer in the usual way. It will be found that no further cleaning is necessary and that the barrel will keep bright all the way through until

used again.

From Sergt. Major Wright, A.S.C., Manchester.—"The 'Motty' is fine, I would not be without it. I gave some to an A S.C. Musketry Instructor and he was delighted with it. With a pot of 'Motty' and a '303 gauge, a shooting man's mind can always be at ease."

From Mr. W. S. N. H., Cardiff.—"The gauge slipped through easily from the breech end up to a point about 9 inches from the muzzle. I applied 'Motty' Paste and soon found that the gauge slipped through from end to end easily of itself—so the gauge has been useful in showing the metallic fouling, and the 'Motty' Paste has successfully removed it."


Extract from Orders re Care of Sights and Rifles issued by the Fifth Army Sniping School during the Great War.—"Keep bore highly polished. Use 'Motty' Paste with Cleaning Rod."

"Motty" Rifle Paste will also remove "leading" and is IMPORTANT. therefore suitable for cleaning Sporting Rifles, Miniature Bore Rifles, and Shot Gun Barrels.

List No. 286. Small Jar containing 30 grammes.

Price 1/6 per pot, post 2d. Small Jar contain, 3/- jar containing 90 grammes. Post 4d., 8/- (1lb. jar for Armoury use), post 9d. ,, No. 287. " No. 287A.

PARKER'S SETS OF GAUGES FOR LEE ENFIELD RIFLES.



We illustrate herewith two sets of gauges for testing barrels and actions of Lee Enfield Rifles.

The sets consist of Barrel Gauges for checking unduly worn barrels .307" to .310". Gauges for finding metallic fouling .303" to .306". Heading Gauges for checking the distance of the bolt head from the base of the cartridge .064" accept, .067" medium, .074" reject. Striker point gauge for checking length of striker point outside the bolt head, (.040" accept, .042" reject,) also for checking the correct shape of the point. Leade Gauge for measuring the amount of wear sustained by the leade or throat from the chamber on to the rifling.

We are prepared to make up these sets to suit our customers' needs and we therefore quote for the gauges separately as follows:—

3,		
List No. P.B.G. Barrel Gauges, .3025" to .306"		4/6 each.
,, No. P.B.G. ditto .307" to .310"		5/- ,,
", No. P.B.G. Heading Gauges, .064", .067", .074"		12/- ,,
(mention gauge size after list letters when ordering).		
List No. S.P.G.1. Striker Point Gauge		
,, No. C.L.G.1. Chamber Leade Gauge		25/- ,,
., No. L.O.K.1. Lined Oak Case for small set as illustrated		6/- ,,
,, No. L.O.K.2. ,, ,, large ,, ,,		10/- ,,
Price List of Lined Wood Cases for Barrel Gauges.		
Case for 2 barrel gauges 2/- each. Case for 5 barrel gauges	***	3/6 each.
$\frac{3}{4}$, , $\frac{2}{1}$, $\frac{6}{1}$, ,	•••	4/- ,,
,, 4 ,, ,, 3/- ,, ,, 11 ,, ,,		6/- ,,

MORRIS TUBES.



A bit of Sport with your Service Rifle.

Morris Tubes belong to a past generation. The 2.297/230 bottle shaped centre fire cartridge has been superceded by the .22 cal. rim fire cartridge admittedly a cheaper and better article but you cannot shoot a rim fire cartridge out of a centre fire Service Rifle as issued.

With a Morris Tube a Service rifle can be temporarily converted to shoot .297/230 Morris Cartridges in a matter of seconds and without risk of injury to it.

Excellent sport can be had at Rooks, Rabbits, etc., and even target practice, though as the cartridges cost 5/- per 100 for the "short" and 8/- per 100 for the "long" it is perhaps a little expensive compared with rim fire target practice.

We offer these tubes in lengths suitable for Long L.E. Rifles, Short and Sporting L.E. Rifles, L.E. and Martini .303 Carbines complete with Rod and Brush

in suitable box at 21/- each.

PARKER'S SERVICE RIFLE POCKET CLEANING OUTFIT

including Accessories as shown, with the exception of the Gauges, which are supplied 4/6 each extra.

> Price 9/6 Post 9d. List No. 255A Made to order for Mannlicher, Mauser and Springfield Rifles.



NICKEL

\$ BO., LTO., SIPLE EXPE

This consists of a neat polished hardwood case $(5\frac{1}{2} \times 4 \times 2in.)$ which can easily be carried in a side pocket and contains 50 pieces of Flannelette, small glass bottle of 303 Cleaner, tube of "Motty" Paste with push-up bottom, Bristle Brush, Scourer and Rod It is provided with holes for two barrel gauges, which are so necessary for detecting undue metallic fouling.

It does away with the necessity of carrying a specially fitted shooting case; slipped into an ammunition bag it effectually keeps the Cleaning materials separate from everything else. Nothing can be lost or spoilt for as soon as each article is done with it is easy to replace it in its hole. patches can be drawn out one at a time without dis-

turbing the remaining pieces.

It will be found as handy at home as on the range.


All Fittings are best quality. Try one. We know you will be pleased.

N.B.—The Rod guide may be replaced with a small bottle of Parker's Dead Black for Sights.

"NEVER NICKEL" LUBRICANT.

FOR BULLETS.

A relief to Riflemen and a great aid to Higher Scoring.



They soon succeeded in convincing their fellow members of its excellent qualities, and it was used by every member of the Team, who were successful in winning the Mackinnon, chiefly owing to the fact that they kept almost perfect elevation.

One of its inventors, Pte. W. J. CLIFFORD, won the King's Prize, the Prince of Wales' Prize, and a greater amount in cash than has ever been previously won by a single competitor at Bisley.

Metallic fouling or "Nickelling" is entirely eliminated and consequently the preparation affords a great relief from the hard work constantly entailed by its removal.

By reducing friction the lubricant lengthens the life of

the street with the state of

in in

the barrel considerably, and wear effects are not so apparent at the breech end. Cleaning is far easier. In fact the barrel can be left for a day without any apparent ill effect, and when once oiled with any good anti-cordite preparation such as Young's '303 Cleaner, the rifle can be laid aside indefinitely with the utmost confidence.

Directions for Use.

How to Prepare the Barrel.—First remove all traces of nickel by means of "Motty" Rifle Paste, making sure the barrel is quite clear by testing with a close-fitting barrel gauge. Directions for use in Lee-Enfield Rifles .- Dip each bullet in the Lubricant through the

hole in the regulating device, twisting it round to get an even coating.

The Magazine cut-off should be opened and the cartridge placed on the platform, the base being depressed so that it catches under the ledge in the side of the action. The forward motion of the bolt then guides the cartridge into the chamber without letting the bullet touch the walls.

No. 400. Price 1/6 Post 4d.

MOTTY ANTI-NICKEL CREAM (Lubricant for Bullets).

A preparation for preventing nickelling invented by Mr. Harry Motton, the well-known Australian Rifleman. No. 400s. Price 1/6, post 2d.

deals 17 Has 19

FIRM PRODUCT


THE BISLEY RIFLE VICE.

An excellent present or prize for a Rifleman.

A VERY USEFUL TOOL FOR HOME USE.

Once tried, always appreciated.

The use of a vice for cleaning rifles is recommended in the Handbook of the Society of Miniature Rifle Clubs, and also by the Birmingham Small Arms Co., Ltd., in their pamphlet on the application of B.S.A. Firearm Paste to the cleaning of firearms.



Model A.


Shows Vice holding a service rifle clamped on to a table.

The Model A Vice.

- Can be fixed to anything, anywhere.
- 2. Holds any size and make of fire-arm without damage.
- 3. Rifles can be cleaned at any angle, including the vertical position for Kings Norton Solvent.
- Takes up very little room when travelling.
- Can be fixed to a tent pole or tree.
- Can be used for all ordinary purposes.

The Bisley Rifle Vice Model "A" is fixable anywhere, and the felt-lined jaws hold the rifle without damage to its wookwork, and at any angle.

When required for ordinary bench work, the under set of jaws shown in the illustration can immediately be turned uppermost. The Vice is nicely finished, and is quite ornamental as well as a useful little tool and no objection would be raised by the tidiest housewife to its presence in the house.



Model A (fixed on tent pole).

Model B.

PRICES:

- Model A. With screw clamp, wood blocks and one pair of curved plates for tent pole, etc. In neat strong wood box, weight 11 lbs. ... 37/6
- Model B. With plate only for fastening on edge of bench or on a partition by screws. In compact strong wood box, weight 9 lbs. ... 30/.

NOW MADE ON INTERCHANGEABLE PRINCIPLES

BETTER VALUE AND LOWER PRICES MODEL "A" 30/-

"B" 25/-

THE KLEANRIFLE CASE.

Invented by Mr. A. Beer, of Bristol, a well-known West Country Rifleman.



This is the Case which described in the N. R. A. Journal of September, 1927, as a Portable ARMOURY.

It consists of a strongly made wood box which weighs 24 lbs., complete with rifle and cleaning equipment.

It is designed so that the rifle can be carried safely without the necessity of packing, for when the lid is closed down the rifle is firmly and rigidly held.

The hinged flap shown in the centre of the lid fills up the aperture through which the butt is passed for cleaning operations.

The box at the top of the lid is a receptacle for cleaning accessories.

Under the box is a spring clip for holding flannelette patches. Eyes are provided to take the cleaning rod.

BOX FOR CLEANING REQUISITES

Passing through the box from side to side is a screwdriver which serves the dual purpose of holding down the rifle and for tightening up of screws which oftentimes is necessary.

CASE SHOWING RIFLE SECURELY PACKED

- (a) The case solves the problem of despatching rifles by rail for overhaul.
- (b) It is strong enough for export.
- (c) It overcomes the difficulty of cleaning at the range, attention to, and disposal at home.
- (d) It is of the utmost assistance if one's barrel gets nickelled.

A saving of fully 5/- if effected if one of these cases is specified when ordering a new rifle.

> List No. KC.1. Price -30/-

PARKER'S SHOOTING BAGS.

These bags are made of serviceable rubber proofed canvas, leather bound, or otherwise of sound well-stitched leather. They are a necessity for Riflemen attending Bisley and other rifle meetings. They keep everything in order, and there is consequently no fear of turning up at a shoot partially equipped.



No. W 2.



No. BW 2.

Designed for Riflemen by Riflemen.

Waterproof Canvas Bag with one plain compartment for ammunition and accessories, and with front pocket for Score Book and Tickets, leather carrying sling, dimensions $9'' \times 6\frac{1}{2}'' \times 3''$.

List No. W2. Price 7/6

Waterproof Mail Canvas Bag with one wide compartment, fitted with loops for loose cartridges, leather pockets for accessories, and front pocket for Score Book, with web carrying sling. Dimensions $10'' \times 6\frac{1}{2}'' \times 4''$.

List No. BW2. Price 12/6

Waterproof Mail Canvas Bag as No. BW2. but of greater capacity $(12'' \times 8'' \times 4''.)$

List No. BW3. Price 15/-


Leather Bag, description and dimen sions as for No. BW2.

List No. BL1. Price 17,6

Leather Bag, design as BW2, but of greater capacity, $12'' \times 8'' \times 4''$, made to accommodate telescope and stand.

List No. BL2. Price 24/-

PARKER'S "HOLDALUWANT" SHOOTING BAG.



A capacious flexible bag which comfortably accommodates a cleaning outfit case, Elbow Pads, Field Glass or Telescope and Stand, Score Book, 50 rounds 303 Ammunition, and our new Collapsible Cleaning Rod.

It has two wide compartments for ammunition and accessories, and a pocket for score book and tickets.

Dimensions 12" \times 8" \times 5\frac{1}{2}.

Made of the stoutest Mail Canvas, leather bound, and stiffened at back. With strong broad web sling.


List No. H1. Price 18/6

Made entirely of Leather as illustrated. Strongly recommended.

No. H2. Price 32/6

PARKER'S WEATHERPROOF SHOOTING BAG.

PROTECTS SCORE BOOKS AND CARTRIDGES.



Should rain come on when shooting.

- (1) Pull the flap over.
- (2) Hold rifle sideways to prevent water getting into the breech.
- (3) Withdraw cartridges as carefully as can be done with wet hands and slip into the chamber without exposure to the downpour.

The photograph is possibly misleading. The flap to protect the score book does not remain in the horizontal position shown, but drops on to the ground flap. In fine weather it is turned back, but when it rains the flap is pulled over the ground flap and protects the open score book, etc., yet allowing shots to be registered with very little extra trouble.

Every experienced rifleman knows how badly handicapped he is if rain supervenes during a shoot. Unless he ceases immediately to stop recording his score, his book gets utterly spoiled, his ammunition gets wet and cannot very well be dried and the result is invariably a bad score.

Our Weatherproof Shooting Bag is so designed that in case of rain a cover can pulled over the flap on which the score book rests, the score book being disposed in the manner shown in the illustration. Although scarcely so effective as our All Weather Shooting Case would be, it is nevertheless a very welcome improvement in Shooting Bags at a very moderate increase in cost.

List No. H.W.1. Made of Stout Mail Canvas Leather bound ... 21/-.. H.W.2. All solid Leather ... 35/-


THE "BURKE" SHOOTING CASE.

A smaller model of the No. 2 Parker-Hale Case.

This case was first made to the order of Lt. D. Burke, G.M., who required a case of less comprehensive capacity than our No. 2 Parker-Hale Case.

When made up it appeared so neat and workmanlike, we decided to add it to

our stock.



SPECIFICATION.

Solid leather, strengthened inside with fibre board, Wood division for 18 cartridges (enough for a two range shoot).

Length 121 inches. Width at opening inches. Depth 7 inches. Unladen Weight 41 lbs.

> List No. H.4. Price 50/-Accessories extra.

N.B.-Side Flaps now displace the Aluminium Lid Support (see illustration of the No. 2 Parker-Hale Shooting Case).

THE No. 2 PARKER-HALE "ALL-WEATHER" SHOOTING CASE. Prov. Patent No.

"An Old Hand," writing in the N.R.A. JOURNAL of October, 1924, deplored the absence of a well-designed shooting case.

He was quite right; neither in this country nor in U.S.A. and Australia, where handbags

are chiefly used, was there a well-designed shooting case on sale.

In any country a very desirable feature is weather protection for the Score Book and Ammunition, and these are fully secured. There is roominess without clumsiness; adaptability to all conditions and all kinds of equipment.




Fig. 1.—Shows the case with the flaps open and an assortment of accessories of the bulkiest description, yet with room for more. Note the separate pocket for the Score Book and the pocket holding a pot of bullet lubricant. If field glasses are used instead of a 'scope and stand, there is room for a mackintosh and leg overalls, etc.

The accessories shown in Fig. 1 are:— Parker's Spotter Telescope, the heavy Government Telescope Tripod, Parker's S.M.L.E. Score Book, Parker's "Helvetic" Cleaning Outfit, Parker's Trueshape Rubber Elbow Pads and Never Nickel Lubricant

Fig. 2.—Shows the case laid on its side for use on the firing point Note how the shape of the body helps the all-weather feature of the design. Note how the aluminium flap support works, how handy are the practice tickets, and how convenient the bullet lubricant, and last, but not least note how the Score Book is protected from rain.






Fig. 3.—Shows the case closed, and the very convenient, simple and strong method of fastening. Simply tip up the case, close the flaps and press the thongs over the studs. You can be up and away in a moment and you have everything in the case except the rifle.

SPECIFICATION.

Solid leather, strengthened inside with fibre board. Light wood division to hold 18 cartridges, with slots for practice tickets. Length, 16½ inches; width at top. 7½ inches; depth. 7 inches; weight, unladen, 5 lb.

The design is patented and proceedings will be taken against copyists.




Fig. 3

SERVICE RIFLE SLINGS.


Our Slings are made to comply with the National Rifle Association's Rule which states:

"Slings need not be on the Rifle, but if on they may be used as an assistance in shooting where specially authorised by the conditions of the Competition.

Any Sling must be attached to two separate swivels on the rifle, and must not exceed 544 inches in length (exclusive of tongue and buckle) nor 12 inches in width.


When a Sling is allowed to be used, it may be placed round one arm or wrist, but not round any other part of the body of the competitor.

No hook or loop or other apparatus may be used to retain the sling in any particular position on the person, nor may it be attached to the rifle in such a manner as to leave one end free for the purpose of forming a loop."




Made of plain strong tan canvas web 1½ ins. wide, with solid brass slide, brazed brass wire loops and best leather straps.

List No. 214.R. Price 3/-. Post 3d.



Made of strong but pliable bag hide leather, 11 ins. wide with plain brass buckle, brazed brass wire loop easy to fix and adjust, as recommended by the Editor of the N.R.A. Journal.

List No. 214.S. Price 6/-. Post 3d.




Made of 1½ ins. beaded web as used for Army equipment, with quick adjustment buckle, brazed brass wire loops and best leather strap ends. Grips well.

List No. 214.U. Price 4/6. Post 3d.

We make Plain Service Rifle Slings, that fit directly into the band swivels, in leather and Government web, and in two lengths as follows:-



No. 214.



No. 214B.

No. 214. Made of best hide. strong but pliable, curried inside, everlasting wear, 54½ ins. long. Price 5/-; Post 3d.

No. 214e. Best leather Sling, short Government length 46 ins. for use from middle band swivel to guard swivel. Price 4/6; Post 3d.

No. 214B. Made of Government Web 544 inches long. Price 3/6; Post 3d.

No. 214Q. do., do., 46 ins. long. Price 3/-; Post 3d.

SLING ATTACHMENTS.

For those Service rifles which are not provided with swivel lugs immediately in front of the magazine, it is permitted under N.R.A rules to replace the front trigger guard screw with a swivel as illustrated, viz., No. 215.









No. 215.	No. 215A.	No. 2162	Α.	No. 216	SC.
List No. 215.		xex co	9888	Price 1/6;	Post 2d.
No. 215A.	Butt Swivel for L.E. Rifles	***	1983	,, 1/6;	,, 2 d.
No. 216A.	Band Swivel and fixing sere	ew S.M.L.E. R	lifles	,, 1/9 ;	,, 2 d.
" No. 216C.	Spring Swivel Hook for spo	rting rifle sling	gs, etc.	,, 10d.;	,, 2 d.



THE PARKER-HALE ANGULAR REVOLVING SLING SWIVEL.

List No. 215D. Price 2/-, post 2d.

This Swivel has been designed for the benefit of those who pass their arms through the sling from right to left instead of left to right as is usual.

The "right to left" method undoubtedly affords a better grip and so prevents the sling slipping but the standard Swivel is unsuitable because the pull of the sling is different.


The Parker-Hale Angular Revolving Swivel sets itself in the direction of the pull. It displaces the front guard screw, and when doing this, it is advisable to use a strong screwdriver and drive the screw well home.

PARKER'S SERVICE RIFLE COVERS.


Well Made-Roomy-Serviceable.

When ordering please state whether required for the **Long** or the **Short** Lee-Enfield rifle, or otherwise give fullest particulars of weapon for which the cover is required.





L.M. 3. Very strong, rot and damp proof Canvas, long leather nose cap, leather action patch, leather patch on butt end, with sling ... Price 24/-



 L. M. 4½
 Best Canvas Cover with short leather nose cap and sling ...
 Price 15/

 L. M. 5
 Best Canvas Cover with short leather nose-cap without sling ...
 Price 12/

 L. M. 6
 Best Canvas Cover without nose-cap ...
 Price 10/6

 L. M. 9
 Strong Cloth Cover ...
 Price 2/6

(For Covers for Martini Converted Rifles and Miniature Rifles, etc., see Small Bore Section.)

Pockets for carrying Cleaning Rods can be fitted on inside of Rifle Covers to order at 3/6


Pockets for carrying Cleaning Accessories can be fitted outside to order at 4/6 extra.

C

PARKER'S ELBOW PADS.

(Made to comply with the original N.R.A. Specification).

These prevent chafing and soreness, and also save wearing away of the coat. They are cut to correct shape and will not ship out of position. They are made adjustable to the size of the user's arms with patent lever buckles and strong web straps instead of elastic.




List	No.	218.	Best Rough lined with de	Leather, ouble adju	baize stable	pair.
		210	straps	***	77.14	6/-
,,	No.	218A.	Best Hard withadjusta	bledoubles	traps,	•
			strongly rec	ommended		6/-

,, No. 218E.	Thick Felt (firm quality), adjustable double straps	7/-
,, No. 218F.	Soft Light Felt, most suitable for ladies and boys, double adjustable straps	4/6

THE PARKER-HALE TRUESHAPE NON-SLIP RUBBER ELBOW PADS.

Permitted under the new N.R.A. regulation.



Designed by Riflemen for Riflemen.

Rubber lends itself to moulding into a perfect fit on the elbow, consequently our pads are comfortable both in and out of use.

When in use they absolutely prevent slipping and unlike other pads do not rock and slip out of position on the coat sleeve.

The matted surface grips the ground.

The adjustable web straps cannot work loose.

The pads are perfectly waterproof.


Best materials and workmanship.

Satisfaction guaranteed or money returned.

List No. 218H. Price 6/6 per pair.

THE PARKER-HALE TRUESHAPE SOFT CRÊPE RUBBER ELBOW PAD.

Permitted under the new N.R.A. regulation,



Made in the same design as our original Trueshape Rubber Pads but in the new Crêpe that has become so popular recently.

This soft crêpe rubber is especially adapted for the purpose.

It grips the ground tenaciously.

A boon to riflemen with tender elbows.

List No. 218J. Price 7/6 per pair.



Photo of Private Burke, G.M. King's Prizeman, Bisley 1924, wearing the Parker-Hale Soft Crepe Rubber Elbow Pads.

BOOKS.

Small Arms	Training	(issued by Govt.)	Vol.	I.	• (** ***		Price	1/-	Post	4d.
-do.	do.	do.	,,	II.				1/-		4d.
do.	do.	do.		III.	-		.,	1/-		4d.
Parkers' Rif	de Shots F	Register and Shoo	ting I	nstru	ctions			. See	page	
The Parker-	Hale S.M.	L.E. Score Book	with	Sho	oting	Notes		Saa	Dage	
The Theory	of Rifle a	nd Rifle Shootin	g, by	J. W	. Hick	s, M.R.	E., F.	R.A.S.	1 0	
Message and an ex-								ce 5/-		4d

The Hodsock Ballistic Tables 1925, by F. W. Jones ..., 10/-, 4d.

The Service Revolver and How to Use It, by Capt. C. D. Tracey.

Price 3/9, plus postage and Commission.

The Bisley Programme—issued annually by the N.R.A. Contains full particulars of


various Competitions, with Rules and Regulations for the current years' meeting.

Price 3/-, plus postage and Commission.

The N.R.A. Journal—A monthly periodical issued by the N.R.A., which contains articles on Shooting, reports of Council Meetings and general items of interest.

Price of Annual Subscription 7/-, covering postage.

1927 Edition) . . . Price 3/- Post 3d. The American Rifleman. A monthly journal issued by the N.R.A. of U.S.A. Of interest to Riflemen and Shooters generally. Contains articles by Lt.-Col. Townsend Whelen, Major Hatcher, Chas. Askins, etc., etc. Annual Subscription 17/
The Rifleman. A monthly journal issued by the Society of Miniature Rifle Clubs of interest to Small Bore Target Riflemen. Annual Subscription 4/-



ZERO TARGETS.


The illustration is an exact reproduction of the target used at Bisley on the Zero Range.

The graduated scale marked Magnum is the one used for zeroing Match rifles used with Magnum Ammunition.

The centre scale is the one used for zeroing Service Rifles for ranges up to 600 yards at which the half bulls eye is the aiming mark.

The scale on the right is for long range zeroing. List No. Z.T.1. Price 1/6 per roll of six. Post 3d.

AMERICAN SHEEPSKIN SHOULDER AND ARM PADS.



PRICES.

List No. 218.L. Cut out shoulder piece List No. 218.M. Cut out Left Arm Pad ... 3/3 List No. 218.M. Cut out Left Arm Pad ... List No. 218.N. Cut out Right Arm Pad ... 3/6

It is well-known to those who read the "American Riflemen" that 90% of the Competitors at the National Matches are equipped with sheepskins as shown in the photograph.

There are very good shooting reasons for it, otherwise, these men who take no chances would not so unanimously use it.

The skin sticks to the rifle butt and the wool absorbs recoil.

The skin is also useful to reinforce the shooting coat or shirt to take off the pressure of the sling from the arteries, which some-times causes unsteadiness.



THE BURKE RIFLE REST.

This rest is too low to use as a 'Scope rest, but it is better than a long rest as it can be positioned directly under the rifle and is low enough not to interfere with the fore-arm when aiming.

It is made of polished alu-minium. Length from base to bottom of fork 35 ins. Overall length 8 ins.

List No. 228B. Price 2/6. Post 3d.

THE PARKER-HALE ALUMINIUM RIFLE AND 'SCOPE REST.

Very light yet quite strong, smoothed and beautifully polished.

A serviceable and useful accessory especially in wet, long useful grass.


It has a large oval disc base and measures 55 inches from base to bottom of fork. length 101 inches. Overall

List No. 228A. Price 2/6.

Post 3d.



CAPT. T. S. SMITH'S WATERPROOF AMMUNITION CARRIER.



ADVANTAGES.


It keeps ammunition separated from other accessories.

It protects the rounds from rain.

It automatically checks the number of rounds to be used in competitions, etc.

List No. T.S.S.1.

Price 6/-Post 3d.



Folded up ready to slip in pocket of coat or shooting bag.

WATERPROOF TRUNK OVERALLS

For Prone Shooting.

This a new one-piece garment made of strong khaki waterproof twill, covers the legs, buttocks and chest, with a pair of shoulder braces for its support. There are no other fastenings to waste time, break loose and let in rain. When used in conjunction with an ordinary raincoat or cape the body is adequately protected and shooting in the rain loses most of its terrors.

List No. WTO.1. Price 27/6.

When ordering, please give height and waist measurement.

RUBBER EYE CUPS.



No. REC



No. RECO

The advantage of the No. REC shape for the prone position is that it exactly fits the contour of the face and entirely closes out the side lights. The No. RECO pattern is more suitable for the back position.

List No. REC. For Aperture Sights on Miniature Rifles. Price 1/- Post 2d.

List No. RECO. For use with Match Rifle Sights. Price 1/- Post 2d.

Testimonial from Mr. T. Bull, Westfield, Woking, 10/4/26. CORFECTED PRICES 16 LEACH.
"When I fitted the eye cup, my scores rose from somewhere in the 80's to 96.


THE McGIBBON TEETH GRIP FOR BACK POSITION.



As is well known to Match Riflemen, some support for the head is a disagreeable necessity, and nothing handier for the purpose has been devised than the teeth grip used by Mr. McGibbon, the late well-known Bisley Match Rifleman.

The grip consists of a soft rubber ring, and soft leather strap which can either be fastened on to a trouser button, or looped round the wrist.

Price 2/6 Post 2d.



BARREL REFLECTORS.

For close examination of barrels at the breech end.

No. 209 For '303" cal. Rifles Price 2/6 Post 2d. No. 2094 For 22" cal. Rifles ., 3/- Post 2d.

209

"DEAD WEIGHT" TRIGGER TESTERS.

List No. 210 Five pounds Weight (for testing Service Rifles)


Price 10/- Post 9d.
List No. 210a Four pounds Weight (for testing Small Bore Rifles)
Price 10/- Post 9d.
Post 9d.

List No. 210b Three pounds Weight (for other conditions and tests)
Price 10/- Post 9d.

List No. 211 Set of three loose Weights (\frac{1}{4} lb., \frac{1}{2} lb., 1 lb.)

Price 2/6 Post 6d.

SPRING TRIGGER TESTER.



Invaluable for Armourers and Gunsmiths.

List No. 212. To test by 4 lbs. up to 12 lbs.

25/- each. Post 6d.

List No. 212A. Government pattern, 30/-



TELESCOPES.

Whilst Binoculars are generally sufficient for determining the position of the Spotting Disc, and with their large field of view the target is found with comparative ease, yet many Riflemen and notably those with the greatest eminence, prefer the Telescope owing to its superior magnifying power. A good Telescope shows up the rings on the target at distances up to 600 yards, but to achieve success at long ranges, upwards of 800 yards, a good Telescope becomes a necessity for watching the drift of mirage and for finding the spotting disc, which sometimes is difficult to see as the target gets distorted when mirage is present.

PARKER'S 25 YARDS SPOTTER.



A three draw Telescope with sewn leather covered body. Length closed 7 inches. Object glass 1½-in. dia. Magnifies 12 times, spots 22 cal. shot holes in the black at 25 yards and finds the spotting disc at all distances on .303 Ranges.

Weight 12 ozs. List No. TEL.1. Price in Cloth Covered case, 21/-

PARKER'S 50 YARDS SPOTTER.

A Good Club Telescope for Indoor Ranges.



Good at 50 yards except under very dull conditions of light, and the most useful type of telescope for 25 s ranges. Useful at 100 yards on a fairly bright day.

Weight 1½ lbs. List No. TEL.2. Price £2 2 0

PARKER'S 100 YARDS SPOTTER.

A strongly built English-made Telescope specially designed for Riflemen.



Magnifies 26 times and has a 2½-in, object glass. Spots -22-in, shot holes in the black at 100 yards and is an excellent glass for watching the movement of mirage on Service Rifle ranges. Stout leather covered body and sunshade with Caps and Sling. Weight 2 lbs. 10 ozs. List No. TEL.3.

PARKER'S "SURESPOTTER."

The Telescope with the finest Lenses.

Best British Manufacture.

Price £5 15 0

List No. TEL.4.



Strongly recommended for Service or Miniature range shooting. It is a comparatively small Telescope, but its lenses define the target so well that doubled shot holes can in most cases be quite easily distinguished in a dull light at 100 yards. It is more than equal to all demands for Service rifle shooting. Object glass 18-in. dia. Pancratic eyepiece magnifying 25 times to 35 times. Length closed 11 inches. Leather covered body with Caps and Slings.

Weight 2 lbs. 10 ozs.


POCKET TELESCOPES.

For simply finding the spotting disc; by which the marker indicates where the bullet has struck on service rifle targets, it is only really necessary to use a low power glass.

We offer, therefore, two well made one-draw telescopes which can easily be carried in the pocket. One draw pocket 'scope 2½ times magnifying power, length when nches, open 3½ inches, in cloth covered case. Price 10/- Post 3d. List No. T.E.L.9. closed 21 inches, open 31 inches, in cloth covered case.

List No. T.E.L.10. One draw pocket 'scope 3½ times power, length when closed 3% inches, when opened 47 inches. Price 12/- Post 3d.

SPOTTERSCOPE. PARKER'S



An English made glass of the Army Signalling Type with two eyepieces of 15 x and 30 x Considerably lighter than the normal Army glass but thoroughly well power respectively. made and guaranteed.

List No. T.E.L.11. Weight 3 lbs. Price 67/6

PARKER'S "ARMY SIGNALLING" SCOPE.

A new Two-power Telescope as illustrated above, made up of new components, with low power and high power eyepieces. Weight 3 lbs. List No. T.E.L.6. Price 63/-


SIGNALLING RENOVATED GOVERNMENT GENUINE 'SCOPES.

Having found a fresh supply we are fortunately able to continue to provide a further limited number of these splendid glasses, each of which has been tested to spot '22 cal. shot holes in the black at 100 yards.

Every glass has been re-bronzed, re-covered with best leather and provided with best Caps and Slings.

List No. T.E.L.8. Price 57/6 With 2 eyepieces 18 × and 30 × power. Weight 43 lbs. ,, 50/-T.E.L.12. ., 1 25 x power 41

"RAFWOOD" STAND. PARKER'S SCOPE



View when folded.

Width 23 inches. Overall length 113 inches. Weight 16 ozs. Height from ground to eyepiece 113 inches.

This Stand is a development of our original model R.A.F. Stand in metal. All things being equal, wood is undoubtedly better for the purpose. It weathers well, and does not scratch a well finished telescope.

The "Rafwood" Stand has all the advantages of the original metallic models being


quite as compact when folded, rigid in use, lighter and speedier in and out of action.

A strap is provided to hold down the 'scope but seeing that all adjustments can be made either by swinging the rear leg to and fro or by manipulating the screwed extension, it is not essential to use it.

We guarantee it to be entirely satisfactory or returnable should it fail to be so.

List No. 227G. Price 10/-, post 6d.

THE PARKER-HALE TELESCOPE TRIPOD.




An ideal Telescope Stand should be rigid, adjustable, vertically and laterally with one hand, compact on the firing point, portable with the scope in position, ever ready, foldable, suitable for any size telescope.

The Parker-Hale Telescope Stand has a perfect fitting ball joint which makes it rigid, yet easy to adjust. Two set screws fasten the stem in the guides. It can be placed on the Shooter's left out of the way of his elbow. No firing point is too small for it. It can be instantly switched on to the Target, folds into 10½ ins. and takes any ordinary spotting telescope. In fact it is a comfort instead of being a nuisance.

List No. 227A. Price 10/- Post 6d.

The Telescope shown on the Stand is **Parker's Spotter Telescope** for 100 yards. It has a $2\frac{1}{3}$ in. object glass, and magnifies 26 times. Price, complete with Caps and Slings, £4 10s.

PARKER'S R.A.F. TELESCOPE STAND (RIGID ADJUSTABLE)



Embodied in this Telescope Stand are the ideas of two practical riflemen, Mr. Bartolotti, of Alexandra Palace Rifle Club and Mr. Ernest Tesseyman, of the Bamber Bridge Miniature Rifle Club.

The principal feature of the stand, however, is the girder cradle in two parts, which makes the stand rigid and which allows the legs to be folded inside. The credit for this belongs to Mr. E. E. Harris of our firm. Quick adjustment for elevation is very conveniently obtained by means of the screw in the rear leg. Recesses now position the front legs.

A very convenient feature of the stand is that it can be attached to the Telescope when both 'scope and stand are closed.

List No. 227B Made of Aluminium. Weight 18 ozs. Overall length 11½ins. 10/- Post 6d. List No. 227F Made of Steel. Weight 24 ozs. Price 7/6 Post 6d.

PARKER'S SIMPLEX TELESCOPE STAND.



Folds into 141-ins. × 1-in.

An efficient stand at a very moderate price. As will be seen from the illustration the stand is kept together by means of the user's Cleaning Rod, and we claim that it is more readily adjustable than any other four-legged stand, and less liable to be disturbed by vibration. Can be adjusted to take any size telescope, and by putting a slight tension on the rods which is done by stretching the legs outwards, the stand can be made quite rigid.

List No. 227c.

Price 3/-

Post 6d.

PARKER'S GOVERNMENT TELESCOPE TRIPOD.

List No. 227D. Price 7/6 Post 9d.

Suitable Telescopes are Army Signalling and Parker's 100 yards Spotter, see page 30.



It is only possible to offer this Stand at the above figure because it is converted from Government surplus stock.

The Stand originally cost five times as much, therefore its value is undoubted.

The only possible objection is its weight, and even this is an advantage in rough weather. It weighs 38 ozs.

The Telescope can easily be moved laterally and vertically, and yet it is held with sufficient rigidity to spot .22 calibre holes in the black at 100 yards.

It will stand well on any firing point, and when used on the firer's left side is quite clear of his elbow, enabling him to get close up to the eye-piece and so to spot without changing position in the slightest.

No. 227DL. Ditto with legs of original length for use in sitting position. Price 7/6
Carriage 1/-


THE "BALMORE" FOLDING TELESCOPE STAND.

REGISTERED No. 580404. List No. 227H. Price 5/6. Postage 6d.

Many Riflemen prefer a four-leg Stand to a Tripod on account of its superior steadiness.

A good cheap Folding Stand has hitherto been difficult to find, but the difficulty has now been overcome by an ingenious device shewn inset in illustration.

Note how compactly the Stand folds up without being taken to pieces. Also note our low price.



THERTENED OF AND SEAUTIFULLY REFINISHED.
LIST No. 2270R. PRIOS 107- POST 96,





THE QUICK DRAW.

All Service Riflemen know how important it is at times to catch the position of the Spotting Disc on the target before it disappears, and if they have to focus their Binoculars, often miss it.


These glasses when once focussed to suit the user are always ready by simply pulling out. They magnify four diameters, have sunshades and are fitted in a solid leather stitched case.

IMPORTANT: -Before attempting to focus pull out the draw tubes to the full extent.

For discerning the position of the Spotting Disc at any range, no better glasses are required.

List No. 220 55/,, ,, 221 without sunshades ... 50/-

PRISMATIC BINOCULARS.



P.B. 1.

P.B. 2.

We are now able to supply a cheaper grade of Prismatic Binoculars, which, however, can be thoroughly recommended both for their optical qualities and good workmanship

- No. P.B. 1. Prism Binocular as illustrated. Magnification 8 diameters, which is best for Target and general purposes. It is provided with a central focussing adjustment and also adjustment for pupillary distance. In Leather Case. Price £3 0 0
- No. P.B. 2. Stereo Prism Binocular of 8 times power. The objective lenses in this pattern are made wider apart than the eyepieces, thus securing an enhanced stereoscopic effect.

 In Leather Case. Price £3 10 0
- No. P.B. 3. Stereo Prism Binocular of 12 times power with extra large objectives to accord with the higher magnification. In Leather Case. Price £8 0 0



No. 224a.

THE SPOTTER MONOCLE.

A handy glass for Range and Scouting. Takes up little room in the pocket or shooting case. Magnifies 3½ diameters and will find the spotting disc at 1,000 yards.

No. 224a. In chamois leather bag, 20/- Post 6d.

No. 224b. Magnifying 6 times, with sunshade,

Price 30/- Post 6d.

PARKER'S "FIEUZAL" SPECTACLES.

DR. FIEUZAL'S DISCOVERY.



No. 237a.

These glasses are a yellowish green tint, which overcome the disadvantage of ordinary sun spectacles, giving clear vision without unnatural colour or distortion. Too much luminosity disconcerts the marksman and strains the eyes, so that it is impossible to make sure of one's aim. The Fieuzal glasses cut out the irritant rays, and the sighting is thus made comfortable. By reducing the

intensity of the light the bull's eye or figure is made more distinct.

No. 237a. Fieuzal Spectacles with large round eye lenses in solid nickel rustless frame with curled sides, in best leather case, 10/
Post 3d.

No. 237b. Ditto with lenses made to Oculist's prescription, from 15/-


SIGHTED SPECTACLES FOR RIFLE SHOOTING.



ROUND EYE SIGHTED SPECTACLES.

Price 12/6 Post 3d.

Send Oculists prescription with order.



One of our Trial Lens Cases for Testing Eyesight.

EYESIGHT TESTING.

In order to help Riflemen to find out on the range or elsewhere whether they require Optical aid or not, we send a Trial Lens Case on receipt of the sum of 15/-, which covers the cost of lending the case for six days and of supplying a pair of large round eye spectacles with curled sides as illustrated. In the meantime the Rifleman can test his sight under practical conditions. If short-sighted the Minus (or Concave) Lenses should be tried; the Plus (or Convex) being for long (old) sight. When the right lenses have been found, the case should be returned to us immediately, securely packed, and labelled fragile, together with a note stating the numbers (Plus or Minus) of the lenses selected for the right and left eyes respectively. If no improvement can be effected, we recommend the Rifleman to consult an Oculist or an experienced Optician, and upon receipt of the case in good condition we will return the sum of 12/-, retaining 3/- for the loan of the case, etc.




PARKER'S FIEUZALOID SUN SPECTACLES.

These are now available in many qualities and prices of which we offer a reasonable range.

No. 237c. Celluloid covered Imitation Tortoiseshell Frame with unworked Fieuzal tinued glass suitable for resting the eyes before shooting. Complete with best leather case, 5/- per pair.

No. 237F. Non-Flam Imitation Tortoiseshell Frame with rolled gold sides and worked plano Fieuzal lenses in best leather case, 12/- per pair.



PARKER'S RIFLE SHOTS REGISTER.

Simplest Wind Reckoner. Universal Diagrams. For Long and Short Ranges. The Score Book having the Largest Sale.

This well-known Score Book is kept up to date in every detail, the sale being so large that frequent new editions are necessary. It contains a well written treatise on Rifle Shocting explaining the theory of Aiming with the Orthoptic Backsight, simple Wind Reckoner with flag diagrams, enabling the Tyro to correctly gauge the Wind allowance at any distance, Elevation Tables, Dimensions of Bisley, Miniature and Revolver Targets.

The scoring portion is printed in the best possible style on superfine blue green tinted paper, which has been found to be the most suitable colour, especially in a bright glaring light. There is a small Target for spotting each shot and a large Target for grouping. Space is provided for registering whether right or left windage allowance is used with each shot.

List No. 240. Price 2/6 Post 3d.

THE PARKER-HALE S.M.L.E. SCORE WITH CORRECT DIAGRAMS FOR 1928

AND UNTIL FURTHER NOTICE.



An entirely new wire device for holding down the leaves, instead of clastic bands, makes reference easier. Can be operated with one hand only. FEATURES.

(a) Target diagrams graduated by minutes for the aperture sight radius of the S.M.L.E. rifle and 1928 traget dimensions.

(b) Short range leaves have 300 and 200 yards targets on the left side and 500 and 600 yards targets of the right side, enabling two range, three range or four range shoots to be entered together and at one opening of the book. 200, 500 and 600 now together. (c) Spaces for scoring values of 2 sighters and 10

shots to count.

(d) Long range leaves have 900, 1,000, 1,190 and 1,200 yards diagrams with spaces for sighters and 15 shots to count.

List No. 240A.

- (e) Elevation Table gives rises between all ranges at a glance.
- (f) Wind Calculator, the easiest possible, enables a novice to judge wind allowances as easily and correctly as an expert.
- (g) Notes on aperture sight adjustment. read the Vernier scale. Aiming. Let o and Canting. Directions for deali Aiming. Let off. Drift and Canting. metallic fouling.
- (h) Loop inside cover to hold cards, etc.
- Wires, instead of elastic bands, to hold down leaves, makes reference easier.

Price 3/3 Post 4d.

TESTIMONIALS.

Assistant Postmaster General, P.O. Box 4.

Entebbe, Uganda, East Africa.

"I thank you for the S.M.L.E. Score Book you sent me recently. By its use and references I have improved my scores by 10 points."

26-9-22 Messrs, Middlemass and Co.,

11, Moorgate, London, E.O.2.
"Our Mr. A. C. Middlemass says "This Score book is the best I have seen."
"The goods invoiced 10-8-22 arrived at Cape Town, and are voted O.K. and are excellent

PARKER'S LOOSE LEAF SCORE BOOK.

There are a number of riflemen who for various reasons like a whole page diagram on which to plot their shots, but such diagrams cannot for obvious reasons be conveniently bound in an ordinary sewn book. It is necessary, therefore, to adopt the loose leaf system, and now that we have also done away with tight elastic bands and have substituted a new wire device to prevent the leaves blowing about, we think we have eliminated a weakness in this style of book.

For the S.M.L.E. Rifle and

Parker Aperture Sights. PARKER'S NO. 2 SUPER COOSE LEAF SCORE BOOK
SINGLE RANGE DIAGRAMS
LIST No. LL5. STANDARD BOOK OF 8 RANGES
CONTAINING 96 LOOSE LEAVES PRICE 7/6
PRICE OF LOT SE LEAF COVER ONLY 2/2
REFILLS PER PACKET OF 12 8d.

Illustration shows style of book only. The three range target diagrams are obsolete.

Books are made up with target dimensions as follows but can be varied to order.

List No. LLI. The Short Range, 10 each, 200, 300, 500 and 600 yards

List No. LL3. Ashburton Astor, 20 each 1200 and 500 yards

List No. LL4. The Stickledown, 10 each, 900, 1,000, 1,100 and 1,200 yards

Prices not fixed at time of publication.

REFILLS FOR LOOSE LEAF BOOK.

- LLR1. Single Range Loose Leaves, 2, 3, 5, 6, 8, 9, 10 and 1,100 yards, 10 for 6d.
- LLR2. Double Range Loose Leaves printed with 200 and 500 ranges on one side, and 300 and 600 on reverse. 10 for 6d.
- LLR3. Double Range Loose Leaves printed 900 and 1,000 yards ranges on front and back ... 10 for 6d.

PARKER'S SHOOTING TEAM REGISTER.

Printed on good paper ruled specially for Team, Match, and Individual Scores. Spaces for 20 names on each page with columns for Sighter and 7 or 10 shots at three distances, with spaces to register Average, Position, Weather, Light, Wind, etc.

Strongly bound in waterproof cloth. No. 243. Price 5/6 Post 6d.

PARKER'S RIFLEMAN'S EVERPOINTED PENCIL.

Very many riflemen have experienced the vexation of a broken point on a common lead pencil when scoring on the firing point.

With the left hand engaged holding the rifle there is no opportunity and no time to resharpen lead, so the record of the shoot is lost to say nothing of the few points also lost by forgetting to watch the flags, etc.

It is therefore with the greatest pleasure we can offer yet another useful accessory to the many that bring us appreciative letters from all over the world.

The pencil is an excellent example of British design and workmanship, made of vulcanite with metal bearings. Equal in every way to pencils at 5/- and upwards.

Instructions for Use.

To propel lead To protect lead To recharge Turn base clockwise.

Turn base anti-clockwise and press back lead into the pointed section. Reserve leads are contained in the body of the pencil. Turn base anti-clockwise as far as it will go, unscrew pointed section, place a reserve lead in the central tube and screw together.

List C.I.L.I. Price 3/-, post 3d.

TARGETS AND MATERIALS FOR SERVICE RIFLE RANGES.



COMPLETE CANVAS TARGETS.

These consist of good stout timber mortised and tenoned, covered with stout canvas and backed with strong brown paper and faced with grey and sand colour paper and "tin hat" or half bull's-eye.

For convenience of stocking, handling and transport and because of variation in apparatus, targets are made without legs.

No. T286.	Canvas Target	$(4ft. \times 4ft.)$	faced to order	15/6
No. T287.	Do.	$(6ft. \times 6ft.)$	do.	22/6
No. T288.	Do.	(10ft. × 6ft.)	do.	30/-

TARGET FACING PAPERS.

No. 289. 289a. 289b	White Paper in rolls Do. in sheets Do. in sheets		***	8d. each. 1/- per quire. 1/4 per quire.
No. 290. 290a. 290b.		12 yds. × 26 ins. 26 ins. × 37 ins. 26 ins. × 50 ins.		1/2 each. 2/- per quire. 2/8 per quire.
No. 292b 292. 292a.		12 yds. × 26 ins. 26 ins. × 37 ins. 26 ins. × 50 ins.	***	11d. each. 1/4 per quire. 1/10 per quire.
No. 293a. 293b. 293.		12 yds. × 26 ins. 26 ins. × 37 ins. 26 ins. × 50 ins.	(2.7.) (2.7.)	11d. each. 1/4 per quire. 1/10 per quire.
No. 294.	Grey Blue in rolls	12 yds. × 26 ins.	2000	1/- each.
No. 294a.	Flesh Colour in sheets	26 ins. \times 37 ins.		2/- per quire.


HALF BULL'S EYES.

No. 295.	Black.	12 inch.	3d. p	er dozen.
No. 298.	Black.	24 inch.	1/-	,, ,,
No. 295A.	Sand.	12 inch.	0.1	,, ,,
No. 298A.	Sand.	22 inch.	1/	

PATCHES FOR COVERING SHOT HOLES. in Books of 600, perforated for tearing off.

			doz. books.			oz. books.
No. 301.	White Patches		1/3	No. 308a.	Sand Patches	1/3
No. 302.	Black Patches	1916.15	2/-	No. 308b.	Grey Blue Patches	1/9
No. 307.	Grey Patches		1/3	No. 308c.	Flesh Patches	1/9

THE "ECONOMY" TARGET PATCH BOX.



For Patching Canvas Targets.

Takes four rolls of unperforated patches. Just as much paper as is required to cover the bullet hole can be torn off against the sharp edge of the Patch Box, which protects the remainder of the roll from wind and rain, and effectively prevents waste through carelessness, etc.

PRICES on application.

Patch Box only, List No. T.B.P.1.
Black Paper Roll , , T.B.P.2.
Green Paper Roll , , T.B.P.3.
Sand Paper Roll , , T.B.P.4.
White Paper Roll , , T.B.P.5.

12" Black and Sand 200 2 ds. The es with 5" Bulls Eye Ring List No. 295B 1/6 doz

12" ditto ditto 500,600 acto , 71" , List No 295C 1/6 , List No 295D 2/3 ,

"CIRCLE" DEFINER.

This consists of a tough lath with spike pivot for piercing the canvas target. It is drilled with holes of the correct radius to form the rings on Bisley and Classification Targets.

List No. 309. Definer and Special Pencil. Price 2/6 Post €d.

CARDBOARD SPOTTING DISCS.



Black on one side, white on reverse.

NO. 311.	15	inch	square	(suitable for 200 yards Target))		3/-	COZ.
No. 312.	21/2	,,	-,,	(suitable for 300 yards Target)	***	3/6	, ,
No. 313.	4	, ,	,,	(suitable for 500 yards Target)	2000	4/-	
No. 314.	7 1/2	,,	,,	(suitable for long range Targe	t)	9050	4/8	, ,

TARGET CANVAS.

Good close quality, specially selected to give reasonable resistance to the weather.

No. 315. For covering four - foot Targets. 50 ins. wide, 1/8 per yard.

No. 316. Ditto, sixfoot Targets. 75 ins. wide, 2/3 per yard.



RANGE MEGAPHONE.

List No. 329C.



GROUPING GAUGE.


List No. 329D

SUNDRIES FOR THE RANGE.

No.	319.	Paste Cans			ing up		600		111	1/6	each
No.	320.	Paste Brus	h for pat	ches	24.					8d.	250.2
No.	320a.	,, ,,	(large)	for target	ts		***			100000000000000000000000000000000000000	**
No	321.	Paste Prep								6/-	* *
- TO 100 (100)		C	A ALL	C CITTO COL	Calliers		200 a	2 1	b. tin	3/6	,,
200000000000000000000000000000000000000	328.	Cocoanut 1	viatting (6 It. × 3	It.)	75.5			200000	9/-	,,
No.	329.	Rubber Gr	ound She	ets (6 ft.	× 3 ft.)				20.7	9/-	,,
No.	329a.	Sandbags	- COLUMN CO.	100000		1200					a de la composición dela composición de la composición dela composición de la composición de la composición dela composición dela composición de la composición de la composición dela composición de la composición dela composición dela composición
	329b.	Manling D	liana firad	l to moles	1.11		177	1.1	2.0		doz.
	The state of the s	Marking D	nses maec	to potes,	DIACK OF	ne side, w	nite on	reverse	(12'')	4/-	each
No.	329c.	Megaphone	e s	1000	***		4.4.4	15 i	nches	8/6	•••
		11		7.2		1000	3.43	22	,,	15/-	,,
22	12/24/2012/4			222	2.22		(35.5)*	30	,,	18/6	,,
No.	329d.	Grouping (Jauges	100	***					1/9	
No.	332.	Fountain 1	ens. 14 c	arat Gold	Nibs S.	elf fillers			100	72.1.000.000	**
	332a.	Plack Tin	Daviates	leald an ani	-1.103, 0	cri iiiicis		12.5.5	25.5.5	7/6	33
202000		Block Tin	register	notter wi	on water	proof hap	cover	412141		3/6	
No.	328a.	Elbow Mut	s (27 m.	× 18 in.)	1555	58.5	660	43(4)		4.6	,.

RANGE FLAGS AND STREAMERS.

These are made of the best bunting and best workmanship, and the following sizes are kept in stock, but any size can be made to order.




out any	size can be made to order.	
List No	21	Each
322.	Danger Flag Red (4ft. × 3ft.)	5/3
323.	Miss Flag (4ft. × 2ft.)	4/-
	(half white and half red)	-/
324.	Streamer (white and red) (8ft. × 2ft.) roped	7/-
325.	,, ,, (12ft. ×2½ft.) ,,	10/6
326.	Distance Flag Red (9ft. × 6ft.) roped	21/-
327.	,, ,, (12ft. ×6ft.) roped	27/6
327a.	Long Range Streamers (Red and Blue),	SEMPLES.
		27/6
328.	Poles for small Danger and Miss Flags Other sizes to order.	1/-

HAVE A .303 SERVICE RIFLE.

Would you and your family like a little amusement and practice combined in your own home, without noise, smell or damage and yet with the joy of shooting a real short range cartridge of precision? The answer is surely in the affirmative, and therefore we have pleasure in introducing-


"RECORD" SERVICE RIFLE ADAPTER for .168 cal. Cartridges.

This illustrates the Adapter with the cartridge ready to be pushed into the chamber.



The rod is used for the dual purpose of cleaning and expelling the fired cases.

The Adapter as illustrated consists of a short rifled steel tube "A" 3½ inches long, sheathed with a slotted flexible brass cover which causes it to adhere to the .303 barrel when pushed in. The enlarged end of this rifled tube fits in the neck of the .303 chamber. The steel breech piece which is provided with a rim fire auxiliary striker fits loosely into the .303 chamber. The Cartridge is forced into the forward part of the breech piece which forms the chamber of the .168in. cal, Cartridge.



This illustrates a section of an S.M.L.E. Rifle with a sectioned Adapter in position ready for firing.


The Striker of the Service Rifle actuates the auxiliary striker and the bullet passes from the breech piece into the rifled adapter tube afterwards passing down the centre of the .303 barrel.

The Bullet is spherical and the column of air that it has to traverse after leaving the adapter tube (which is only 3½ inches long) is of sufficient bulk to allow the bullet an undisturbed passage.

34 inches long) is of sufficient dulk to allow the dullet an undisturbed passage.

As the Adapter is only intended for indoor or garden use, no loose powder is used in the make up of the cartridge. The propellant consists only of the usual priming composition used in rim fire cartridges.

The Adapter can be used in a first quality target rifle without detriment to the striker or the barrel. As the auxiliary striker hits a copper cartridge case, the effect on the rifle striker is the same as if it struck the cartridge distribution. directly.




PRICES. Adapter and Cleaning Rod ... 16/-250 Cartridges ... 2/6 4in. Card Target Holder 6/6 100 Targets 1/-Per set 28/-

Carriage 1/- -

PRICES OF SUPPLIES. Cartridges, 10/- per 1,000. Carriage 1/-

4in. Card Targets 7/6 per 1 000 Carriage 1/-



Owing to the fact that the bullet used in these Cartridges is as small as some of the pellets used in certain Shot Gun Cartridges it can be classed as a smooth bore shot cartridge and does not, therefore, come under the stricture of the Firearms Act. No Certificate is necessary for the purchase of an Adaptor.

N.B. Cartridges cannot be despatched by post.

AIMING DEVICES.

HILL-SIFFKEN LANDSCAPE TARGETS.

As used at the School of Musketry, Hythe.

Sanctioned and adopted by the Army Council FOR THE NEW SYSTEM OF MUSKETRY INSTRUCTION.

The HILL-SIFFKEN Landscape Targets consists partly of specially designed Landscape and partly of actual views of Scenery at home and abroad, selected for the distinctive features which render them particularly suitable for Military Instruction.

All are produced in colours as closely representing the local colour as possible. Together they embrace almost every variety of Scenery in which it is likely that men may be called upon to operate and with which they should be familiar.





PRICES:

English Series, Nos. 1 to 5...

Continental Series, Nos. 9 to 13

South African Series, Nos. 14 to 18...

New Battlefield Series, Nos. 19 to 21

List No. H.S.T.1., 12/6 per set of 5.

, , H.S.T.2., 12/6 per set of 5.

, , H.S.T.3., 12/6 per set of 5.

, , H.S.T.4., 7/6 per set of 3.

Additional sets of the same series in same parcel at 10/- per set of 5 and 6/- per set of 3.

Single Targets, 2/6 each.

(Additional copies of the same sheet in same parcel, 2/- each.)

SKYSCREENS OR FAINT OUTLINES

of each of the above, to fix above the Landscapes, for firing practice with elevated sights, thus avoiding the destruction of the Targets.

5/- per dozen.

An Illustrated Pamphlet of 40 pages, containing the directions for use and information useful for Instructors, is supplied with each set of Targets, or may be obtained separately, price 9d.; post 3d.

THE HILL-SIFFKEN TARGETS

are also supplied Mounted in the following Styles;

On Canvas and Varnished List No. H.S.F.1., 15/- each On Canvas, Varnished and fitted with Roller and Ledge, as maps ... ,, ,, H.S.F.2., 18/- ,, On Canvas and Stretched over Wooden Frame and Varnished ,, ,, H.S.F.3., 30/-On Canvas and Stretched over Wooden Frame, Varnished and framed in 1 in. black beading H.S.F.4., 42/-Mounted on Solid Wood Backs, with cross bars to prevent warping Mounted on Solid Wood Backs, with cross bars to H.S.F.5., 45/- ,, prevent warping, and Varnished ... ,, ,, H.S.F.6., 50/- ,,

Vide Small Arms Training, Vol. I., Sec. 76.

MEASURE FOR LANDSCAPE TARGETS.

27 inches long, fitted with plumb-line to give the height truly above the aiming point.

1½ inches wide and straight edge for drawing the scoring space for distributed fire.

1/6 each. Post 6d.

ALL METAL DUMMY CARTRIDGES for rapid fire practice.



Latest Government Pattern.

The great importance of accurate rapid fire practice has been abundantly proved in the great European struggle.

It is an undoubted fact that the first British Expeditionary Force that fought at Mons saved the situation by the extreme rapidity and comparative accuracy of their fire. The Germans believed that our troops were armed with Automatic Rifles.

Our Dummy Cartridges are well and accurately made of nickel silver; the cupro-nickel bullets are immovable and the cases are grooved and painted to distinguish them from live cartridges.


In Clips of five. List No. GDC1. 1/6 Post 3d.



AIMING No. 334B. REST. Govt. Pattern. Fixed Legs. Price 35/-


No. 334C. BALL REST for table use, 30/-

No. 334D. SAND BAG TRIPOD. Price 10/-



SIGNALLING FLAGS, ETC.

These are made of the best light material, with tops strengthened with fine leather to stand the strain.



MORSE.

No. A.57.—2 feet Flags		3/-	each
No. D.57.—3ft. 6in. Poles	14.1	1/6	,,
No. B.57.—3 feet Flags	rare:	4/-	,,
No. E. 57.—5ft. 6in. Poles		2/-	***

SEMAPHORE.

No. C.57 18in. Flags	 5/6	pair
No. F.57.—2ft. 6in. Poles	 2/-	,,

PRESENTATION SILK FLAG.

Silk Flag 16 in. square, and best ebony cane with silver eye bands, black leatherette case for flag.

List No. PSF1. Price 30/-

DUMMY TELEGRAPH KEY.

Made of solid brass, mounted on a Mahogany board.


List No. DTK1. Price 15/-

PARKER'S 1914 ENFIELD RIFLE AIM CORRECTOR.

As made for H.M. Government.

Also suitable for United States Model 17 Rifle.

List No. 213B. Price 6/6 Post 3d.



AIM CORRECTOR.

(New Govt. Pattern).

This instrument which is placed on the Rifle in rear of the backsight enables the Instructor to see how his pupil aims. To see the reflection of the Sights and the Target it is necessary to look into the instrument exactly at a right angle to the barrel.

List No. 213. Price 6/6 Post 3d.


Spare lenses for Aim Correctors. List No. 213a. Price 2/- Post 3d.

THE LEGRET AIM TEACHER.

Adopted by Government.

List No. L.A.T.1. Price 7/6 Post 3d.

This instrument provides a most easy means of teaching the elementary principles of aiming with Military Sights and also enables an Instructor to check his pupil's faults.




We give below reproduction of the instructions issued by the School of Musketry.



PARKER'S AIMING AND EYE DISC.

As described in Small Arms Training Vol.



Right illustration shows the Aiming Disc, used for triangle of error test.

Left illustration shows the Eye Disc on reverse side. Use, snapping.

Note how neatly we attach the discs to the wires by a tubular piece formed from the disc itself.

List No. A.E.D.1. Price 4d. each. In Dozens, 3/6.

THE PARKER-HALE NEW SUB-TARGET PRACTICE ROD.

The speediest, most efficient and most interesting method of teaching aiming.



The Target Practice Rod is a spring retracted, needle pointed steel rod, which slides through steel bushings fitted in a light brass tube which fits the rifle barrel and extends throughout its length, and butt end of the rod resting against the bolt. When the rifle is snapped the rod is driven out by the blow of the firing pin, marks the miniature target at whatever point is covered at the moment of firing, and is immediately returned by the spring.


The simplicity of the outfit is such that nothing can go wrong. The tube is held in the barrel by friction only, there being no clips to break or get lost. Being in one piece it cannot be damaged when being removed or replaced. The outfit box is made of stout timber with sound hinges forming an orderly compact unit suitable for issue to companies.

PRELIMINARY INSTRUCTION.

It instructs in holding, aiming and trigger pull, in all positions and kinds of fire. It furnishes means for interesting practice, while it trains the eye and the muscles to work intelligently together. A novice trained with this apparatus steps on the firing line perfectly familiar with the weapon, and positively prepared in the mechanical details of regulation rifle shooting—he is ready.

USED TO ONE'S OWN RIFLE.

It may be used in the individual's own gun, thus permitting him to become familiar with the action, sights and trigger pull of his own rifle.



The set consists of the Sub-Target Practice Rod Tube, "A," with indicating Rod, "B." Rubber Target Holder, "C," Target Frame "D," with Two Books, "E," each containing 100 Perforated Edge Targets.

List No. T.I.P.1 .. Outfit for S.M.L.E. Rifle .. Price 30/-

List No. T.I.P.3 .. Book of a Hundred 100 yards Scale Targets (Grouping) price 1/- .. 10 Books for 7/6

List No. T.I.P.4 .. Book of a Hundred 200 yards Scale Targets (Application) price 1/- 10 books for 7/6

THE "FLASH SPOTTER."

British Patents No. 243249 and No. 273995. Patented throughout the World.



MAKERS' DESCRIPTION.

This highly ingenious device projects a spot of light on to the target at the true point of aim, and at the exact moment that the bullet, had there been one, would be leaving the muzzle. The spot endures for a predetermined period say 2/5-sec. Thus correct aim, perfect Trigger squeeze, and a beautiful Delivery can be inculcated for the outset. A beginner is rendered perfect in the fundamentals. It provides practice in perfection for the proficient at standing, moving or disappearing targets.

Every fault is apparent. It is a self-teacher.

Is in use in the Services, Regular, Territorial, Schools of Instruction, O.T.C. Cadets. Rifle Clubs at home and abroad.


No Noise. No Danger. No Bullet.

Can be used in any room, in day or artificial light.

(1).	Mark II Model, on the lines of a Miniature Rifle (5 lbs.), worked off Transformer, Accumulator or Dry Batteries. 10 volt.	£4	14	6
(2).	Mark II*, similar to Mark II but self contained, with dry cells in the butt	£5	5	0
(3).	Junior Model. A well finished small model suitable for Juniors (3 lbs.), self-contained with dry cells in butt	£2	5	0
(4).	Service Rifle Attachment. Fitted in a few minutes to the service rifle, worked entirely off the bolt. Does not upset balance or in any way damage rifle or alter trigger pull, requires 10 volts	£5	0	0
(5).	Sporting Rifle Attachment can be fitted to any bolt action rifle, requires 10 volts	£5	0	0
(6).	Service Revolver Attachment can be fitted to service revolver quickly and simply, requires 8 volts	£3	0	0
(7).	Shot Gun Attachment consists of two snap caps and projector. Easily fitted to any 12-bore gun, D.B. or Single. Does not spoil gun or interfere with balance. Worked entirely by the striker	£5	5	0
	Attachments are also supplied to the Services for Vickers' M.G. 3 pr. Tank Gun and for all classes of Ordnance.			


Accumulators, etc., as per special list.

ARMOURERS' TOOLS.



				Each
Anvil, stock but	tt		***	5/-
Brace, Armoure	rs'	· • • • • • • • • • • • • • • • • • • •	180	12/6
Counters	unk	1900	100	1/6
Rimer, ½	rd.	0449	!/	8 17.
,, 4	sq.		1/	3 1/8
or Screwdri	sq.	300	2	- 1/6
Screwdri	ver, but	t-plate s	crew	2/-
	stick ele	eaning cl	namber	2/6
(,, s	tock bo	lt		5/-
Chisel, hand, co	ld, ½ in.	×7 in.	2/	1/6
,, ,, ,,	I" yein	×7 in.	2/	2/-
Clams, Armoure	rs' stan	ding vic	e	6/-
11	vice	parallel	***	4/6
Corks, clam, sin	gle	300	3193	1/3
Drifts, magazine	catch	pin	***	2/6
,, pin fixing	stud			1/6
,, pin fixing	, washe	r	100	1/6
,, sight axis	s pin		•••	2/-
,, wire, sma	ıll	***		1/8
Floats, fore-end	, No. 1	large	444	13/6
,, ,,	No. 2	medium		15/-
Gauges, distance				
	(chamber		12/-
		,,,	.074	12/-
Guide, muzzle (1	new pat	tern)		3/-
Horses, Armour	ers'	***	38.8	7/-
Implements, act	ion R.S	S. M. L. E.	0.000	10/-
Mallets, raw hid	le	3737	25.52	2/6
Oil Can, Armou	rers'			2/6
Pincers, Armoun	rers'			2/6
Planes, smoothi	ng			6/6
Plugs, clearing,			•••	6/6
,, ,,	split	,,	144	5/-
Pots, glue, ½ pir	nt	este.	\$2.00°	6/-
Rods, cleaning,				10/-
"		o. 2 for long be		10/-
,, ,,	.303 N	o. 4 for short ba	brass	10/-

ARMOURERS' TOOLS-continued.



Tool Adjusting Foresight Cramp.



Tester, trigger pull.




Tool, removing striker, No. 1.





Stick, cleaning chamber.



Vice, Parallel, Armourers' showing clambs.

Also plate for attaching the vice to the tool chest.

		Each
Rods, cleaning, cylinder, Web	ley	
Pistol, for use w	ith	
brass wire	95.5	3/-
Saws, slitting, 7 in.		3/-
Scriber Tool, sight line	440	2/-
Screwdrivers, Armourers', large		1/6
" " small		1/6
,, Extractor axis	***	1/6
,, Fork nut bolt bayo	net	2/6
Sticks, buff		2/-
,, cleaning chamber 303		1/6
Stones, oil, 31 in. in wood frame	70.00	2/6
,, slips, arkansas, large	***	3/6
,, ,, ,, small	***	2/6
Testers, trigger pull		30/-
Tools, adjusting foresight Cra		12/6
,, ,, ,, Pu		9d.
Tool, extractor spring	2.0	3/6
Tool, clearing,		0,0
.303 Arms, bit screw		4d.
,, ,, spoon		3/6
,, bush, bit screw	***	6d.
,, rod No. 2	90.00	3/6
Tool, removing, handguard No. 1		2/-
CONTROL OF THE CONTRO	8888	3/6
37 0	2000	3/6
,, ,, ,, No. 2 ,, ,, Wad stock bolt		1/6
Vice, parallel, Armourers	25.5	45/-
Plate, Vice, parallel	1000	5/-
Files, bastard, flat, 6 inch		1/1
,, ,, half round, 6 inch		1/1
1 6 1 1		1/-
	1444	1/-

Files, fine cut, hand safe edge, 10	2	2/2
	in.	1/9
	in.	2/-
	in.	1/7
Files, saw taper second cut single		112
0	in.	11d.
	n.	7d.
	n.	10d.
round	11	0.1

ARMOURERS' TOOLS-continued.

Files, sn	nooth	flat	***	6in.	Each 1/1	F	Irone	aldoniu	~ +i	.,	.11 +511	Each
		half rou		Sin.	1/10		Dliens, s	d. L	g, tinma	n s sm	an, 1810.	3/6
,,	1)	nan rou							se		***	2/6
, ,	,,	,,	***	6in.	1/4				t, half ro	und	9in.	1/9
3.3	2.2	, ,,		4in.	1/-		Saws, l				23½in.	5/-
,,	,,	hand saf	e edge	8in.	1/10		Stocks,	drill h	and			7/6
٠,	,,	,,	,,	4in.	1/-		Vices,	hand		200	16oz.	5/6
,,	,,	pillar		6in.	1/4		Gauge,	plug	***		.303	4/6
,,	,,	,,		3in.	1/-		,,	,,		***	.3035	4/6
,,	,,	round		4in.	10d.		,,	**			.304	4/6
,,	,,	3 sq.	***	4in.	1/-						.3045	4/6
		nooth, hal			2/-		,,	2.7	***	***		
		, 2, 3 and		set	173	1/9	1.2		2.55	***	.305	4/6
		ed, firme			1/3	1/9	,,	,,	2.55	35.5	.307	5/-
Gouges,	nandi	ed, iitilie	r	∄in.		1/6	,,	, ,			.308	5/-
,,	2.2	12.2	*(*(*)	$\frac{1}{2}$ in.	17-	1/6	~ ,,	,,			.310	5/-
.,,	٠,	2.3	4.550	₫in.	17=	110	Stamps	, 64 in.	figures	333	4/	6 set.
Hammer	s, rive	etting		24oz.	2/3	1	,,	64 in.	letters		13/	6
,,		,,		16oz.	2/3		, ,	64 in.	,,		13	6 ,,
		,,	***	12oz.	2/-		,,		lines, 1 ir		2000	- each
• •	8	, .	***	8oz.	1/6		13.		figures fo			0.001
,,				4oz.	1/6		•••	32	wood		5/-	t cot
Handles	file	,, large	**/#1		3d.			5 in	letters fo			r- set.
		small	* * *				2.2	32 111.		n mar		,
,,	,, ,	THE IT		***	3d.				wood	***	15	/- ,,

MATERIALS FOR ARMOURERS' USE.

Brushes, hard, Armourer		***	222	•;•	each 1/6
Stalls, indiarubber, finger		***	£ *	1	`pair 1/-
" thum	b			J	
Dust, { Bone Oilstone	1.5.1	***	(***)	* * *	lb. 1 /-
	7 C .	***			oz. 5 /-
Wire, iron, No. 20 W.G.		35.00.00	t(0.10	4 (4) 9	lb. 1 /-
" steel, No. 16 W.G	. hard		10.4	157. 22	lb. 3 /-
Spelter, copper	*2.5	25.113	***	112	oz. 3d.
Tin, grain	689	* * *			lb. 3 /-
Brushes, hair, flat, ½ in.	1.1.1.	5.10	1418.5	***	each 1/3
Card, scratch	***	4.49	34324		vard 2/6
Borax, refined	***	***	7.		lb. 1/-
Cloth, emery, No. 0, No.	F, No. 2	* * *			quire 7/6
Glue, best			12.12.20		lb. 1/6
Paper, glass, No. 11, No.	. 2. No. 3	***	1805E-01	***	quire 2/6
Potash, ferro cyanide con					lb. 3/6
Powder, emery, flour		4474	(4,004)	***	lb. 6d .
Resin, black			78/8/8		lb. 6d .
Sal ammoniac, lumps			• •		lb. 2 /-
Soda, crystals	(3.8(8)	***	300.4	****	lb. 2 d.
Shellac, liver		172			
	·	1	***	1800	oz. 7d .
Wire, brass, No. 26 W.C		. length		• • •	lb. 3 /-
Jute, dressed	****			****	lb. 1/6
Gauze, pull thro'			10000	6/-	per 100 4/6
Flanellette, marked, 4 in.	wide, 60 ya	ards roll		***	per roll 6/9
Weights, pull through	15.3				per doz. 2/6
Cords pull through		A.S	N•0	***	per doz. 3/6

SECOND HAND PATTERN '07 BAYONETS & SCABBARDS.

We have a limited number of the above which are suitable for replacing lost or broken parts. They are in sound, clean and serviceable condition.

Bayonets, less scabbards, 8/6. Scabbard only, 5/-



PARKER'S **FUNNELS FOR** RIFLE CLEANING


With Boiling Water.

Extract from Musketry Regulations. Part I., 1909. Paragraph 101,

"An effective means of cleaning the bore, whether firing has taken place or not, is found in the use of boiling water. Before boiling water is used superficial fouling and grease should be removed. About five or six pints should be poured through the bore from the breech, using a funnel to prevent its entering the body or magazine. The rifle should then be thoroughly dried and the bore oiled. Not only does the boiling water remove the fouling, but the expansion of the metal due to the heat of the water loosens any rust there may be and makes it easily removable."

Price, Funnel and Mug, List No. F.M.1, 3/- Post 9d. Ditto, extra strong made to Govt. Specification

List No. F.M.2. Price 5/6 Post 9d.



ARMOURER'S BARREL GAUGES.

(True to a 10,000th part of an inch.)

Extract from Musketry Regulations. Part I., Paragraph 102. 1909.

"The appearance of nickelling or metallic fouling should be watched for. It is caused by a portion of the cupro-nickel of the envelope of the bullet being left on the surface of the bore, and appears as a whitish streak on the lands, or as a slight roughness on the edge of the grooves. If it is deposited near the muzzle or the breech it is visible to the eye when the bore is clean, but in the centre of the bore it can only be detected by the use of the gauge plug. It is a cause of inaccuracy, and if a rifle for no apparent reason shoots badly its presence should be looked for as a possible explanation."

The Gauges are used to test the wear in barrels of all '303" Rifles and Carbines for exchange. The '303" Plug. This plug to run through the barrel to ensure the bore being clear of

metallic fouling.


The '307" Plug. This plug must not run through the bore.

The '308" Plug. This plug must not enter the bore of barrels more than a ‡" at muzzle.

The '310" Plug. This plug must not enter the bore of barrels more than ‡" at the breech end.

Price per set of four, 22/6 Post 6d. In neat lined Oak Case. List No. 208K.

ARMOURER'S SCREW DRIVERS.



The want of a Screw Driver which will move Rifle Screws without breaking or bending has long been acute.

We have finally tackled the job in the best manner, viz., by making of the tools of the same shape and materials as made and used by our workmen.

List No. 19. Price, per set of three, 4/- Post 9d. List No. 19A. Singly 1/6 Post 4d.


PARKER'S SCREWING SET FOR LEE ENFIELD RIFLES.



It is well-known that all Service Rifles Screws have out of standard threads and very often an Armourer or Gunsmith is quite at a loss to get a substitute. Spares often take months to get and may be incorrect when received. With this set a mechanic can make a replica of every screw of the Short Service rifle, except the wind gauge sight adjusting screw; and of all screws of the long L.E. rifle.

Price of Set as illustrated, £6/10/0.

PARKER'S ARMOURER'S BARREL CLEARER.



A. Screwed "T" handle Rod. B. Screwed fly nut. C. Tube for inserting in action body.
D. Pad for protecting muzzle of S.M.L.E. Rifle. E. Rag drawer bit.


This tool provides a quick and certain means of removing pull thro's from service rifle barrels. Many hundreds of these tools have been supplied to the West African Forces of the Crown and upwards of 400 for the Union of South Africa Govt. This tool has not been adopted officially, but many Armouries in the Regular and Territorial Forces are provided with it.

List No. 54. Barrel Clearer, in strong hinged box, with instructions complete with breech tube, muzzle pad and two bits. Price 16/- Post 9d.

Testimonial from Armr. Sgt W. Rathbone, Field Force, South Africa.—The Barrel Clearer I purchased from you before I left Aldershot I must say that it has been of inestimable value to me since we arrived out here. I do not know how I should have gone on without it; it never fails to draw out the hardest obstruction and in such a little time too. Every Armourer should be equipped with one.

EQUIPMENT SUNDRIES.

GUN AND RIFLE CARRIERS FOR CYCLES.




The rear clip is attached to the right side D back stay. The front clip is attached to the handle bar pillar clear of all brakework and the firearm barrel is held in a soft leather band just above the centre of the handle-

bar. There is sufficient room in the hand for a pair of gun barrels.


List No. GRC1. Surplus Price 5/- per pair

COMBINATION KNIFE, FORK



By a simple locking device the three parts are put together and taken apart. It is Sheffield made of first quality materials and exceedingly cleanly in use, and can be carried comfortably in the pocket, haver sack or satchel.

List No. KFS1. Price 5/-



THE THE THE TANK THE

No. 259. **BUTTON STICK, 4**d. ea. No. 260. **BRUSH** ... 6d. ea.

No. 261. ARMY BUTTON BRUSH, 1/3 ea.

No. 262. **PYNKA**, for polishing buttons, badges, etc., 2d. ea.

No. 262A. "SOLDIER'S FRIEND"
PASTE, 2d. ea.

No 263. BLANCO CAKES 2d. ea.

No. 263A. KHAKI do. 3d. ea.

No. 264. BLANCO in zinc pots, 8d. ea. No. 265. PIPECLAY ... 2d. ea.

CARTRIDGE PENCILS.



No. 283 ... Price 6d. ea.

PARKER'S "NEW SECURE" TENT POLE CLIP AND LANTERN HOOK.



No. 257A ...

Price 2/6 Post 6d.

Fits on the pole of any Regulation Bell Tent and is a great convenience to Territorials, Campers Out and Rifle Club men when attending Bisley and other meetings. It packs into a small compass in a kit bag, and is practically unbreakable.

No. 266. SWAGGER OANES, with regimental crest. Price 1/3 each.

Quotations for quantities Special sticks made to order.

No. 267. **SPURS,** Mashing, Box Jack, from 4/6 per pair.

WHISTLES.



Officer's Kohler pattern Whistle, silverplated, with leather thong or khaki cord as ordered.

No. 268 ... Price 2/- each.

Sergeant's Kohler Whistle, best German silver, with thong or cord.

No. 269. ... Price 1/9 each.



No. 271A. GENUINE METROPOLITAN WHISTLE, 2/- each.

No. 271. **POLICE WHISTLE** (German Silver). 1/9 each.

No. 270. **POLICE WHISTLE,** Nickel plated, 1/6 each.

The above are supplied with button-hole thongs, but may be had with long Khaki Lanyards at 3d. each extra.

Price List of Pistols made by SMITH AND WESSON, INC. to order and available at short notice.

Model C	Calibre	Length of Barrel	Stock	, 1	Price	e
Safety, Hammerless (New Departure)	.32	3''	Rubber	£5	4	6
Safety, Hammeriess (New Departure)	·38	31", 4", 6"	Wood		12	6
11. n n n n			11000	3	1000	
Hand Ejector	.32		22	5	12	6
Regulation Police	-32	31", 41", 6"	***	5	18	0
	-38	3¼", 4¼", 6" 4"	,,	5	18	0
Military and Police, Round Butt	-38	4", 5", 6"	,,	6	4	6
Square Butt	.38	4", 5", 6"	. ,,	6	6	6
F. 1952 - 1954 - 1954 - 1955	-32/20	4", 5", 6"	**	6	6	6
Military	-44	6½"	,,	7	2	6
U.S. Army Model 1917	·45	5½" 6"	.,	7	2	6
Regulation Police, Target	.32	67	,,	6	SAM	0
Military and Police, Square Butt,					(54)(45)	v
Target	.38	6′′	,,	7	6	6
San	-32/20	6"		7	6	6
n n n	.44			/	7.00	
Military (Target)		6 <u>1</u> "	**	- 8	5	0
·22-32 Heavy Frame Target Revolver	.22	6''	**	6	7	6

Price List of Pistols made by COLT PATENT FIREARMS MFG. CO., to order and available at short notice.

Madal	Calibres	Length of	Stock		P	rice	
New Service Revolver	·38—40, ·44—40	541.0					
New Service Revolver	·45 Colt, ·455 Eley	44", 54", 7	l" Rubber		£7	1	6
New Service Target	·44 Russian.	-2 . 2 .	2				
Revolver	·44 S & W.						
Revolver	Special ·45 Colt,						
	·455 Elev	7₺′′	Wood		11		6
Army Special	·32-20, ·38 Colt	$7\frac{1}{2}''$ $4''$, $5''$, $6''$	Rubber		6	5	0
Officers' Model Target							
Revolver	-38 S & W	4½", 6", 7½	'' Wood		8	8	0
Police Positive Special							
Revolver	·32—20, ·38	4", 5", 6"	- 10			19	6
Police Positive Revolver	-32	2½", 4", 5",	6" Rubber		5	14	0
	-38	2½", 4", 5", 4", 5", 6"	14.		5	14	0
Target					122	-	8
Revolver	·22, ·32, ·22WRF.	6''	22			5	0
Pocket Positive Revolver	·32	$2\frac{1}{2}''$, $3\frac{1}{2}''$, 6	· ·		5	11	6
Single Action Army	·32—20, ·3840		a record		_		
Revolver	·4440, ·45 Colt	4흫", 5ీ.", 7	2 ,,		7	1	6
·45 Government model Au	tomatic Pistol		(#C#) (# *)	• •		12	6
·38 calibre Military model	Automatic Pistol		0636 0X 65	• •	9	0	0
·38 Pocket ,,	,, ,, ,,	. 101	3838 3575			15	0
-380 ,, Hammerless Pe	ocket Automatic Pis	tol			4	7	6
	22 22 7	,			4	7	6
-25		,		* *		12	6
·22 Woodsman mo	del Automatic Pisto	l	• • • •	3.5		17	6
.22 ,, Camp Perry m	odel Single Shot Pis	stol			8	8	0
154000 500 150	AUTO PISTOL	MAGAZINE	ES.				
·45 and ·455 for Governme	ent model Automati	c Pistol				6	8
	,, ,,	77 **				6	8 8 0
	., .,					6	8
·380 for Hammerless Pocket	t Model Automatic					4	0
1.00						4 3	0
0.5		,,		(***		3	
.75 " " " "	Mi Mi	11				Q	6


·22 ,, Woodsman

WEBLEY & SCOTT "W.S." BISLEY TARGET REVOLVER. Automatic Ejector.

With 71in. Barrel and Adjustable Sights for Target Work.

Weight 2lb. 6 oz.

This Revolver is specially designed to meet the requirements of Mounted Troops, and is the final outcome of experiments directed to



With the exception of the handle, all the parts of this Revolver are the same as the Mark VI. Service Model, and are interchangeable. The handle can be in either wood or vulcanite.



Price £6

WEBLEY & SCOTT
"MARK VI." '455
(SERVICE MODEL)

Weight 2lb. 6oz.

6in. Barrel. Automatic Ejector.

Upwards of 300,000 of these revolvers were supplied to His Majesty's Forces during the Great War.

"This revolver has been adopted by a Joint War Office and Admiralty Committee for the exclusive use of His Majesty's Army, Navy, Indian and Colonial Forces, and is described by the First Lord of the Admiralty as being the most efficient weapon of the kind."—Vide "Times."

List No. REV.2. Price £4 14 0

SPARE PARTS FOR WEBLEY MARK VI. REVOLVER.

		Price	Pr	rice
1.	Body	26/-	21. Spring, Spiral 6	d.
2.	Barrel and Axis complete	34/9	22. Spring, Spiral, Extractor Lever 4	d.
3.	Guard	5/8	23. Butt, Swivel 80	d.
4.	Stocks per pair	5/3	24. Screw, Guard 4	d.
5.	Cylinder & Extractor complete	13/6	25. , Stock 6	d.
6.	Hammer complete	11/6	26. , Hammer and Trigger 4	d.
7.	Hammer Catch	1/4	27. ,, Barrel Catch 6	d.
8.	Hammer Swivel	8d.		/-
9.	Trigger complete	9/6	28a, Screw, Blade Foresight 4	d.
9a.	Screw Cam Lever fixing	6 d.	29. Pin, Joint, Axis 1	14
10.	Barrel Catch	6/6	30. Nut Extractor, Axis 10	
11.	Pawl	1/4	31. Screw, Pin, Joint Axis 6	d.
12.	Main Spring Auxiliary	1/6	32. ,, Cam 6	d.
13.	Main Spring	4/4	33. ,, Cam Lever 6	d.
14.	Spring Barrel Catch	2/8	34. , Hammer Catch 4	d.
15.	Cylinder Cam	3/9	35. ,, ,, Swivel 4	d.
16.	Cam Lever	2/-		d.
17.	Extractor Lever	3/-		1-
18.	Extractor Lever Auxiliary	10d.		d.
19.	Shield	3/-	Target Rev. Foresights 2	1.
20.	Screw, Shield	4 d.	Barrel Catch for Target Revolver 9	/-

WEBLEY SERVICE REVOLVERS

converted to

TARGET MODELS.

This conversion is affected by replacing the usual six inch barrel by a new barrel $7\frac{1}{2}$ inches long, also by replacing the barrel catch with another containing a laterally adjustable rearsight notch.

It is usual to renovate the old frame of the pistol to match the new barrel and this is included in the price of the conversion.

We are prepared to supply a limited number of sound second hand Webley Mark VI revolvers fitted with $7\frac{1}{2}''$ target barrels made up as new, tested and guaranteed. List No. REV. 7. Price £5 0 0.

Customers own Service Revolvers, converted as above ... Price 75/-

WEBLEY & SCOTT "MARK III." 38 (POCKET MODEL).

For home and personal protection no better, quicker and more reliable weapon is available.


Automatic Ejector.

3in. Barrel ... 11b. 3oz. 4in. ,, ... 11b. 4oz.

"The Webley Mark III., if not securely fastened at the breech, cannot be fired. Hence blowing open, with its serious results of disabling the revolver, is finally removed from the position it has hitherto held of being a possible risk with all extracting revolvers."—See The Field.

List No. REV. 3.

Price £4 7 0



WEBLEY & SCOTT

"WP." ·320

Automatic Ejector.

Can be specially made for the 32 Cartridge without extra charge.

3 in. Barrel.

Weight 1 lb. 1 oz.

This Revolver is manufactured from wrought steel and has been specially designed and manufactured for personal defence.


List No. REV.6. Price £4 7 0



WEBLEY & SCOTT '455 HIGH VELOCITY AUTOMATIC PISTOL.

Naval and Military Model.

The only automatic capable of being used as a single-shot pistol, enabling the shooter to fire singly, keeping the magazine in reserve for emergency.



WEBLEY & SCOTT AUTOMATIC PISTOLS.



3oz.

4%in.

3lin.

... 6 shots

48 grains

2 grains

Weight of Magazine

Capacity of Magazine

Weight of Powder Weight of Bullet Initial Velocity

Length over all ...

Depth

2oz.

... 41in.

... 6lin.

... 8 shots

3½ grains

75 grains

1050 f.s.

100

...

...

...

...

Weight of Magazine

...

Length over all ...

Capacity of Magazine Weight of Powder

Weight of Bullet

Depth

A REMARKABLY SUCCESSFUL INVENTION.

THE PARKER-HALE 22 CAL. SIX SHOT ADAPTOR

For the Webley Service Revolver.

As supplied to the Canadian Defence Dept., the Small Arms School, Pachmarchi, India, and the North of Ireland Government, etc. Patent No. 1516.



Ghost Picture of Webley Revolver showing Adaptor in position.

A. '22" calibre Auxiliary Barrel.
B. Patent '22" Rim-Fire Cylinder.

C. Screwed Sleeve for securing Auxiliary Barrel.

One of the outstanding lessons of the Great War was the importance of proficiency in the art of Revolver Shooting.

An expert with the Revolver has a confidence in himself that an undertrained man utterly lacks, but with the price of 455 Cartridges at 18/- per 100 one cannot afford to train himself to be an expert, neither can the nation afford to train its soldiers for the same reason.

At the suggestion of Capt. W. E. Robinson, of the 4th Border Regt., Kendal, the well-known Hythe School of Musketry, rifle and revolver expert, we experimented to find a way to adapt the revolver to shoot the cheap and reliable 22 calibre rimfire cartridges. The solution has proved startlingly simple. By reducing the cylinder to the length of the 22 calibre long rifle cartridge, we provided room for an auxiliary barrel, the breech end of which is utilised to carry a backsight that is necessary to allow for the difference in the jump when the revolver is fired.

No injury can be done to the revolver by the use of the Adaptor.

Functioning with the six shot 22 calibre Adaptor is as sure as with the 455 calibre Cartridge.

Accuracy with the six shot 22 calibre Adaptor is fully maintained. We guarantee it to shoot into \(\frac{3}{4}\) inch at 20 yards, which is better than any man can hold.

Training with the 22 calibre rim rifle cartridge has been proved to be as

good as with the Service Cartridges.

It is on record that a team of riflemen, who had hitherto only fired with small bore rifles, beat a team of trained Service riflemen in a 303 Rifle Match, thus proving that the recoil of the heavier cartridge has no effect on men who already have confidence in their ability as marksmen.

List No. AT.2. Parker-Hale 6 Shot Adaptor Set (parts A. B. & C. as illustrated), Price, 50/-

See Testimonials on next page.

NEW TESTIMONIALS re THE PARKER-HALE 6 SHOT ADAPTOR

Described on previous page.

H. S. Kirwan, Norfolk Road, Singapore, S.S.

22-10-26.

"I have only used the Revolver with the Adaptor, and am delighted with it."

J. O. M. Ashton, Welston Court, Pembroke.

"The six shot Revolver Adaptor you supplied me with in September of last year is very efficient.

Lieut. E. S. Jeffery, R.N., H.M.S. "Dragon," Mediterranean Fleet, c/o G.P.O.

17-12-27.

"I am this day forwarding under separate cover the four additional cylinders supplied by you to enable the fitting in Service Revolvers to be done more correctly. four cylinders were actually entirely satisfactory, and no difficulty has been experienced. The results obtained have been quite satisfactory."

Lieut. B. M. Strang, XII Royal Lancers, Cairo.

1-12-27.

"The Adaptors arrived safely, and are an excellent idea for training men to shoot at a small cost. They have attracted great interest and are proving a great success.

Lieut. Strang also writes :-

22-12-27


"Use my remarks by all means if you wish. Once again I will say your Adaptors are excellent, especially if you have run short of .455 Ammunition as we have.

Lieut. G. D. Cooper, Manchester Regt., Ladysmith Barracks, Ashton-under-Lyne. "I already have a ·22 Revolver Adaptor and find it very useful." 24-2-28.

Further letter.

"I have no objection to your printing at any time my few remarks on the efficiency of the 22 Revolver Adaptor. It is particularly useful, in that it enables Revolver practice to be carried on in a miniature range during winter months.'

THE WEBLEY SINGLE SHOT .22 CAL. ADAPTOR TUBE FOR SERVICE PISTOLS.



List No. A.T.1.


Price 35/-

No permit required.

.22 CAL. TARGET PISTOLS,

Target practice with Miniature Bore Pistols is becoming increasingly popular and the weapons listed below are the best of their kind on the Market. The Parker-Hale Six-shot Adaptor for .22 calibre cartridges makes it possible to practice Snap-Shooting with the Service Revolver at the Regulation distances. See page 52.


> THE WEBLEY SINGLE SHOT '22 CAL. TARGET PISTOL.



This pistol has been designed to meet the requirements of Experts requiring a well-finished arm of the greatest precision, at a moderate cost. It is specially regulated to shoot the .22 Long Rifle Rim Fire Cartridges, but for indoor work, excellent shooting can be obtained with the .22 Short Cartridge and 22 Bulleted Caps. List No. TOL. 1. Price 67/-

& SCOTT NEW SEMI-AUTOMATIC THE WEBLEY TARGET PISTOL.

For .22 Cal. Long Rifle Cartridges.



into a Rifle at 13/-

extra.

Price 63/-


This pistol has been designed to give an opportunity for cheap Target practice with a weapon which handles the same as an Automatic Pistol. The hold is most comfortable and the long barrel gives most excellent shooting.

After firing, the cartridge is automatically ejected and the breech remains open for reloading, and must

be closed by hand.

List No. TOL.2. Barrel 9 in. long. 4 in. ,, List No. TOL.3.

SERVICE REVOLVER. .22 CAL. WEBLEY



PISTOL.

54

A. G. PARKER & Co., Ltd., Rifle Experts, BIRMINGHAM.


CAL. COLT AUTOMATIC MOST ACCURATE AND RELIABLE.



THE

.22

Calibre .22 long rifle. "Woodsman" Model.



popular with shooters, sportsmen, trappers, and others desiring a high grade pistol adapted for this economical and easily obtained ammunition. With its adjustable target sights, long barrel, light trigger pull and splendid balance, it possesses all the advantages of a single-shot target pistol, with the additional features of automatic action, obviating the necessity and inconvenience of reloading for each shot, and, furthermore, permitting unlimited practice in that present popular branch of shooting-

rapid-fire and snap-shooting.

The pistol is equipped with a Safety Look which, when the arm is cocked, may be pushed upwards, thus positively locking hammer and slide. This Safety Lock is located within easy reach of the thumb of the hand holding the pistol, and may be instantly pressed down when raising the pistol to firing position. It also acts as an indicator showing whether or not the pistol is cocked.

The slide may be readily removed from the frame, permitting the arm to be quickly and

easily cleaned from the breech.

An extension of the frame at rear serves as a guard to prevent the hand of the shooter from slipping upward and being injured by the recoiling slide; this also assists in keeping the hand in the same position for each shot, thereby aiding in accurate shooting. The grip or stock slants at a correct angle in relation to barrel and line of sight, giving the shooter

the proper "hold" of the piece without wrist strain.

The Magazine is provided with a thumb grip or pin which projects on the right side and enables the operator to compress or relieve the tension on the magazine spring to facilitate loading the magazine-a feature that will be appreciated by those who know the difficulty of

handling small cartridges.

THE COLT .22 CAL. TARGET REVOLVER.

It is only recently that Manufacturers have recognised there is a demand for a reliable .22 calibre Revolver. There are several cheap makes of .22 revolvers on the market but

they fail in the one important point, viz.:—accuracy.


The Revolver illustrated below has only been produced after careful experiments and thorough tests and, though the price seems high there is a great deal of difference in the mechanism of the Pistol and a Revolver which quite accounts for it.

SPECIFICATION.

Jointless, Solid Frame, Swing-out Cylinder.


Six Shots. Do Length of Barrel Double Action. ... 6 inches only Length over all ••• 10% inches Weight 22 ounces hish: Full Blued. Rubber Stocks, ights: Block Rear Sight adjustable windage. Removable Front Sight Blade fastened by screw. Finish: Sights:

List No. REV.5. Price £6 5 0



THE HARTFORD AUTOMATIC PISTOL.

A Ten Shot Automatic Target and Sporting Pistol using the .22 cal. long rifle cartridge.



Maker's description.

This Automatic Target Pistol is the last word in automatic pistol design and construction, and we are placing it in the hands of dealers and sportsmen in the firm belief that we have definitely removed every objection heretofore existing in the use of an automatic sporting pistol, and that it will fill a long-felt want for a light, efficient, accurate and well constructed arm which can confidently be carried to the remote places with the knowledge that it will perform well and faithfully.

The absolute perfection in construction, the certainty of operation, and the outstanding simplicity of take-down and re-assembly, will be a revelation to the user.

It is designed to use the .22-calibre, long rifle cartridge and is extremely accurate. This model is 10\frac{3}{2} inches over all, weighs 31 ounces with barrel 6\frac{3}{2} inches long,

distance between sights 93 inches, giving an adequate sighting plane.

As regular equipment, each pistol is fitted with open sights, Patridge type, but the wishes of our patrons will be observed in the choice of sights, at a moderate increase in cost, depending upon their requirements.

Stocks are regularly black rubber, high diamond checked, with a polished border

inch wide around edge and escutcheons, producing a very handsome effect.

The magazine contains 10 cartridges and is readily removed by pressing a knurled catch at the base of grip. The regular finish is a satin blue, which will not reflect light as readily as does the usual gun blue.

ACAZINES List No. A.U.T.8. Price £4 7 6 1/6 EA

THE WALTHER AUTOMATIC SPORTING and TARGET

Special advantages and good points :-

1. The shape of grip or stock fits the natural form of the hand, thus giving a perfect and insuring grip good aiming shooting. accurate The rear sight is inserted from the side,



and the front sight can be raised or lowered, thus giving each individual shooter

the opportunity of adjusting the sights in accordance with his own needs.

2. The trigger pull is adjustable, and this should prove an aid to accurate shooting.

3. The pistol can be dismounted and assembled without the aid of any special tool.

4. It is easy to clean the barrel and breech mechanism.5. The component parts are carefully made by the best machines, nicely fitted, and thus ensure perfect functioning of the pistol.


Dismounting and assembling of pistol.—Hold pistol in the right hand, the same as when shooting, and with the right hand index finger press back the projecting nose located on the fore part of the trigger guard. Then grasp the locking slide the same as when cocking gun, draw same rearward as far as it will go, raising the slide rearward and upward. Then let the locking slide move slowly forward, when it can be lifted off the receiver. The assembling of the component parts is accomplished in reverse order.

56

PARKER'S CELLULOID COVERED PISTOL RODS.

These are made of hard steel and covered with celluloid, which prevents rust and oxidisation, and being soft and smooth cannot wear away the rifling.


The jags are round and grip the patches beautifully. The .455 jag is slotted all the way through, and then, being flexible, presses the cleaning material well into the grooves of the barrel.



.22 cal. .320 cal. .380 cal. .455 cal. Swivelled Knob P.R.1 2/6 each Ring Handle P.R.H.1 1/6 each P.R.H.2 2/- , P.R.H.3 2/6 , P.R.H.4 3/- , P.R.H.4 4/- each P.R.H.4 3/- , P.R.H.4 5/- ,

If possible give length of barrel when ordering, otherwise we send a suitable length for target weapons.

GOVERNMENT REGULATION REVOLVER RODS. .450 cal. only.



Brass Rod with single slot.

List No. RV.107.
Price 2/- Post 3d.
Steel Rod with double slot for cleaning pistol cylinders with brass wire stands.

List No. RV.108. Price 3/- Post 3d.

THE PARKER-HALE GREASE GUN PISTOL ROD.

For .450 and .455 calibre only.



The idea of a Cleaning Rod with a grease reservoir was given to us by Major Stewart Blacker but the idea of turning it into a grease gun was suggested by Mr. A. C. Hale and worked out by Mr. W. P. Hale of our firm. The difficulty of filling the reservoir has been overcome by making the screw thread at the handle end of the reservoir the same diameter and pitch, as the screw of the B.S.A. Saftipaste tube and Young's Semi-liquid .303 Cleaner. The illustration shows a metal plunger, but this has now been substituted by an adjustable leather washer device.

The hollow Jag is removable for attaching brushes.


We guarantee it to be satisfactory.

List No. RV.109 Price 6/6 Post 3d.

N.B.—To avoid airlocking, it is advisable to completely empty the gun before re-filling.

Sight Protector nickel-plated, to cover foresight of Webley Target and Service Revolvers. Price 2/6 Post 2d.

REVOLVER TARGETS, ETC.



N.R.A. REVOLVER TARGETS, 1925.

"10," "20" and "50" yards Targets. Coloured light blue, with semi-circular black aiming mark as illustrated.

List No. RV. 101. For 10 yards range 6/- per 100

12	2.1	RV.	102.	21	20	11	,,	6/-	,,
		RV.	103.	,,	50	,,	,,	15/-	33


N.R.A. REVOLVER POOL TARGETS, 1925.

These consist of a circular black bulls-eye on a white ground.

List No. RV. 104. For 10 yards range 6/- per 100

,, ,, RV. 105. ,, 20 ,, ,, 6/- ,,

,, ,, RV. 106. ,, 50 ,, ,, 6/- ,,



ai i


FIGURE AND CIRCULAR TARGETS FOR FIELD AND REVOLVER PRACTICES.



3 Plv	Veneer	Figure,	Fig.	1 per	doz.	44/-	3 Ply	Veneer	Circular,	24 in.	per doz.	13/3	
		,,	,,	2	.,	16/6	22	- 10	30)	22 in.	***	10/3	
33,	,,	,,		3	,,	13/3	1997		,,	18 in.	**	7/9	
,,			.,	4		6/-	.,	,,	.,,	16 in.	,,	6/3	
· ;;	,,	,,		5		3/3	,,	,,	,,,	12 in.	7)	3/3	
,,	"	,,	1.1	G	12.	22/-		,,	,,	8 in.	99	2/9	
23	2)	33	200	O	2.7		,,	,,	,,		0.00	1000	

Poles for Figure Targets, 8 feet long.

RECTANGULAR GROUPING GAUGE for REVOLVER TARGETS.



List No. RV.100. Price 3/- each.

N.B.—You can train yourself to get on level terms with the most expert shots by using the Parker-Hale '22 calibre Six Shot Adaptor for the Service Revolver (see page 52).

SHOT HOLE GAUGES. .455 Cal. (Groove diameter .452 in.)

An accurate plug gauge for deciding the value of doubtful hits on service revolver targets.

List No. AF. 455. Price 1/6 Post 2d.

The PRIDEAUX INSTANTANEOUS REVOLVER LOADER.




For 455 Service Revolvers.

It has been frequently asserted that a Revolver is good for its six shots only, for there is no opportunity to reload it singly in action.

This can very easily be imagined, therefore the advent of an Instantaneous Loader gives the Revolver a new lease of life, for it is quite possible to take the clip from out of the pouch and reload six cartridges instantaneously without even glancing at the Revolver.

The invention has been highly commended by many notable Military Authorities, and has been adopted by the Services.

Price in leather bucket, to slip on belt, No. P.R.L.1. 10/6 Post 4d.




Prevents Breakages.

THE "BILLING" SNAP PAD.

For Service Revolvers.

List No. S.R.P.1. Price 1/- Post 2d. Dozens 10/-This pad is the invention of Staff Q.M.S. Billing, of the Hythe Small Arms School.


In training for rapid practice with the Revolver, it is absolutely essential that the action of the weapon be continuously in use, but unless there is something for the hammer to hit, other than the frame, it will inevitably crystalize and break.



SERVICE REVOLVER LANYARDS.

Regulation Officers' Khaki Lanyards with gilt swivel as illustrated.

List No. R.V.110. Price 3/3



REVOLVER & PISTOL CASES.

A case for a nicely finished Target Revolver is almost a necessity. A revolver is a clumsy and somewhat dangerous thing to leave about and its value is seriously deteriorated by neglect.

A case keeps the revolver and its cleaning accessories together so conveniently that there is no excuse for neglecting to attend to it after shooting.

PRICES :-

List No. R.V.111. Canvas covered wood case with slide lock and leather handle
List No. R.V.112. Solid leather covered wood case with slide lock and leather
handle, as illustration 45/List No. R.V.113. Ditto. ditto. but with leather straps to reinforce lid,
only necessary for heavy duty 50/-

MACHINE GUN SECTION.

We have much pleasure in introducing on pages 56c and 56p two systems for firing practice with Machine Guns on the Miniature Range.

The Parker-Hale .303" and .22" system has been strongly recommended by the Machine Gun School as it adds greatly to the interest of the training and increases firing efficiency.

Light Automatic and Machine Gun Targets.

Small Arms Training, Vol. III, 1924.

		(Complete. Each,	Paper only. Per doz.
61—Light Automatic Instructional	***		18/-	15/-
Patching Strip for do	27.4		13	3d.
62-L.A. & M.G. Screen, 10 ft. × 3 ft.	***	3*55.*3	22/-	-
Facings for do	***			2/8
63-L.A. "Small" Target			15/6	3/-
64-L.A. & M.G. "Large" Target			22/6	6/-
65—A.A. 1			22 /6	6/-
Do. Patching Strips, top				8d.
Do. do. bottom	***			9d.
66—A.A.2 Silhouette Patches, R.H	***)#(#)#	and the same	1½d.
Do. do. L.H	0.22			1½d.
A.A.2A do)(*(*)*)			2d.
70-M.G Application and Traversing, Par	t <mark>I.</mark>	5.500	21/-	_
Facing, left-hand side		* * (*)	: 	1/3
Facing Outline, right-hand side			-	1/3
Facing in Colour, right-hand side	***		-	12/-
Patching Strip, left-hand side	1010	*(*)*)	-	3d.
71—Stoppages Target			8/-	2/-
72-Triangular Target, plywood, with pole		***	6/-	1/-
Framed Canvas Target, with pole			13/6	1/-


We cannot be responsible for damage to complete targets in transit.

N.B.—The above targets and materials are only supplied direct from the makers.


THE PARKER-HALE 303 CUM 22 SYSTEM

Applied to VICKERS MACHINE GUNS for Non-Automatic Firing Practice on Miniature Ranges.

As recommended by the Machine Gun School, Netheravon.



- A.—Vickers Machine Gun barrel converted to ·22 calibre by means of a rifled liner.
- B .- The rifled liner immovably fixed.
- C.—The ·303 cum ·22 Container, made of steel, showing the ·22 calibre rim-fire cartridge D inside it.
- E.—Regular Machine Gun Belt filled with 303 cum 22 Containers.



The Parker-Hale 303 cum 22 System as applied to the Vickers Gun is even simpler than as applied to Service Rifles, for which it it in successful use in many Public Schools and in many of our Overseas Forces.

It consists only of a special barrel with a modified 303 Chamber that rejects a full charge cartridge, a number of Steel Dummy Cartridges or Containers that are filled with 22 cal. Rim Fire Cartridges, and a Re-loading Tool.

It will be noted that the **Rim Fire** Cartridge is positioned eccentrically in the Container, which is in order that it may be detonated by the firing pin of the **centre fire** lock.

The bullet travels through the smooth bore container in a slightly slanting direction until it reaches the rifling, and no loss of accuracy is noticeable on that account. No alteration whatever is needed to the Gun. Simply replace the 303 barrel with our 303 cum 22 barrel and place the loaded steel Conveyors in the belt, when firing practices can immediately be carried on coupled with extreme accuracy in the hands of a competent marksman.

PRICES.

Parker-Hale 303 cum 22 Barrel for Vickers Gun ... List No. M.G. 1 3 10 0

Steel Containers, per set of 10 , No. M.G. 2 2 10 0 3 - 0 - 0

Reloading Tool ... , No. P.H.R. 4 15 0


Barrel Cleaning Set, consisting of squirt tin of Young's 303 Cleaner, Needle Eye Rod and supply of cut flannelette patches ... , No. M.G. 3 8 6

Strong Well-fitted Case to contain the Outfit ... , No. M.G. 4 10 0

N.B. We can also supply Parker-Hale .303 cum .22 Barrels and Accessories

for Lewis Guns at the same rates.

THE PARKER-HALE-GECO MACHINE GUN ADAPTER.



A practical, simple and inexpensive method of getting firing practice with machine guns in the instruction room.

The cartridges which are fired from the rifled adapter are 4 m/m bulleted

caps of a new type which can be detonated by a centre fire striker.

The bullets will hit with about the force of the B.S.A. Air Rifle Pellet and can therefore be used with a similar amount of precaution.

The adapters are produced from solid steel bar formed outwardly to the shape of the Service cartridge and inwardly bored, rifled and chambered for the Geco centre fire bulleted cap cartridge.

No alteration whatsoever is necessary to use these adapters and cartridges in Vickers or Lewis Guns. The bullet when it leaves the adapter flies down the centre of the .303 barrel and can be relied on to group into half-an-inch at 12ft.

from the muzzle.

A suitable card target Holder and Bullet Catcher for this cartridge is our List No. ART.8 as illustrated.






N.B. We can also recommend this Adaptor for single shot practice with .303 Service Rifles.

The Adaptor cannot be successfully used from the magazine because it is liable to jam on account of the blunt nose.

The very short cartridge is also liable to be dislodged when the bolt strikes the Adaptor to drive it into the chamber.

Prices.

List No. PHG.1	Sample Set, consisting of a single A Adapter Cleaning Rod 6d., and 10	dapter 7	/ <mark>6,</mark> Cartride	res.	
	2/	Total		,	10/-
" No. PHG.2	Set consisting of five Adapters,	Cleaning	Rod a	ınd	55/
	1,000 Geco Cartridges				
" No. ART.8	Card Target Holder and Bullet Cate	cner			
	4 m/m Geco Cartridges	* 10*	15/-	· per	1.000



MACHINE GUN ACCESSORIES.

SMITH'S RANGE CARD MARKER For Machine Guns.

This is a device invented by Q/M/S Instr. H. Smith, of the Netheravon Machine Gun School, for the purpose of facilitating construction of Machine Gun Range Cards.


The rotating arm is graduated in hundreds of vards with pencil holes at 800, 1,500 and 2,000.

It is fitted with a clip to slide over a few pages of any pocket book and is designed particularly for use with Army Book 152.

When not in use it can be carried flat in the note book for instant use when required.


Price 1/6. List No. M.G.14. Post 2d.

VICKERS MACHINE GUN CLEANING ROD.



Made exact to Government Specification.

List No. MG.11	Cleaning Rod without r	nuzzle	guide	 	• •	10/-
MG.12	Muzzle Guide only			 		2/-



AIM CORRECTOR No. 3 FOR A.A. SIGHTS OF LEWIS GUN.

As illustrated and described in Small Arms Training. Vol. III. Page 56. 1924.

Price 6/6. Post 3d. List No. M.G.13.

Spare Glasses 2/- ea.

LEWIS GUN GAS CYLINDER RODS.



White wood rod, jointed in centre with Wire Brush and Wool Mop.

List No. MG.10. Price per set 2/6. Post 6d. Singly: -Rod 1/6. Wire Brush 9d. Mop 9d.



A.G.PARKER.

AIR PISTOL & RIFLE SECTION CONTENTS.

Pages.

58 and 59 Air Pistols.

60/62 Air Rifles.

62 to 63A Accessories for Air Rifles.

63A to 64 Air Rifle Targets and Holders.

THE WEBLEY AND SCOTT AIR PISTOL.

A RELIABLE BRITISH MADE WEAPON.

The first really accurate Air Pistol was the Parker Precision, but it is eclipsed for handiness and general design by the Webley and Scott and we therefore do not propose to continue its manufacture.

The salient feature of the Webley and Scott is its admirable cocking mechanism which gives the Piston a very long stroke in a small compass for the want of which most Air Pistols have never been really successful.



Shows barrel detached.

Weight 28 ozs. Length of barrel 7½ inches. Overall length 8½ inches. Finish:—Black. Grips:—Walnut.

Specification.

Foresight:—Blade.
Backsight:—Adjustable for elevation.
Barrel:—Rifled and interchangeable.
Trigger:—Provided with safety catch.

The whole of the Pistol is machined from solid steel stampings and bar and is absolutely guaranteed against defects in material and workmanship.

Every Pistol has to pass a grouping test at 10 yards. The accuracy standard is 10 consecutive shots in a one inch circle.

The weapon is cocked by releasing the barrel from the breech catch and lifting it upwards and forwards (see illustration on next page).

Supplied in Two Calibres.

177" or No. 1 bore	List No. WSP1. Price 30	1-
'22" or No. 2 bore.	List No. WSP2. ,, 30	200
Spare '177" barrel.		1/-
·22" barrel	List No WSP4 10	1-

N.B.—For general purposes we recommend the No. 1 bore as the pellets can be bought at half the price of the No. 2, besides which being lighter they fly with greater velocity.

The No. 1 pellet is also the standard projectile for target practice.

For suitable Pellets, etc., see Air Rifle Section.

List of Air Pistol Component Parts.

1	Body		11	Inside Cup		19 Sight 6d.
2	Barrel	 10/-		Washer		20 Safe Screw 4d.
3	Air Piston	 2/9	12	Barrel Joint		21 Barrel Catch
4	Sear	 8d.		Washer	4d.	Screw 4d.
5	Trigger	 8d.	13	Safe	8d.	22 Sear Trigger and
6	Guard	 2/-	14	Stock Screw	6d.	Guard Pegs 3d.
7	Spring	 1/3	15	Sight Screw	6d.	23 Joint Screw 6d.
8	Spring Guide	 8d.		Sear Spring		24 ⁴ Stock Side Left 1/6
9	Breech Screw	 8d.		Safe Spring		24 ,, ,, Right 1/6
10	Cup Washer	 4d.	18	Top Catch	6d.	

THE MARK II WEBLEY AIR PISTOL.

The precision Model for Target Practice.



Shows method of vertical and lateral sight adjustment.

A REALLY FINE EXAMPLE OF BRITISH DESIGN AND MANUFACTURE.

The original Mark I Webley Air Pistol, although well made and excellent value for its price, lacks several essentials necessary for target practice by expert shots who take part in open competitions.

The Mark II Air Pistol has all the leading points of the Mark I Model with the following advantages:—

- (a) The backsight is adjustable laterally as well as vertically.
- (b) The breech end of the compression cylinder is solid, thereby avoiding loss of air pressure.
- (c) The trigger pull can be adjusted by means of the screw shown above and in front of the trigger guard.
- (d) The hand grips are vulcanite.

For target practice the No. 1 (.177 cal.) pellet is the standard projectile, and unless otherwise ordered, we supply Air Pistols in this calibre.

(For Targets and Target Holders see pages 63A, 63B and 64).

List No. W.S.P.5. .177 cal. Webley Mark II Air Pistol Price 40/,, ,, W.S.P.6. .22 ,, ,, II ,, ,,

N.B.—The makers guarantee the accuracy of the Pistol if used with Webley Pellets. Prices of Pellets are listed on page 63.

THE WEBLEY AIR RIFLE MARK I.


Calibre .177 or .22.



Owing to the instantaneous and permanent success of the Webley Air Pistol, we have decided to place upon the market the Webley Air Rifle Mark I. manufactured on the same principle and under the same Patents as the Air Pistol Mark II.

The design of the Webley Air Rifle will be found very attractive and practical, giving great efficiency, accuracy, and perfect balance.

Only the best wrought materials are employed and all its component parts are interchangeable.



Shows method of cocking.

SPECIFICATION.

Bore. Supplied in Calibres .177 or .22.

Barrels. Rifled, Chambered and interchangeable, making it possible to have

both calibres in one rifle.

Length of Barrel. 19 inches. Weight of Rifle. 5½ lbs.

Length Overall. 34 inches.

Range. We are illustrating diagrams made at 40 yards.

Action. All parts are made from wrought material and are interchangeable,

making replacements an easy matter.

Cocking Mechanism. The Rifle is cocked by using the barrel as a lever.

Piston. Fitted with patent rings, replacing the ordinary leather washer.

Loading. Pellets are inserted at the breech end of the barrel.

Stripping. The whole of the internal mechanism being inserted in the front of

the action, it can be taken out and replaced by hand.

Safety Catch. The Rifle is fitted with a positive safety catch, so eliminating the

danger of a premature discharge.

Length of Stock. (Supplied in two lengths of stock 13 ins. and 14½ ins.

Sights. Fitted with V backsight vertically adjustable up to 50 yards- Front

sight adjustable laterally.

Finish. The Rifle is attractively finished, and possesses a pleasing appearance.

List No. W.S.R.1. .177 cal. Webley Mark Air Rifle. Price 72/6, ,, W.S.R.2. .22 cal. Webley Mark I Air Rifle. ,, 72/6

AIR RIFLES for Target Practice.

For Rifle Practice in schools and institutes, and home practice indoors and in gardens where long ranges are non est, the Air Rifle is at least equal in point of accuracy to the Miniature Rifle up to 15 yards, and superior as regards absence of noise, freedom from cleaning and, most important of all, cheapness of ammunition which costs only as much for 1,000 as the cheapest cartridge cost per 100. Excellent sport can be had at small game shooting.

The most powerful, accurate, and reliable, and the cheapest in the long run are the

B.S.A. AIR RIFLES.

The B.S.A. Air Rifles are made in two calibres—

177 inch calibre, also known as No. 1 bore

·220 ,, ,, ,, ,, No. 2 ,,

THE B.S.A. LIGHT "TARGET" AIR RIFLE.

For Target practice we recommend the '177 calibre rifle because the pellets are cheaper and are more readily obtainable, the rifle is lighter and more easily manipulated than the heavier .22.



SPECIFICATION OF '177-in. Cal. RIFLE, No. 1 Bore.

Weight 61/4-lbs.


Length, 40 inches.

Effective range, 30 yards.

List No. BSA51. Price £4 0 0

THE B.S.A. "SPECIAL CLUB" MODEL.

·177 calibre Air Rifle.



Weight, 7 lbs. 11 ozs. Length overall, 45% ins. Length from trigger to butt end, 14% ins. Length of barrel, 20 ins. Effective range, 50 yards. Distance between sights, 17 ins.

It was to meet the ever increasing demand for members of Air Rifle Clubs that the B.S.A. decided again to produce a longer and heavier model on similar lines to the prewar standard pattern. This "Special Club" model has an improved mechanism for the regulation of the trigger pull.

Important Notice to Air Rifle Clubs.—The Club Model AIR RIFLE can now be fitted with the patert Sprawson-Parker traversing foresight with the guarded bead. It enables each man to adjust his sight to get an exact dead-on aim. This improvement adds many points to a club's scores. The additional cost is 10/- See page 62a.

62

"SPORTING" B.S.A. AIR


22 Calibre.


For Sporting purposes we recommend the '220 cal. Air Rifle, the pellet being 5 grains heavier than the 177 pellet. It penetrates a deal plank at 50 yards to the depth of a quarter of an inch and will group the shots into 2 inches at this distance. For rooks and rabbits it rivals under most conditions, the '22 cal. cartridge rifle.



SPECIFICATION OF THE '22 Cal. AIR RIFLE, No. 2 Bore.

Weight 73/4-lbs. Length, 45 inches. Effective Range, 50 yards. List No. BSA53. Price £4 10 0 The Sprawson-Parker guarded adjustable foresight can be fitted at 10/-See page 62a. extra.





Washer Screw

Stock

Guard

K.

II

Link Axis Screw ...

Sear Axis Screw ...


Breech Plug Plate

Trigger Guard Screw

Piston Rod Keeper Screw

THE NEW B.S.A. AIR RIFLE APERTURE SIGHT.

It has a screw adjustment for elevation and has a slot in the base which allows it to be exactly adjusted for direction laterally. It fits on the butt just in front of the grip and quite near to the eye. List No. AIR4.



The B.S.A. AIR RIFLE FORESIGHT PROTECTOR.

It prevents damage to the bead foresight should the rifle be accidentally dropped.

List No. A.I.R.7. Price 1/3 Post 2d.

B.S.A. AIR RIFLE COMPONENTS 4/-H. Link Piston and Rod, Assmld. D. 9/6 Piston Spring E 2/8 *** F. 3/-Trigger I. Hand Lever Axis Screw ... 8d. Piston Rod and Piston Assmld. J. 9/6 K. Trigger Spring 4d. Foresight, Bead 2/6 ... L. Trigger Axis Screw 4d. 2 Backsight Bed, fig. 2 4/6 Brass Washer 0. per doz. 3. Backsight, Leaf, ,, 3 ... Elevating Screw, fig. 20... 3/-2/-Leather Washer, large 6d. 4. 6d. P1. Leather Washer, small

6d.

6d.

4d

4d.

4d.

3/-

4d.

3/-

19/9

Trigger Spring Pin 4d. When ordering, please mention whether the parts are required for the No. 1 bore .177 in. cal. rifle or for the No. 2 bore .22 cal. Rifle.

6.

7.

8.

9.

10.

16.

18.

19.

Sear ...

Hand Lever Catch

Breech Plate Screw

Breech Plate Plunger

Hand Lever Catch Block

Hand Lever Catch Spring

Hand Lever Catch Pin ...

Keeper Screw, Hand Lever Axis

If the Rifle for which parts are required be a pre-war model, please give fullest description, or, better still, send us the Rifle, as many components for these Rifles are out of stock and have to be hand made.

2/9

1/3

3d.

2d.

4d.

4d.

4d.

3/6

THE SPRAWSON-PARKER TRAVERSING FORESIGHT


made specially for the B.S.A. Club Air Rifle and the .22 cal. B.S.A. Air Rifle.

Ensures a Dead-on Aim.

Foresight Well Protected.

A Necessity for Winning Matches.

Improves the Rifle.



The rough model of this exceedingly useful improvement of Air Rifles was worked out by Mr. Herbert Sprawson, the well-known Birmingham Air Rifleman and record holder, and the finished model shown above is the design of our Mr. E. E. Harris.

The traversing block runs on a steel ball which is backed by a strong coil spring

and this feature ensures smooth working and eliminates any slackness.

The usual plain unprotected bead foresight of the Air Rifle is very liable to be moved and damaged by careless and accidental mishandling, but the Sprawson-Parker Sight is protected by strong wings and so cannot be damaged.

It is fixed by driving it on to the barrel until the slot is opposite the dovetail

slot used for the usual foresight.

The wedge "C" is then driven into the dovetail slot to secure it. A little fitting may be necessary and it is recommended that a fitter should undertake the


The chief feature is the traversing movement which is controlled by the Coin slot screw "A." This permits all shooters to take a "dead on" aim as each man can set the foresight to suit himself by means of the scale shown on the right hand illustration.

A choice of four interchangeable sighting elements is given, but the standard

bead pattern is sent unless otherwise specified.

LIST No. A.I.R.8. Sight with one element. Price 10/-Interchangeable Elements.

THE PARKER-HALE B.S.A. MODEL AIR RIFLE APERTURE BACK SIGHT.



To meet the demand for a readily adjustable windgauge Aperture Backsight, we have added a screw movement to the B.S.A. Sight the wind scale reading being arranged on the Micrometer principle.

We have not laid ourselves out to convert these in large quantities, consequently the parts being hand-made are comparatively dear but the improvement is worth the extra cost.

LIST No. A.I.R.9. Price 12/-

AIR RIFLE PELLETS.



We illustrate on the left hand the No. 1 ('177 cal.) Pellet, and on the right the No. 2 ('220 cal.) Pellet, which are expressly designed for Air Rifle barrels The front edge fits the bore, the rear edge being larger is forced into the grooves cut by the rifling tool. The result of the spin thus imparted to the pellet causes it to strike its object point foremost with deadly accuracy.






No. PEL.1.



No. PEL.3



We stock the following brands:-

B.S.A. .177 cal. No. 1 bore in boxes of 1000 List No. PEL.1 2/6

B.S.A. .177 cal. No. 1 bore in boxes of 500 List No PEL.11 1/4

B.S.A. .22 cal. No. 2 bore in boxes of 500 List No. PEL.2 2/6

Witton .177 cal No. 1 bore in boxes of 1000 List No. PEL.2½ 2/6

Parker .177 cal. No. 1 bore in boxes of 250 List No. PEL.3 6d.

Lion No. 3 bore in boxes of 500 List No. PEL.4 2/9

Webley .177 cal. No. 1 bore in boxes of 1000 List No. PEL.5 2/8

Webley .22 cal. No. 2 bore in boxes of 500 List No. PEL.6 2/6

N.B. Cheaper makes are available but are not recommended for competition shooting.

DARTS No. 1 OR 4½ m/m.

For Air Guns and Air Pistols.




These are suitable for use in Webley and other Air Pistols, also in Air Guns of the breakdown type. A moderately hard piece of wood should be chosen on which to pin a card Target and the darts should be removed by the special pliers made for the purpose.

List No. AIR.4½. Packet of one dozen assorted colours, 5d. per packet 4/· gross.

List No. AIR.5. Special Pliers 8d. each.

Darts for No. 2 and No. 3 bores can be supplied to order.



SHOT HOLE GAUGES FOR CARD TARGETS.

The hole which a pellet makes in piercing the target is much smaller than the size of the pellet and so it is often difficult to determine whether or not the pellet has struck the line. The use of a gauge is therefore as essential for judging Air Rifle targets as it is for judging .22 in. cal. Rifle targets. List No. A.F. 177. Plug gauge with spring handle in neat metal case. Price 1/- Post 2d.

STOUT BELLS FOR AIR RIFLE TARGETS.



These bells have been designed to withstand a direct hit, but we cannot guarantee them to give more than a reasonable amount of service, as sooner or later the metal crystallises under the severe strain. In our opinion our Automatic Recording Target No. ART5 is more reliable for Club purposes, the bell being struck by a hammer it always rings the same.

List No. AIR6. Price 3/-



PELLET DELIVERY MACHINE

Contains 40 boxes which each holds 10 or more pellets. It soon pays for itself, as it dispenses with the necessity of an attendant to count out and sell the pellets.

List No. AIR3.

Price 50/- Post 1/3

PARKER'S SUPERFINE NON-DRYING TARGET PAINT



A mixture of light oil and the very best flake white this paint will not gum and harden on the target. It does not cover the scorings nor does it fill up the bull's-eye aperture. It has been specially ground on our sight paint machine and can be recommended as the very best for its purpose. The brush is of best hogs bristle.

Paint only. List No. AIR1. 2/-Brush only. List No. AIR2. 9d



WHITE PAINT FOR AIR RIFLE TARGETS.

Better Paint in a Better Tin.

The paint has been specially ground on our Sight Paint machine, and will not gum and harden on the target. It is put up in a new tin which accommodates the brush, keeping out dust and preserving the brush.

List No. A.I.R.10. Complete as shown.

Price 3/-. Post 6d.

CELLULOID COVERED AIR RIFLE ROD.





Complete with brush and loop.

Although Air Rifles do not corrode from the same cause as Powder Rifles, they are liable to rust with change of temperature if the bore is left dry. It is therefore essential that the barrel be slightly greased with the brush after use and the oil wiped out with a piece of flannelette before using again.

List No. CAR1. With swivelled knob as illustrated 3/6

List No. CAR2. With ring handle 2/9 Postage 6d.

STEEL AIR RIFLE TARGETS. PARKER'S "CLUB" TARGET.

Dimensions $(18in. \times 16in. \times 12in.)$


For Clubs, Schools, and Galleries where a proportion of the shooters may be novices, the large target cover is a necessity for collecting ill-directed shots. The cover is fitted with a gas burner inside to light up the target and also a bulb holder for Electric light where available.

Where there is no lighting service, globeless lamps can be substituted, these being placed in the corners of the cover.

List No. C.T.1. Cover with A.R.T.5. target fitted 42/-

List A.R.T.5.
Automatic Registering Target only, as shown in the Cover 26/-


List No. C.T.C.1.
Target Cover only ... 16/-



PARKER'S PATENT AUTOMATIC REGISTERING BELL TARGET.

Prov. Pat. 25594.

National Air Rifle Association Dimensions.



The Bull-eye when struck releases a simple mechanism, which simultaneously strikes a bell and shows the figure 5 over the top of the target, thus doing away with any uncertainty as to whether the pellet has or has not scored the major points.


Size 10in.×8in.×3in.

Weight 6 lbs.

List No. A.R.T.5. Price 26/- Post 1/3

N.B. It is now supplied with a large round target plate of bullet proof steel and first quality bell.

The releasing mechanism cannot be dislodged by vibration. One third of the pellet striking the Bull'seye will actuate the bell mechanism.



PARKER'S "SPRUNG BELL" AIR RIFLE TARGET.

Heavy steel frame with bullet proof face plate. Strong bell metal gong supported by a spring which allows the bell to give way when struck by a pellet thereby preventing frequent replacements.

N.B. We cannot guarantee the gongs for indefinite service.

List No. A.R.T.9. Price 9/6 Post 9d.


PARKER'S STEEL AIR RIFLE TARGETS.

Designed and Manufactured in our Works.

We stock several types of combined Targets and Pellet Catchers for Air Rifles which are suitable for private or club use.

Air Rifle Shooting is usually carried out in the standing position at six or seven yards distance, the bulls eye being \(\frac{3}{2} \) in diameter, the other rings being 1, 2 and 3 inches diameter respectively, scoring 2, 3, and 4 for shots striking in the rings and 5 for the bulls eye.

Card Target Holder and Pellet Catcher for the nominal 4 in. Card target.



List No. A.R.T.7.
Price, 6/6. Post 1/Packed in a card box 6½ in.
square. Weight, 2¾ lbs.

Strong, serviceable and clean, suitable to use in a Drawing room. All pellets, which strike the card are caught inside the box. It takes cards varying from 4in. to 4½in. in width.

This pattern is recommended to those who desire to keep a record of their score. The number of shots on one target should not exceed five if closely grouped. Card Target Holder and Pellet Catcher for the nominal 6 inch Card Target.



List No. A.R.T.8. for 6in. Single Bulls Eye Cards. 12/6. Packed in a card box 10\frac{1}{4}in. square. Weight, 4\frac{1}{4}lbs.

PARKER'S "MATCH" TARGET HOLDER AND PELLET CATCHER.


Size $13 \times 12 \times 2$ inches.

Weight 10 lbs.

A stout steel target holder with a heavy cast guide to take the nominal 6 inch Card Target. For important competitions and postal matches the card target is essential as disputed shots can be referred to a statistical officer or committee for settlement.

As will be noted in the illustration the method of changing targets is remarkably simple and speedy and the pellets are collected in the space at the back of the card.

List No. A.R.T. 6. Price 15/- Postage 1/3



Tright to the based on the same and the same

 5 Bull Air Rifle Match Target. Fits in Match Target Holder No. A.R.T.6 Target No. 51.
 10/- per 1000 1/3 per 100

AIR RIFLE CARD TARGETS.



Short Range
Air Rifle Practice Target
Fits in Card Target Holder
No. A.R.T.7
Target No. 52.
7/6 per 1000 1/- per 100

Standard Air Bille Target-15 to 25 parts range




Long Range
Air Rifle Target
Fits in Match Target
Holder No. A.R.T. 6
Target No. 53.

10/- per 1000, 1/3 per 100

641

AUTOMATIC REGISTERING BELL TARGET AND PELLET CATCHER.

THE HOME TARGET. N.A.R.A. DIMENSIONS.




Recommended for both practice and competitions. The Bulls-eye when struck releases a simple mechanism, which simultaneously strikes a bell and shows the figure 5 over the top of the target, thus doing away with any uncertainty as to whether the pellet has or has not scored the major points.

The target plate is hardened, and is replaceable when necessary.

The Target and Pellet Catcher measures $8\frac{1}{2}$ in. by $8\frac{3}{2}$ in. by $3\frac{3}{4}$ in., and weighs $7\frac{1}{4}$ lbs.

List No. A.R.T.3. Price 30/- Post 1/3

THE HAENEL MODEL 1 YOUTHS' AIR RIFLE.



Weight 4\frac{3}{4} lbs. Overall length 38 ins. Length of butt from trigger 13 ins.

Up till now there has not been available a cheap light and accurate air rifle suitable for boys' target practice.

Those imported from Germany have hitherto been unreliable because they were not of first class manufacture, but the Haenel Air Rifle is the production of a well-known firm of rifle makers who have only recently taken up this line.

The barrel is properly rifled and not merely scratched to imitate rifling and it shoots with beautiful accuracy. The Sights are well made, the rearsight being adjustable for elevation by means of a knurled thumb screw. The stock is exceedingly well finished and far more comfortable for shooting than the usual type of Air Rifles.

All parts are interchangeable, the real test of a first class production.

List No. H.A.E. 1. Price 27/6

SMALL BORE SECTION CONTENTS.


Pages 66 to 69A PARKERIFLING. 70 & 71 .303 cum .22 Service Rifles for Military Training. 72 .22 cal. Service Rifles 73 .22 cal. Magazine Rifles for Cadets. .22 cal. Target Rifles for Preparatory Schools. 74 .22 cal. Club Target Rifles, etc. 75 to 78 79 to 81 Sights for Target Rifles, etc. 82 to 88 Cleaning Accessories, etc. 89 to 91 Canvas and Leather Goods. 91A to 95 Targets and Target Apparatus. .22 cal. Ammunition. 96 to 96B 97 & 98 Sundries.

"PARKERIFLING."

"PARKERIFLING," as is now well known to Rifle Clubmen, is the inexpensive yet absolutely effective system of re-barrelling shot out Miniature bore rifles, or of converting rifles of a larger calibre to .22, .297/.250 or .300 calibre.

There is no mystery about how we do it, but naturally, we do not divulge the secret of its extreme accuracy and reliability.

The following illustrations show:



The internal barrel, as seen in figure 2, is in itself a complete barrel, in as much as it is bored, rifled, and chambered, every operation of which is as carefully done as though it were full sized, but it is in the fitting to the outer shell that we make it so remarkably successful, as the union of the old and new is perfectly solid and rings like a bell.

WE GUARANTEE CLOSE SHOOTING.
WE GUARANTEE SATISFACTION.
ALMOST ANY RIFLE CAN BE PARKERIFLED.

During the Great War we converted more than 50,000 Service Rifles to .22 calibre by our Parkerifling system.

Rifles may be sent to us with or without sights, but if sights are sent we return the rifle shooting approximately dead on.

If rifles are sent to us insufficiently or very roughly packed we return them in a strong millboard case for which we make a charge of 1/6.

The name of the sender of the rifle or rifles should be written on the outside of the packing or on a tally attached to the rifle. Any small repairs that may be necessary in the interest of our customers are carried out and charged on the account, but should the cost be likely to exceed 5/- instructions would be first asked for.

Standard "PARKERIFLING."

.22' c	al. T ljuste	arget l	Rifles with a 5 shot "C	bar arte	rels e n " te	xceedii est gro	ng 24 i up supp	nches in died	length,	officially 	proved	001
Ditto	ditt	o bar	rels not exce	eedi	ng 24	inches		***		444	***	30/-
		Rifles e cartri	of any calibi dges	re u	p to .	380 inc	luding	convertin	ng action 	and ext		for .22 to 65/-
Centre	-fire	Rifles,	Parkerifled	for	.250	calibre	cartrid	ges				45/-
,,	,,	,,	,,		.300	,,	,,					50/-

All-In "PARKERIFLING."

.22 cal. Target Rifles fitted with specially selected internal barrels with 10 shot \(\frac{3}''\) centre test group at 25 yards, guaranteed to be capable of making "Carton" groups at 100 yards \(\frac{42}{100}\). (See next page).

"RELINING" GRADE.

Naturally in the production of the rifled internal barrels or tubes for "Parkerifling" we get a proportion which do not reach the high standard of workmanship demanded by Target Riflemen.

We can use these for Shooting Gallery and cheap Rook Rifles where fine accuracy under the conditions in which they are used cannot be so keenly appreciated.

- .22 cal. Rifles, exceeding 24 inches in length, officially proved and sights adjusted ... 25/. 22 cal. Rifles, not exceeding 24 inches in length officially proved and sights adjusted 23/.
- A Great Advantage.—A rifle that has once been "Parkerifled" can always be re-Parkerifled. If therefore one has a favourite weapon it will last him indefinitely.

ALL-IN PARKERIFLING.





This is an exact reproduction of the record "ALL-IN" POSSIBLE made by Mr. Alfred Oldman, of the Harleston Rifle Club, on the 2nd November, 1911. Witnessed by Mr. W. H. Stacey, Range Officer.

At Bisley, 1912, Mr. Oldham made 348 points out of 350 at 25, 50, 100 and 200 yards ranges, and on July 21st he won the Ussher Cup with 297 out of 300 in the first round, and 299 out of 300 in the second round at 25, 50 and 100 yards, with a "Parkerifled" rifle, an unofficial WORLD'S RECORD which stood for many years.

TWO OFFICIAL WORLD'S RECORDS HELD WITH "PARKERIFLED" BARRELS.

MR. J. T. MOUNTAIN, of Bicester Rifle Club, was the first rifleman to make a triple possible on the old S.M.R.C. targets in the year 1924.

MR. H. D. Buck, of Ham and Petersham Rifle Club, has the distinction of making the first triple possible on the new Standard S.M.R.C. targets in June, 1927, with a barrel "Parkerifled" in 1921.

Many hundreds of testimonials have been received from expert shots, but in view of the foregoing facts it is scarcely necessary to give fuller evidence of the accuracy and durability of "Parkerifling."

Vice like rigidity of holding is by no means an uncommon attainment, therefore a rifle which is capable of making a "possible" with elevation and direction exactly right does not do justice to one who holds well enough to score a "possible" even if he has slightly misjudged elevation and direction.

A good brand of cartridges can be fairly well relied on to make a 10 shot group with §in. centres at 25 yards. The barrel, therefore, should be capable of making an equivalent group, allowing for one elusive shot.

To secure this desirable result, the internal barrel has to be carefully selected and specially finished by experts. When so finished and tested it can also be relied upon to perform up to the grouping capacity of the cartridge at 100 yards.

The grouping capacity of the best batches of .22 calibre long rifle cartridges now average 13in. square at 100 yards; "possibles," therefore, should now be less infrequent.

Our price for an All-In Parkerifling 42/-

PARKERIFLING EXTRAS.


Barrel, reblacked only							4/-
Ditto, smoothed and reblacked	***		77.7				6/6
Barrel and action blacked only		636.90	***	***	***		7/6
Barrel and action smoothed and bla	acked	•••			. ***	***	12/6
Action and other furniture polished	i, hardene	d and bl	ued in the	e usual n	nanner	8/6 a	pprox.
Woodwork improved by scraping a	nd varnis	hing			***	5/-	7.57
Woodwork dents removed, sand pa	pered and	highly	polished	***		10/- to	20/-
Adjusting action of converted Mar	tini to str	ike on to	ор			5/	

SIGHTS-A Speciality.


Our stock of Sights for target and sporting purposes is quite unrivalled and our experience in choosing and fitting the most suitable sights for the weapon and for the purpose for which it is required is very extensive.

We undertake to supply and to fit Telescope Sights.

The cost of making mounts for and fitting European type Telescopes (Customer's own) is £6 0 0. Testing at range and graduating £2 0 0.







"PARKERIFLING" TESTIMONIALS

S. Bray, Esq., H.M. Office of Works Rifle Club, Westminster.

"I have just returned from leave, and have found my Vickers rifle awaiting me. I must thank you very much indeed for the prompt way in which this has been done. I took the rifle on the range and had four shoots with it, using Nobel on the new S.M.R.C. Targets in various Club Competitions, and scored (deliberate) 98, 98, 96, (rapid) 99, which has given me what I most needed, confidence in my gun." needed, confidence in my gun.

Mr. B. O. Hines, "Sports" 54. Butter Market, Ipswich.

"The B.S.A. which you "Parkerifled" for us last August has given every satisfaction; in fact it is through the owner of that rifle that we are now able to send another one along." 8.2.27.

H. A. Stone, Esq., 62, Grove Park Road, Brislington, Bristol.

14.3.27. "Enclosed please find M.O. value to cover cost of "Parkerifiling" my Converted Martini No. 20195. Have tested same and find it equal to rifle when new, in fact I think it is more accurate. Thanking you for quick accurate.

Charles Riggs and Co., Ltd., 107. Bishopsgate, London, E.C.2.


"Referring to our order 658 and your invoice B.8892 "Parkerifle" de luxe. Please accept our best thanks for making such an excellent job of this rifle, our customer is very satisfied."


W. Greenway, Esq., Militia Arsenal, Alderney.


The owner of the rifle desires me to say how pleased he is with the result of his rifle; it is very accurate, and satisfactory in every way." way.

F. H. Paice, Esq., The Laurels, Jumpers Road, Christehurch.

"It may interest you to know that I won the Club Trophy this year with your "Parkerifled" rifle. My last three targets making a record for the Season. I refrain from giving you the scores in case you think we are not sufficiently expert to be entrusted with your wonderfully accurate service!!!"







"PARKERIFLING" TESTIMONIALS.

s. Reynolds, Esq., "Sutton," Beacon Road, Broadstairs.

"The "Parkerified" guns are going well; the improvement in the figures of merit at the weekly club shoot is really marvellous."

Henry J. Tapping, Esq., 16. Ashley Road, Boscombe.

"Six shots were put through one hole last Sunday morning with a Converted Martini you "Parkerifled" for me over six years ago (at 25 yards)."

tico. Langdon, Esq., High Street, Exmouth.

14.5.27.

"I am pleased to say that I shot in the Exeter Central M.R.C. League Team yesterday (S.M.R.C. Competitions) and did very well, shot through the ranges and got 295 (99, 98, 98), so the rifle is going strong, and I use nothing but Nobel in this. My last four targets at 100 yards have been 3—98 and 1—99 so there is nothing to grumble at."

V. W. Smith, Esq., 4. Elliof Street, West Hartlepool, 18.5.27.

"May I also compliment you on the "Parkerifling" of my rifle some months since. Your "barrel" was a loarrel."


Inswich Miniature Rifle Club. J. B. Ricketts, Esq., 10. Redan Street, Ipswich.


6, 6, 27.


"I may state that many of our Members are using "Parkerifled" barrels with most excellent results, and a great improvement has been shown by those who have had their rides "Parkerifled" recently by your Company through Mr. Hines."

Dr. John T. F. Knight, Tisbury House, Tisbury, Wilts, 10.8,27.

"Sometime ago you "Parkerifled" an old Francotte ,297/230 for me. The shooting with .22 rim fire cartridges is most excellent, and better than I had believed the weapon ever capable of. Many thanks for making so good a job of it."







"PARKERIFLING" TESTIMONIALS.

J. W. Chamant, Esq., 37. High Street, Wimbledon, 8,W.19, 24,8,27.

"The Parkerifling" was a really first class job, and I am thoroughly satisfied with it."

J. C. Jackson, Esq., Langley Lodge Farm, King's Langley.

Sept., 1927.

"I have received my B.S.A. Ititle safely, that you have "Parkerified." I must say that it is a perfect gem." Its accuracy is marvellous and much appreciated. When I received the test group I thought it was a little too good for it. However, since using it, I am inclined to think that it is capable of doing even better. It is really doing even better. It is really wonderful,"

E. K. Parsons, Esq., Gas Office, Ruamore Works, Portsmouth,

16.11.27.

"Re B.S.A. 27402 "Parkerifled" by you through Messrs. Newnham, Portsmouth for me. I received O.K. on the 15th Nov. I am very pleased with it. I have enclosed a card I had with it, and I think you will be as pleased as I am to know that it is perfect. Very many thanks.

W. Wildgoose, Esq., Chester Park Road, Fishponds, Bristol.

24.11.27.

Gloucester League, 100, 100, Bristol, 99, Not a bad start,"

A. Paterson. Lieut. 60. Balmoral Place, Aberdeen. 3.12.27.

"As I promised in a previous communication I have to report on the shooting of the three rifles "Parkerifled" by you in October. These guns I have tested thoroughly with a well-known brand of ammunition, and find that the grouping is as near perfection as it can be. I have to congratulate you on the thoroughness of your workmanship."


THE PARKER-HALE .303" cum .22" RIFLE FOR MAGAZINE FIRE PRACTICES.

As supplied to the British Government, Canadian and Australian Overseas Forces, Canadian Defence Dept., Crown Forces in Nigeria, Gold Coast, Nyassaland, Ashanti, Federated Malay States, and many Public Schools Corps, etc.

The first British Expeditionary Force, ill equipped with machine guns and artillery, nevertheless staggered the German Army with the rapidity and accuracy of their rifle fire. They had been trained with '303 Cartridges. How much better still might the new armies have done if they had had the advantage of training with our '303in. cum '22in. System on the Miniature Range. Unfortunately, our invention, although patented in December, 1916, was not approved until July, 1918, too late to be of use in the Great War.



- The original 303 barrel lined with 22 in. tube (Parkerifled).
- B '22in, rifled barrel,
- C. Steel conveyor in chamber.
- 22in. Rim fire cartridge in conveyor, ready to be fired, and four more in magazine.
- E. The rim fire striker.
- F. The patent spring ejector.



The Steel Conveyors are indestructible and only need to be immersed in paraffin to neutralise the effects of combustion.

Paraffin is preferable to oil because the conveyors can easily be drained prior to use by standing them on some absorbent material.


Every practice — deliberate, snap shooting or rapid—should preferably be performed in the same manner as it is to be performed on the service range or in action.

Every Musketry Officer knows how badly recruits, trained only with miniature ammunition, loaded singly, bungle their clip loading for want of training in conjunction with firing practices.

List No. PHR6/ Renovatea. S.M.L.E. 303 cum .22 Rifle only £7 7 0

.. No. PHR2. Set of 15 Conveyors 65/-, No. PHR3. Single Conveyor 4/6

"No. PHR4. Reloading Tool 15/-



SPARES FOR .303" cum .22" RIFLES.

Renewal of Shot	out Barrels on our "Parkerifling" System			40/-
	Bolt Heads, special for .303" cum .22" Rifles			7/6 each
List No. PHR6.		444	***	1/- ,,
List No. PHR7.	Extractors, as for .303" Rifles	***		2/- ,,
List No. PHR8.	Spring Ejectors, special for .303" cum .22" Rifles			2/6 ,,
List No. PHR9.	Extractor Springs, as for 303" Rifles		200000	1/6 ,,

THE PARKER-HALE .303 CUM .22 MAGAZINE RIFLE.


The System which has come to stay.

Magazine Fire on the Miniature Range without loss of accuracy.

Actual five shot test groups made with the first thirty rifle converted for the Canadian Overseas Forces.

RANGE-20 yards.

DISCS-One inch diameter.



The above test groups were made with Eley '22 long rifle, black powder cartridges.

SERVICE RIFLE, S.M.L.E. .22" RIMFIRE

Single shot system.



This Rifle is exactly similar to the .303 Short Service Rifle, except that it is bored and Rifled for the service miniature cartridge (.22 cal. rim fire long rifle). Naturally, it is one of the best rifles to choose for purely Military Rifle Training.

We offer the following grades, of which we cannot guarantee to repeat when sold out:

List No. S.8. .22 cal. Short Magazine Lee Enfield Rifles of entirely new B.S.A. make, Mark III. Price £10 10 0

List No. S.8A. .22 cal. S.M.L.E. Rifle, made from second-hand .303 Short Service Rifles re-barrelled on our "Parkerifling" system and finished as new. 50,000 of these Rifles were converted by us for the Government during the Great War.

Price £6 6 0

SPARES FOR S.M.L.E. RIFLE '22 R.F. (Single shot system).

Shot out barrels renewed on our "Parkerifling" System Price 35/List No. S81. Bolt Head only, special for .22 S.M.L.E. Rifles 7/6
,, ,, PHR6. Auxiliary Striker (firing pin) special for .22 S.M.L.E. Rifles 1/,, ,, S82. Extractor, special for .22 S.M.L.E. Rifles 2/,, ,, PHR9. Extractor Spring, as for .303 Rifles 1/6

Parkerifled barrels, specially finished for Competition purposes, 10/- extra.

N.B.—When ordering spare parts for rim fire Service rifles it is advisable where possible to send us the rifle as rim fire adjustment must be exact to be effective.

If inconvenient the broken part should be sent so that we can match it as nearly as possible.

SERVICE RIFLE CONVERSIONS.

We have a great deal of experience in this branch.

We converted upwards of 50,000 .303 Service Rifles to .22 calibre for the British Government during the Great War.

We adopt Government standards so that spares are interchangeable and we take a pride in the accuracy, correct functioning and general finish of our output.

The Public Schools "Country Life" Competition is generally won with "Parkerified" .22 calibre S.M.L.E. Rifles.

PRICES.

.303 Service Rifles, long or sl on Miniature Ranges			or deliberat		50/- ea	ch.
.303 S.M.L.E. Rifles convert for Magazine fire on M	iniature Rang	ker-Hale .303 es (Conveyor	s and relo	ading	70/- ea	ch.

.22 CAL. RIFLES FOR CADETS MILITARY TRAINING.

THE FAMOUS WINCHESTER BOLT ACTION MAGAZINE RIFLE. MODEL 52.



Weight 8 lbs. 10 oz. Length of Stock 133 inches. Length overall 45% inches. Length of Barrel 28 inches.

Here is a 22 calibre Bolt Action Magazine Rifle built along strictly military lines, that has the hang and feel of the service rifle, the same weight and length of pull and phenomenal accuracy.

It combines the accurate functioning of the modern bolt action with a number of new and distinctive features which make this creation of Winchester engineers a notable achievement in small-bore guncraft.

Accurate Sight Adjustment.

Another notable feature of this new 22 calibre rifle is its sight equipment. The rear sight, an aperture peep, is located right at the rear of the receiver. This is optically the correct position and helps to promote accuracy. Absolutely accurate adjustments for both windage and elevation are made possible by milled wheels which give a correction on the target of one-eighth inch for every turn at 25 yards or one half inch at 100 yards.

These rifles are chambered only for '22 Long Rifle cartridges.

Bases are fitted to take the Winchester Telescopic Sight.

Five-cartridge magazines are standard but ten-cartridge magazines can be obtained. The latter are especially valuable in rapid fire shooting.

List No. WIN52.

Price £9 15 0.

THE SAVAGE N.R.A. '22 CALIBRE BOLT ACTION MAGAZINE TARGET RIFLE.



Overall Length 41 inches. Weight 7lbs. Barrel Length 25 inches.

An excellent rifle for Cadet Corps who wish to practice rifle shooting on strict military lines but with the aperture sight in the same position as on the latest British Military rifle S.M.L.E. Mark VI.

The aperture backsight is adjustable vertically and laterally by screw movements. The foresight is of the blade pattern undercut so as to be unaffected by varying lights.

It is equipped with a box magazine for holding 5 cartridges and can be relied on to function perfectly.

List No. SAVI9. Price £5 5 0.

RIFLES FOR PREPARATORY SCHOOL BOYS.

The following rifles have been selected by us as the most suitable on the market at the present time for the use of boys of 12 and upwards. They can both be fitted with aperture sights with which it is considerably easier to learn to shoot, but if so fitted the butts should be shortened by about one inch.

THE B.S.A. MODEL 1 MINIATURE RIFLE.

.22 calibre Single Shot, Bolt Action.

Patent No. 1944/19.

ALM FIRE

The bolt action of this rifle is quite novel and very strong, being far superior to rifles of American and Continental manufacture.

SPECIFICATION.

Standard Backsight Fixed V. Weight 4 lb. 1½ oz. Foresight Length of Rifle Over all 37in. Barleycorn. Bend of Stock Heel 2in. Barrel 193in. Stock, over all 23in. Face (comb) 11in. from trigger to butt-end 131 in.

MODEL 1, as above described, £2 15 0 List No. BSA. 1A, with adjustable V backsight and bead foresight, £3 7 " No. BSA.

EXTRAS.

BSA No. 8 aperture backsight, 19/6 BSA No. 8 ,, ,, with six hole eyepiece, 22/6 Sling eyes for target practice fitted to barrel and front of trigger guard, 4/6

Butt shortened by one inch for use of young boys and and refinished, 4/6 "U" Notch open backsight and guarded blade foresight

made to imitate Service rifle sighting, 16/6 BSA No. 19. Ring and blade combination foresight, 5/-

SPARES.

Registered No. 668490.

Triggers, 3/-Main Spring, 6d. Strikers, 3/6 each. Striker Cap, 1/-Sears, 3/3 each. Extractors, 1/9

VICKERS' MARK II MARTINI.

For those who prefer a slightly heavier rifle and the well known Martini Breech action. The barrel and action body is machined in one piece including the lugs to which the aperture sight is fitted. It is equipped with eyes for a sling.

SPECIFICATION.

Standard Backsight :- Adjustable for 63 lbs. Weight elevation. Length overall 4lin. of barrel not including action body 261in. Standard Foresight :- Blade.

of butt measured from trigger 131in.




EXTRAS.

Vickers' Aperture Backsight with single hole eyepiece, 19/6 with 3 hole variable eyepiece, 22/6 do. do. Ring and Blade Combination foresight, 5/ Shortening Butt by one inch for use of young boys, 4/6 V Backsight altered to U notch to imitate Service Rifle Sighting, 1/6

THE FAMOUS B.S.A. No. 12 TARGET RIFLE.

The ideal .22 cal. Super Club Rifle.



Length overall 44 inches. Sight Radius 32 inches. Length of barrel 29 inches. Weight 83 lbs.

As will be seen by the measurements and weight noted above the B.S.A. No. 12 Rifle is solidly built and when properly held the trigger can be pressed without disturbing the aim.






Blade up. Ring up.

Points.

- 1.—The Martini action is the best single shot action.
- It is the only single shot action that can be speedily reloaded for rapid fire practices.
- 3.—The action is easily dismounted for cleaning, and with the invention of the Parker-Hale No. 7 arched base sight the hole through the action is available for cleaning.
- The Aperture Sight is fixed out of the way of the hand, and it is far more rigid than when screwed into woodwork.
- 5.—The Parker-Hale No. 7 Sight, with its six-hole eyepiece and quarter-minute click movements for elevation and windage, is possibly incapable of further improvement in manufacture or design. See page 80a.
- The B.S.A. No. 19a Foresight is neat and strong.
 The blade is clear cut and the ring is well adapted for bull's eye shooting.
- 7.—The weight (8½ lb.) balance and comfortable feel cannot help but give one an advantage over an equally accurate rifle of another design.



List No. 12. Price with open backsight and barleycorn foresight ... £5 0 0

PRICES WITH ALTERNATIVE SIGHTS.

List	No.	12a.	If fitted with B.S.A. No. 8 aperture sight and single h	nole			
			eyepiece		£ 5	19	6
,,	No.	12b.	as above but with 6 hole eyepiece		£6	2	6
2.2	No.	12c.	as above but with No. 19 Ring and Blade foresight		£6	7	6
,,	No.	12d.	as above but with Parker-Hale No. 7 Backsight	•••	£6	12	6
	No.	12e.	as above but with Parker-Hale Interchangeable Foresi	oht	£.6	15	n

THE NEW BS A MODEL 13 RIFLE, FOR LADIES AND YOUTHS, WEIGHS 61 LBS.
PROJE COMPLETE WITH NO. 8 APENTURE BACKSIGHT AND NO. 19 TARGET
FOR SIGHT IS \$25.0.0

THE B.S.A. No. 8 TARGET RIFLE.

This rifle is in most respects a replica of the No. 12 Model, the only difference being that the barrel is $3\frac{1}{2}$ inches shorter. It makes a difference of about $\frac{1}{2}$ lb. in weight at the unsupported end of the rifle, and consequently it is a handier weapon than the No. 12 for slightly built adults and youths. It is an exceedingly handy weapon of great precision.



Length overall, $40\frac{1}{2}$ ins. Sight Radius 29 ins. Length of barrel, 26 ins. Weight, 8 lbs. 2 ozs. **Heavy, yet handy**.

It competes on even terms with the No. 12 Model in the hands of the shooter it suits. A long barrel is not necessarily more accurate or less accurate than a shorter barrel.

Prices.

No. 8 Model	, with open backsight and barleycorn foresight	£4	17	6
do.	with B.S.A. No. 8 backsight and No. 19 foresight	£6	2	6
do.	with Parker-Hale No. 7 backsight (6 hole rotate- able eyepiece and No. 19 foresight)	£6	10	0

Recommended Extras for B.S.A. Target Rifles.

Parker's Broad Web Sling No. 214P has become the standard sling for B.S.A. Rifles. Its width makes it exceedingly comfortable even when very tightly stretched (see page 89).

Parker's Long Steel Foresight Shade No. FSSI. Protects the change lever and the tunnel itself from accidental damage and forms a welcome shade under some conditions of sunshine keeping the sight clear and dark under all circumstances (see page 80).


The Parker-Hale Attachable Pistol Grip (see page 79B).

Spare Parts for B.S.A. Martini Rifles.

Action Keeper Pin		1/-	Heel Plate	5 (Page)	2/6
Barrel Locking Pin		1/6	Indicator	WAY.	6d.
Block Axis Pin		6d.	Main Spring	***	6d.
Breech Block	***	9/-	Sling Eye	2002	1/-
Butt		12/6	Stop Nut		1/6
Extractor	36°-54	2/-	Stop Nut Keeper S	crew	3d.
Extractor Axis Pin		6d.	Striker	***	2/-
Fore-end		9/-	Trigger	***	2/6
Fore-end Screw		1/-	Trigger Spring	***	1/3
Fore-end Screw Sleeve		6d.	Trigger Spring Scr	ew	3d.
Hand Lever	•••	5/6	Tumbler		2/9

New Barrels fitted to B.S.A. No. 12 and No. 8 Rifles at 60/-

VICKERS .22 TARGET RIFLES.



Standard Match Rifle, Mk. I, with open backsight. Weight 7\frac{3}{4} lbs.

This Rifle is stocked in two lngths-Medium = 13½", Long = 14½"—Guaranteed

grouping up to 200 yds.

A salient feature is the "take down," which, from the fact that the barrel, action and aperture backsight are detached in one unit, entirely obviates the possibility of getting the sights out of alignment on reassembly, and is free from risk of inaccurate shooting consequent on wear inherent to most forms of "take down" previously introduced.






Stock with Barrel dismounted.

Action dismounted

PRICES:	\mathcal{L} s. d.			d.	
Rifle with Open Sights			5	0	0
Aperture Click Backsight with single-hole Eyepiece				19	6
Tubular Ring and Blade Foresight Aperture Click Backsight with 3-Hole Variable Eyepicce	***			5	0
d Hole Veriable Francisco	***		1	2	6
Reharrelling	3.10E	***		6	9
Repartering	***		- 3	0	61

ALTERNATIVE SIGHTS FOR THE VICKERS' RIFLE.



VICKER'S "PERFECTION" APERTURE BACKSIGHT.

This sight has removed the one great drawback in the design of the rifle, by giving access to the barrel from the breech end for examination and cleaning.

It has also other great advantages, viz:— Perfect rigidity, quarter minute clicking movements for elevation and wind and the "Dead Centre" 6 hole eyepiece.

List No. V.8 Price 27/6


We offer a Mark I or Mark III Vickers Target Rifle fitted with "Perfection" Backsight and tubular ring and blade foresight.
List No. V.I.C.3 Price £6 12 6

Ditto. but fitted with Parker-Hale Model 1 Interchangeable Foresight.
List No. V.I.C.4 £6 15 0

PARKER'S C.M. TARGET RIFLES.

Cheap. Acc


Accurate. Well Equipped.



List No. C.M.T.1. Price 75/-

The foundation of this Rifle is the well-known Converted Martini, with which so many Rifle Clubs started their careers. In the course of time, these Rifles were shot out and discarded in favour of specially built rifles such as the B.S.A. and Vickers models of the present day.

To meet the demand for a cheap, good, well equipped Target Rifle we have bought up a very large number of converted Martinis, which we have converted as shown in the illustration to the conventional Target type of the present day, the barrel being re-lined with our famous "Parkerifling," which is admitted to be equivalent to the best target barrels and as used by many of the finest shots in the Country.



Specification.

Action: —Genuine Government inspected Components.

Barrel: -26in. long 'Parkerifled.'

Backsight No. 3 Parker-Hale with vernier scales, clicking movements and 6 hole eyepiece.

Foresight: — Parker - Hale
Model 1 with single
element.

Length overall:—42½ inches. Weight 8 lbs.

Component Parts for Converted Martini Rifles.

Breech Block				10/-	Extractor Axis Pin			6d.
Lever		*:*		5/	Block Axis Pin			6d.
Trigger Guar	d		15 (5.07)	10/-	Lever Catch	27.7.7		1/-
Extractor (fi	tting e	extra)		4/-	Trigger Spring			1/-
Indicator		1000	4.00	3/-	Stockbolt	2010	555	1/6
Tumbler		* * *	14.96.9	2/6	Guard Swivel		2.332	1/6
Stop nut scre	W	5.5,5		2/-	Top Band	2.1.	• • •	1/6
Trigger	***	444		2/6	Top Band Swivel	(888) 10	1 (a.c.)	1/6
Striker		***		2/6	Middle Band	12.725		1/-
Main Spring				1/-	Sight Leaf	2.44		2/6

TARGET RIFLE FORESIGHTS.

PLAIN TARGET FORESIGHTS.

Made from durable Steel Forgings or Steel Bar, machined and smoothed to stand out clearly and symmetrically.



Blade.

Barleycorn. No. F.S. 1.

Converted Martinis

Barleycorn Pattern, 3 in. dovetail base, suitable for

Price 2/6, Post 2d.

No. F.S. 2.

Broad Blade Pattern, as used on Service Lee Enfield rifles, in. dovetail; (for small bore rifles see inter-

Price 2/6, Post 2d.

No. F.S. 3.

Barley corn foresight for B.S.A Martinis, § in. dovetail

Price 2/6, Post 2d.

No. F.S. 6. Barleycorn foresight to fit Service Rifle Foresight Block

changeable foresight on page 79B)

Price 2/6, Post 2d.

THE VICKERS QUADRUPLE FORESIGHT.



This is a notable advance in frontsight design and gives Target shooters a ready means of experimenting with broad and narrow blades, thick and thin rings, large and small apertures. The positioning of each element is exact and rigid, and changes are effected by pressing back and rotating the knob against a concealed spring.



No. F.S. 4.

Suitable for fitting in B.S.A. Martini frontsight blocks

Price 7/6, Post 2d. Price 7/6, Post 2d.

No. F.S. 5. Suitable for Vickers' Target Rifles

THE B.S.A. No. 19 FORESIGHT.



Time has proved that the blade and ring are for target purposes, practically the only sights that matter. If a shooter cannot manage with one of these there is something wrong with the barrel or his nerves.

No design of sight will cure a nervy style of holding, and a bad "let off," and still less will it cure an indifferent barrel.

List No. B.S.A. 19. Price 5/-, Post 2d.

Blade and Ring Element, 2/- each. Axis Body Pin, 1/-. Axis Screw, 6d. Axis Lever, 3d. Bead and Ring Element, 3/- each. Barleycorn and Ring Element, 3/- each

THE VICKERS TUNNEL FORESIGHT.



This Foresight is often useful because it can be fitted into a dovetail slot cut directly into the barrel, the base

being of sufficient height to allow of this.

The hole in the ring portion of the sight element is left purposely small so that it can be reamed up to any desired

List No. F.S.11. Price 5/- Post 2d.

SPARES

Ring and Blade Element. Axis Body Pin. 1/-Axis Screw. 6d. Axis Lever. 3d.







WATSON No. 2 TARGET SIGHT.

With Shade and any one Disc, 17/-Extra Discs, each 5/6

This sight offers more assistance to the marksman in keen competition than any other Target Sight in existence. But using discs 4 or 5, with shade off, your target Rifle is equipped for game shooting, which makes it an all-round Rifle. simply slipping on the Hood, which is shown above, the Gold or Silver Discs Nos. 4 and 5, are made to appear perfectly black.

Each of the five different Discs. interchange exactly, and to change from one to another is the operation of a few seconds, by simply unscrewing the Lock-Sleeve at the forward end of the Sight, and locking the other Disc in by the reverse operation.

There is no possible light condition in which this Sight will not give a good account of itself. Times without number it has placed full scores well around the centre in lights where other Sights were simply scrap iron.

Disc No. 0 (shows in Sight) is a black steel post with knife edge at top and sides for holding under the bull. It is made with greater care than any other straight post sight on the market, and gives much better definition.







Disc No. 5



Disc No. 7

The amount of metal around this Aperture is optically correct, affording very clear cut vision. The Aperture is turned perfectly true in a lathe to any size desired, and reduced to knife edge thin-ness around the hole. This gives

you a perfect Aperture.

Do not conflict this aperture with others. This aperture will give you clear definition.

A perfectly round 22k Gold, or pure Silver Bead on a black steel pin. The optical effect when glancing down your rifle barrel at this Disc is certainly pleasing. It appears as a small bright speck supported on a fine black rife.

A perfectly round and very small 22k Gold or pure Silver Bead attatched to a very thin ribbon of black steel. As seen down the barrel the steel ribbon looks like a hair. This is known as a floating bead.

Black steel cross ribbons that when viewed along the barrel resemble the Cross Hairs in a Telescope. With this Disc you can cut the bull in quarters when pulling.

WATSON No. 8 FRONT SIGHT.



For Quick Accurate Shots at Running Game.

At first glance many mistake this for a target sight, but those who have tried it pronounce it the quickest Sight they ever used for running shots at deer. The tube is bevelled to let the light on the bead. The flat 22K gold or pure silver bead on the fine steel post can be seen in any light in which anything can be seen to shoot at. It is the only sight on the market having a bright bead with a tube protecting but not shading the bead. It is the most pleasing Sight on earth to hold on a ground hog's ear, or a squirrel's head. For a quick and yet accurate shot at a running deer, for instance, use the tube. With the head, neck or shoulder of a running deer in this tube when the trigger is squeezed a sure kill is the result. For this reason it combines the Quickness of an Open Sight with the Accuracy of a Target Sight. Price, each 8/6

WATSON No. 5 TARGET SIGHT.




The tube on our No. 5 Sight is for a different purpose entirely from that shown on our No. 8. The tube on this Sight is formed to exclude all light possible from the post. It is for indoor and field target

The black steel post is very acpractice. curately machined to a thin edge on top and sides, thereby giving a perfectly clear outline in the most trying light.

Price 6/6

WATSON EYEPIECES.





The left sectional view shows the thin diaphragm of the Watson eyepieces.


The illustration on the right represents

the ordinary eyepiece.

You see through them clearly in lights where others fail. Supplied for all popular makes of Rear Peep Sights, and give much clearer definition than any other peep on account of the thin diaphragm through which aperture is made.

Price 4/3

THE PARKER-HALE MODEL 1. INTERCHANGEABLE FORESIGHT.



It is no easy matter to satisfy expert Riflemen with anything but the best, therefore, before putting this foresight on the market we have made sure of complete interchangeability and exactitude of positioning the sighting elements.

It is scarcely possible to suit expert shots with one size ring or blade, so this Sight gives them the opportunity that up to now has been lacking to try different sizes and shapes without

loss of time and temper.

The body of the Sight is an accurately machined block with standard \{\frac{3}{2}\) dovetail base. Running through it is a pointed plunger actuated by a strong spring which can be compressed by the knurled nut.


Screwing up the nut withdraws the point of the plunger from the positioning hole in the sighting element, which can then be withdrawn and displaced or replaced quickly and exactly.

PRICES.

List No. F.S.7.	"Standard" Set including standard size ring, blade, and	
	blank of each as illustrated	7/6
List No. F.S.8.		7/3
List No. F.S.9.	"Blade" Set including 06" blade and three blank blades	7/3
Bases 4/	- each. Standard Rings or Blades 1/3 each. Blanks 9d. each.	
Special Combined	Peep Reamer and Countersink for opening up Ring Blanks	2/6 each
Steel Foresight Sha	de and Protector to clip on foresight base block	2/- each

A Notable Improvement to the Martini Rifle.

THE PARKER-HALE ATTACHABLE PISTOL GRIP FOR .22 CAL, MARTINI TARGET RIFLES.



There is no doubt that some improvement in the grip of .22 cal. Martini Target Rifles is desirable.

After shooting one card on top of another at a Rifle Meeting one's fingers are liable to be hurt by the continued pressure against the lever.

We have, therefore, designed an attachable grip which is affixed solidly to the lever by means of a band clip. The band clip is simply slipped over the end of the lever and tightened by means of a clever double screw device.

It greatly facilitates the speed of manipulation of the lever for ejection in rapid Fire Events and is an attractive addition to the rifle as well as an Aid to Higher Scores.

List No. P.H.G.1. Price 5/- Post 3d.

FORESIGHT PROTECTORS.


The best foresight protector and the handiest is undoubtedly the one which does not have to be removed from the barrel except very occasionally. Therefore we place first on the list

THE PARKER LONG STEEL FORESIGHT SHADE AND PROTECTOR.



This accessory is more useful on a rifle with open foresight than on those equipped with the tunnel foresight, nevertheless, we can recommend it for both types of foresight because it is an excellent protector and a better shade than the short tunnel. It holds by gripping the foresight block.

No. F.S.S.1.	With ½in, slot for B.S.A. and Vickers Target rifles, etc.	 2/- each.
No. F.S.S.2.	With 3in. slot for Converted Martinis and Greener rifles, etc.	 2/- ,,
No. F.S.S.3.	With \{\}in. slot for long Lee Enfield rifles, etc	 2/- ,,





ORDINARY FORESIGHT PROTECTORS.

These protectors are made sufficiently large in the bonnet to cover plain and tunnel foresights of the standard type.

No. P.4.	For Converted Martini Rifles with	
	30 in. barrels	2/- each.
No. P.9.	For B.S.A. No. 8 and No. 12 Target Rifles	2/6

THE PARKER-HALE COMBINED ROD GUIDE AND SIGHT PROTECTOR.





FOR MARTINI RIFLES.

It is now a well-known fact that constant cleaning a rifle from the muzzle end will wear away the rifling badly, just at the place where it should be perfect and utterly spoils its grouping capabilities.

The above combined Guide and Protector has been designed to size the flannelette patch or disc before it reaches the bore of the rifle, and to keep the cleaning rod from touching the bore, by acting as its bearing or guide, instead of the muzzle having this to do. It enables a pull-through to be used with safety.

The muzzle cover "D" is now omitted, being an unnecessary encumbrance.

No. P.G.4. For B.S.A. No. 8 and No. 12
Target Rifles with standard tunnel foresights ... 3/6 each.

No. P.10. For B.S.A. and Vickers Target Rifles with Vickers Quadruple foresight. 3/6 each.



PARKER'S APERTURE SIGHT PROTECTOR.

Made of stout leather. Protects the sight from dust and damage. Suitable for almost any make of rifle and sight.

No. APB1. Price 2/- Post 2d.

ADVICE ON AIMING WITH THE APERTURE SIGHT.


If at one time the aim is clear and at another time it is "woolly," it is a sign that the eye is not centered in the aperture, and although the shot may be well "let off" a 9 may be the result and worse at 100 yards.

First centre the eye in the peep so that the foresight stands out clearly, then see if the bulls-eye is also distinct.

It is not possible to focus all distinctly at the same time, but by passing the eye

rapidly from foresight to object, through the centre of the peep, correct alignment is obtained.

THE PARKER-HALE MODEL 7 APERTURE BACKSIGHT.



For .22 Calibre B.S.A. Martini Rifles.

We have designed and built this Sight to meet the undoubted demand that exists for an Aperture Backsight:

That is perfectly rigid.

Has 1 minute clicks. 2.

Has an easily read windgauge scale.

That clicks positively.

That facilitates cleaning from the breech end.

That is solidly constructed.

In 1926 the British Small Bore Rifle Team won back the Dewar Trophy from U.S.A. for the first time since 1913. The men were always good enough to win it, but their equipment, in many instances, was not. In 1926 they had their rifles overhauled before shooting the match, and the result was a glorious win.

The great defect found by the Armourer was muzzle wear, caused by forcing in patches for cleaning. In quite a few instances rifling was worn away and barrels made irregular in shape for as much as ½in., enough to give a man a 93 at 100 yards

when he should have made 98.

The Parker-Hale Model 7 Sight takes care of this by permitting the cleaning rod, when the action is removed, to be passed through the bed of the sight and so through the hole at the back of the action, put there in the first instance to

facilitate breech cleaning.

N.B.—It is of the utmost importance that cleaning material should be entered from the breech end, otherwise the comparatively shallow rifling at the muzzle is easily worn away. It is also of importance when cleaning from the breech that the cleaner does not pass out at the muzzle end. It should remain in the barrel and a loose fitting oily patch be pushed right through when finishing the operation.

List No. P.H.7. Price as illustrated, 27/6


THE PARKER-HALE "DEAD-CENTRE" 6 HOLE EYEPIECE.



One of the drawbacks of the six hole eyepiece hitherto has been the uncertainty of centreing, and on account of this many men would not risk changing the aperture in the middle of a shoot. The new Parker-Hale Eyepiece is regulated by a spring actuated ball acting on the edge of the disc with the result that the positioning click is clear and distinct. This was much appreciated by the expert small bore shots at


the 1926 Bisley Small Bore Meeting, so we decided to make it specially for the Small Bore sights as well as for Service Rifle Sights.

For Small Bore Sights (List No. P H.52) ... Price 5/-Post 2d. For Service Rifle Sights (List No. P.H.51) Price 5/- Post 2d.



Spare Parts for B.S.A. No. 8 Aperture Sight.

Lock Nut ... 1/each. Clicking Spring 6d. ... Clicking Collar 1/-Wood Fixing Screws... Metal Fixing Screws... 3d. ,, 3d. Tang Plates for fixing sight on Stevens rifle 2/6



THE B.S.A. No. 8 APERTURE BACKSIGHT.

A splendid feature is the clicking arrangement in the vertical and lateral screw adjustments, by which movements on the target at 25 yards range can be made to 1 of an inch with absolute certainty in the dark.

We strongly recommend the 6-hole rotateable eyepiece which enables the shooter to adjust the aperture to suit the prevailing light, thus preventing eye strain.

It is made with two lengths of pillar :

Short Pillar—suitable for B.S.A. Martinis, Greener Miniature Club Martinis, B.S.A. No. 1 Bolt Action Rifle, Converted Martinis. Long Pillar-suitable for War Office Miniature B.S.A. Model 2 Rifle, etc.

PRICES No. 8 Sight, with single hole eyepiece 19/6 each. No. 8a Ditto, with rotateable six-hole

22/6 eyepiece .. B.S.A. Rotateable Eyepiece only 5/-Plain Eyepiece only 2/-Parker-Hale "Dead Centre" Eyepiece (see page 7a)

Minnin (

5/-Rotateable



Eyepiece.

THE "GIBB" HEAD REST.

to fix on B.S.A. No. 8 Aperture Sight.

It acts as an additional steady when aiming. Price 3/6 Post 2d.


STEWARD'S LENS HOLDER for No. 8a APERTURE SIGHTS.

Permitted under S.M.R.C. Rules.

This lens attachment consists of a solid plate with grips which slip over the edge of the aperture disc and is rigidly fixed to the disc The attachment can be fitted with simple by two clamping screws. or compound lenses, but optical prescriptions must be furnished with order.

Price of Attachment only, 10/6. With compound lens, 17/6 With simple lens, 13/6

No. PARKER-HALE APERTURE BACKSIGHT.



FEATURES.

- Ease of fixing on rifle 'no fitting necessary)
- The scale plate is adjustable for zeroing. It is fixed out of the way of the grip. Very stoutly built.

 Quite rigid.

- Half-minute clicking movements. Vernier scales (four minutes or eight clicks to a division.)
- Six-hole eye piece.

Testimonial.— Mr. J. Brown, S. Argyle Terrace. Newcastle-on-Tyne, writes on 30/10/22: "Am pleased with the Parker-Hale Aperture Sight, it is a rigid and smart piece of workmanship."

Important to Club Secretaries.

Don't discard your old Converted Martinis. Sell them for a nominal amount to your members and advise them to have them Parkerifled and fitted with a No. 3 Parker-Hale Aperture Sight The rifle is then fit to compete at an Open Meeting in the best company. company.

82



How to Clean a .22 in. Rifle.

We recommend that cleaning be done with a celluloid-covered steel rod, with bristle brush, detachable true-form jag (No. E.8.) and oblong patches (No. F.1.)

- Clean from the breech end if at all possible (see paragraph on use of Barrel Gauges).
- (2) Put Young's .303 Cleaner on a wire brush (do not dip the brush in the oil), and work it up and down in the barrel to loosen fouling. A wire brush breaks up the potassium chloride fouling deposited by the priming composition.
- (3) Oil a flannelette patch with ".303 Cleaner" and wipe out the fouling. Repeat the process with a clean oiled patch worked up and down.
- (4) Use a dry patch and wipe out.
- (5) Oil the bore with a loose fitting patch, soaked with ".303 Cleaner." Further cleaning should not be necessary.

Leading.

Leading or stripping of the bullet was a difficulty in the days of black powder cartridges and was caused by the dry nature of the fouling, insufficient and faulty rifling.

Smokeless and Lesmok Powders are moist, and therefore harmful leading in a clean barrel is now practically unknown.

Wiping out between shoots is therefore unnecessary.

Faulty Extraction.

This is nearly always caused by erosion at the far end of the chamber, where the violence of the explosion is greatest. Neglect of cleaning causes rust to eat away the steel to such an extent that the cartridge case gets blown into the cavity, becoming bell shaped, and after a time defies extraction.

When this takes place the only remedy is "Parkerifling" (see page 66). To prevent, use Young's .303 Cleaner and Rust Preventer.

How to deal with a Neglected Barrel.

Soak the bore with Young's .303 Cleaner to soften the fouling and to saturate the rust. Use No. B2 Bristle Brush for this purpose.

Follow it up with the Wire Brush No. B11 or Wire Scourer No. $B.5\frac{1}{2}$, to remove the residue.

Motty Paste (see page 9) applied on a flannelette patch will then re-polish the surface.

A deeply corroded barrel cannot be cured by scouring; the only effective remedy is "Parkerifling."

Bulged Barrels.


A barrel is said to be bulged when an annular depression is seen or felt across the rifling. Unless it is severe it does not necessarily interfere with accuracy because the bullet can bridge it.

90% of bulges are caused by neglect to wipe out grease before shooting.

As the bullet passes down the barrel the oil is rolled over and over in front of it until sufficient is collected to form a solid mass that blocks the passage. The gas pressure behind the bullet is even more powerful than the walls of the barrel, which bulges to allow the gas to escape and the bullet passes on through, unless as is quite possible, it should be checked by a further accumulation of grease.

PARKER'S .22 CAL. CELLULOID-COVERED CLEANING RODS.

Parker's Celluloid-covered Cleaning Rods are world-renowned for durability and service. The core is of hardened and tempered steel, which does not buckle, and the celluloid is substantially laid on. It is no uncommon thing to find that some of these rods have been in constant use for upwards of 20 years. Look for the Trade Mark.



List No. C.R.3. Swivelled knob handle, extra long for cleaning from breech end, with detachable Trueform Jag. Price 372 346
List No. C.R.I. Swivelled knob handle for cleaning barrels up to 30" long from muzzle end with detachable Trueform Jag. Price 2/6.
List No. C.R.2. Ditto, but with No. E.1 Plug and No. B.2 Brush instead of jag. Price 249 313
List No. C.R.H.2. Ring handle Rod for cleaning barrels up to 30" long from muzzle end with detachable Trueform Jag. Price 2/-
List No. C.R.H.1. Ditto, but with plug and brush instead of Jag. Price 2/3
List No. B.K.2. Ball bearing handle Rod for cleaning barrels up to 30" from muzzle end, with detachable Trueform Jag. Price 4/-
List No. B.K.3. Ditto Extra Long for cleaning from


breech end through actions with detachable Trueform Jag.

Price ... 4/6

Plugs and Brushes can be had instead of detachable jags at 3d. each extra. Postage on one or more Rods up to 2 lbs. in weight—6d.

PARKER'S .22 CALIBRE DRIVING ROD.

For clearing obstructions from barrels without risk of injuring the rifling.



Knob end for striking on with heavy hammer.

Loose fitting wood knob for holding.


This is a hardened steel rod about the size of the bore, fitted with a fixed knob for hitting with a hammer, and a loose wood knob for holding.

If a pull thro' or bullets be stuck in the bore, the barrel should be held fast in a vice. The driving rod is then inserted and a smart tap with a good sized hammer will be found sufficient to move any ordinary obstruction.



PARKER'S .22 CAL. HARDENED STEEL CLEANING RODS.

Although we strongly recommend our celluloid-covered Rods for individual use, they are necessarily more delicate in construction than steel Rods of the same diameter and for Club and Armoury use the following can be recommended:



List No. S.R.2.
Ring handle Rod with True- form Jag.
Price 1/6
List No. W.K.1.
Stout polished steel Rod with Trueform Jag.
Price 3/-
List No. S.R.C.3.
Fixed wood handle Rod with integral Rounsquare Jag, very suitable for muzzle cleaning.
Price 2/-
List No. S.R.C.4.
Ditto, with ball-bearing handle.
Price 3/-
List No. B K.S.1.
Ball-bearing handle Rod with muzzle guide and Trueform [ag.
Price 4/6
List No. N.E.R.1.
Ball-bearing handle Rod with integral needle eye.
Price 5/-
List No. B.K.4.
Stout polished steel extra long ball-bearing handle Rod for breech cleaning.
Price 4/6

Plugs and Brushes can be had instead of detachable jags at 3d. each extra. Postage on one or more Rods up to 2 lbs. in weight—6d.

PARKER'S "ROUNSQUARE" SALOON RIFLE ROD.



The first saloon gun or rook rifle rod to be made of hardened steel with an integral machined jag to take a flannelette patch or other cleaning material. The jag affords an excellent grip and the rod cannot buckle and thereby damage the barrel. List No. SRC.2. Price 1/-

PARKER'S .22 CALIBRE BRUSHES.

We are the pioneers of gun brush making by factory methods and the originators of a brush for each calibre. Up-to-date cutting and grinding machinery enables us to produce really effective cleaners. Previously an effective .22 cal, wire brush was unknown.

.22 Cal. Bristle Brushes.



Best Bristle with round tinned stem attached to socket by patent method. (see illustration). As supplied to British Government. List No. B2 Price 6d. each. 5/6 per dozen.



Best Bristle with heavy crescent shaped stem. No. B10. Price 8d. each. 7/6 per dozen.



The Armourer's "Dreadnought" Bristle Brush.

List No. B12. Price (in Xylonite Tube Cover) 1/- Post 2d.
We first introduced the "Dreadnought" principle of brush making for Service Rifle brushes, and it proved so extraordinarily successful that we have applied it to .22 cal. brushes with the most gratifying results. The stem consists of two half round wires, into which a large body of bristle is twisted and then ground down to just over the size of the bore. A barrel brushed with a "Dreadnought" is well scoured.

Parker's Super Wire Brushes for Neglected Barrels.

If a barrel has been neglected, but not to a serious extent, it is possible to remove the hard fouling by means of a full-bodied wire brush.

A common wire brush lacks the necessary body to do the job thoroughly, but our brushes

are made for service and machine finished to correct dimensions.

The test of a brush is in the cleaning. If a wire brush cannot be passed down a barrel without sacrificing its appearance, it is useless. Parker brushes are guaranteed to stand the test. (See paragraph re the use of wire brushes on page 14A).

Parker's "Wearwell" Straight Wire Brush .22 calibre.



No. B11. Iron wire cleaner twisted in round tinned stem attached to socket by patent method. Price 1/- each. 10/6 dozen.

No. B11½. Bronze wire cleaner ditto ditto. Price 1/- each. 10/6 dozen.

Parker's "Scourer" Drooped Wire Brush. ·22 calibre.

In the hands of a careful user the drooped wire brush is capable of greater service than the straight wire type, but it cannot be pulled back if allowed to pass out of the barrel, but must be used with the breech closed with a guide on the rod to prevent wear to the muzzle.



Post 2d. Mild steel Wire Brush in brass tube case ... 1/- each. No. B5. ,, 2d. 1/-No. B51. Bronze ,, ,,

Parker's .22 cal. Dreadnought Brushes.

The Armourer's Wire Brush.



A heavily built brush for Armourer's use on .22 calibre barrels that have been neglected by the users. It will move hard fouling and rust with ease. No. B13. Made of mild steel cleaning wire, supplied in tubular case ... 1/2 each. Post 2d. bronze cleaning wire ditto ditto ... No. B131. ... 1/2 ,, ,, 2d.

PARKER'S .22 CALIBRE "DIAMOND TRUEFORM" JAG.

Known in U.S.A. as the Long Contact Jag.



Since we invented and introduced this cleaning implement, all other jags and methods have taken a back seat. Known in the United States as the Long Contact Jag, it is well described. For cleaning rifles that have to be wiped out from the muzzle end it is far safer than the plug and disc system, because the flunnelette does not have to be drogged in, conse-

REGNE 12/2/2/20 SHOWSTHE FIXED TRUEFORMJAG ON A '22 CAL GLEANING ROD ALSO METHOD OF PUTTING ON THE (2"X 1 #) PATCH

quently the rifling is preserved instead of being worn away at a most vital spot.

Armr. Staff-Sergt. Carr, of the 1st Army Sniping School, wrote for two .303 "Trueform Jags" from France in September, 1917, saying that they were the most effective cleaning implements.

No. E.S. Price 6d. each, 5/6 per dozen.

No. E.1. PLAIN CLEANING PLUG .22 cal.



used with one inch square or round flannelette discs No. F.D.1.

No. E.1. 5d. each, 4/6 per dozen.

No. E.11. PARALLEL CLEANING PLUG .22 cal. with revolving socket, recommended for use with one inch round or one inch square flannelettes only. Larger pieces have too great a wearing effect on the barrel.



No. E.11. 1/ each.

No. E.3. BRASS LOOP .22 cal. CLEANER.

(As made by us for the British Government).

Use with oblong patches No. F.1. For oiling after cleaning push the implement through the barrel before threading in the patch.



No. E.3. Price 9d. each, 8/6 per dozen.

No. ES.3. STEEL LOOP .22 cal. Cleaner. Price 1/6 each.

PARKER'S "SAFESURE" JAG .22 cal.

Made specially of STEEL for use with B.S.A. Cunirid Paste and No. F.1. oblong patches.



No. S.S.J.2. Price 1/- each.

DREADNOUGHT JAG BRUSH .22 cal.



Short hard bristle with Dreadnought stem made to take the F.1 oblong flannelette patch.

A flexible cleaner.

No. D.J. l. Price 10d.

FLANNELETTE PATCHES AND DISCS

for cleaning .22 calibre rifles.

The bore of the .22 calibre rifle is small and being difficult to clean without proper tackle fully 90% of these rifles used for Sporting purposes are spoiled by neglect, either because the gunsmith who sells the rifle fails to provide his client with proper advice and service of efficient rods, patches and oil or because the sportsman is carcless or ignorant of the consequences of neglect. The target rifleman on the other hand may have a super cleaned barrel but by forcing in patches at the muzzle end or snatching back when cleaning from the breech end he mutilates the rifling at the point where it should be perfect, with the consequence that he frequently spoils the gilt-edge accuracy of his new rifle.

LOOK FOR OUR TRADE A MARK ON THE LABELS.



PARKER'S

.22 CAL. OBLONG FLANNELETTE PATCHES.

Cut to correct size to clean efficiently and quickly, should be laid lengthwise on the Jag. They are also suitable for use in needle-eye implements and on pull-throughs.

List No. F.1. Box of 100 patches, 6d. Post 2d.

PARKER'S

·22 CAL. FLANNELETTE DISCS.

A very easy and efficient method of cleaning a 22 calibre sporting rifle. The disc is pressed in at the muzzle end of the barrel by means of a cleaning plug such as our No. E.l. or No. Ell. and can be worked up and down with the breech closed without coming off the plug.

It is very necessary to use a good oil such as Young's .303 Cleaner and Rust Preventer. Ordinary Lubricating Oils are useless for rifle cleaning.

List No. FD. 1. Box of 144 discs, 6d. Post 2d.

No. FD. 1.

Flannelette

RIFLE

CLEANING

DISCS for use with

CLEANING PLUGS



THE ARMOURER'S BOX OF .22 CAL. OBLONG FLANNELETTE PATCHES.

These are similar to our No. F1. size but are put up conveniently for the use of armourers and others having charge of a number of rifles.

List No. F11. Box of 1000 Oblong Patches, 4/6 Post 4d.

THE CLUB BOX OF .22 CAL.

Similar to our No. FD.1. discs but put up conveniently for cleaning a number of rifles.

List No. FD.11. Box of 1000 Discs, 3/6 Post 4d.



FLANNELETTE STRIPS.

Size 3-in. × 1-in.
Suitable for needle-eye
implements.

List No. F3.

Box of 100 strips, 8d.

Post 2d.



ONE INCH FLANNELETTE SQUARES.

Suitable for use with plug cleaners. Saves the discing process and consequently they can be sold a little cheaper in quantities.

List No. F5.

Box of 100 Squares.

Price 4d. each.

Dozens, 3/6



PARKER'S 22 calibre BARREL REFLECTORS. WITH STAINLESS STEEL MIRRORS.

A necessity for examining the breech end of Martini and other Rifles. Many hundreds of Rifles are damaged in the chamber for the want of inspection and proper cleaning.



No. 209.B. With stainless steel mirror in case, suitable for all .22 calibre Rifles, 3/.. Post 2d.

No. 209.C. With stainless steel mirror without case, to fit into the Pocket Cleaning Outfits, 2/6. Post 2d.

No. 209. A.

PARKER'S .22 calibre BARREL GAUGES.



True to a 10,000th part of an inch.

The bore of an ideal rifle barrel is perfectly parallel from end to end and if a gauge enters at all at the muzzle end it should pass right through. (It is no detriment if the bore be slightly larger at the breech end.)

The bore diameter of .22 calibre long rifle barrels varies between .2150" and .2185" and an expert therefore needs gauges graduated in ½-thousandths between these sizes, also sizes .219", .220" and .221" for detecting muzzle abrasion.


List No. 208.Z Single gauge in box. Price 4/6.

EXPERTS' SET OF 11 PARKER .22 cal. BARREL GAUGES.

Sizes: -.215" 2155" .216" .2165" .217" .217" .218" .218" .218" .219" .220" .221" Supplied in strong velvet lined case. List No. 208Y. Price 50/-

CLUB SET OF 4 '22 cal. PARKER BARREL GAUGES.

A REAL NECESSITY



FOR A
FIRST CLASS

It cannot be too well known among riflemen how great is the danger of a worn muzzle. Not only the lands but the grooves are worn away without the damage being discernible to the eye on account of its being overshadowed. In order that rifles can be periodically checked we recommend the following gauges. Riflemen who have called on us at Bisley will confirm the advice.

.2165 inchthe average bore diameter of the .22 cal, rifle it will either pass through or it will gauge to what depth the muzzle end is worn.

.218 inch..... may sometimes pass through a good barrel.

.2185 inchover bore size, it indicates the extent to which wear has taken place by the depth it will pass in at the muzzle.

N.B.—A barrel that is quite evenly "coned" through cleaning, may still shoot well, but more often than not the gauges will show that the barrel is worn more or less oval.


List No. 208.X. Price of the Set, in velvet lined case, 20/-

·22 CALIBRE WOOL MOP.



Wool Mops should on no account be used for cleaning as well as oiling as they soon become charged with mercuric acid fouling which counteracts the gun oil.

B.7. Wool Mop for Oiling 6d. each. Per doz. 5/6
B.8. Tube Cases for keeping brushes clean 2d. ., 1/6



·22 CALIBRE BRUSH PULL THRO'.

By making up these Pull Thro's with first class cord we minimise, as much as possible, the risk of breakage, particularly if our No. F.1 Patches, which are cut to the correct size, are used.

Do not attempt to clean a very rusty barrel with flannelette in the loop. Pull the brush through first, well coated in oil.

No. M 2. Price 1/3 each. Post 2d.

,, M.3. with Wire Brush. Price 1/6. Post 2d.

" M.4. Looped Cord and Weight only. Price 5d. Post 2d.




PARKER'S CELLULOID-COVERED CABLE ,22 CALIBRE PUSH THROUGH,

The next best cleaner to a Rod and miles ahead of the ordinary Cord Pull Through.

Its chief merits are portability and strength, and if used in conjunction with Young's 303 Cleaner and Rust Preventer Oil it will clean wonderfully well and give an indefinite length of hard service. Satisfaction guaranteed.

List No. FR.1. Price 3/- Post 2d.

N.B.—Now supplied with Wire Brush for reasons given on page 14a.



PARKER'S .22 cal. PUSH AND PULLTHROUGH.

(Bowden System).

It is a most effective substitute for a Rod, and carefully used it will give unlimited service.

To use the brush, the empty loop end of the cleaner is pushed through the barrel. To use the loop, pass through the brush holder end.

No. 182C. For '22 calibre rifles

Price 4/6. Post 2d.

N.B.—This is now supplied with a Wire Brush for reasons given on page 14a.



PARKER'S SCREW-STOPPERED OIL BOTTLE.

Stout Glass with Hardwood Stopper.

Very useful for carrying a small supply of Oil to the Range.

N.B. Fill it with Young's '303 combined Cleaner and Rust Preventer, and do not plunge dirty brushes into it.


List No. 186B. Price 6d. Post 2d

SLINGS FOR SMALL BORE RIFLES.

We give below a photograph showing a method of using the sling, which from personal experience we have found beneficial to the extent of at least 1% points. The left arm is passed through the sling from the right instead of the usual way, viz.: from the left. The result is a better grip and less tendency for the sling to slip down to the elbow. It undoubtedly increaces steadiness.

The photograph is of Mr. F. C. Hale of Bearwood Rifle Club, Birmingham, and was taken at Bisley just after he had made his score of a "possible" at 100 yards, 97 deliberate at 50


yards, and 99 rapid at 25 yards. 296 which won the Astor Cup at Bisley, 1922.



Equipment shown in Photograph.

B.S.A. No. 8 Rifle with Parkerifled barrel. No. FSS.1. Foresight shade and No. 214P
Broad Web Sling. Elbow Pads No. 218a. Parker's 100 yards Spotter Telescope on ParkerHale Telescope Tripod. Dovetail blocks to take the Winchester A.5. Telescope Sight.

PARKER'S WELL-KNOWN BROAD WEB SLING



The Standard Sling for Heavy Target Rifles.

Is now provided, unless otherwise ordered, with our Perfect All Steel Sling Swivel Hooks, as illustrated, at the same price as usual.


List No. 214P. Price 4s. 6d. Post 3d.



PARKER'S NEW TRIANGULAR SLING HOOKS.

This furniture makes a considerable reduction in the cost of rifle slings, and we have pleasure in passing on the difference to our customers. Our Broad Web Sling, fitted with snap swivels, costs 4s. 6d., but with the new furniture we can now supply it at 1/- less. We make the furniture for two sizes of straps, viz.: lin.wide and lin. wide.

List No. T.S.F. 1, for lin. straps, 6d. per pair. Post free. List No. T.S.F. 2, for 1\frac{1}{2}in. straps, 6d. per pair. Post free.




PARKER'S BROAD WEB SLING WITH TRIANGULAR HOOKS.

The triangular hooks are slipped on to the barrel and fore-end sling eyes by means of a slanting gap in the base of the triangle.

List No. 214T.

Price 3s. 6d. Post 3d.

L



Slings suitable for War Office Miniature B.S.A. Models 1 and 2, Vickers Sporting and other light rifles.


No. 214f. Government Web.

	11 (1. 2141. Government Web.		
ist	No. 214f.		. 4/6	Or to order with
**	No. 2141.	Narrow leather Sling with two spring swivels	. 4/6	triangles instead of
	No. 214m.	Narrow leather Sling with one spring swivel	. 3/9	spring swivels at
,,	No. 214n.	Narrow leather Sling without swivels	. 3/-	6d. per swivel less.
	No 214K.	Govt. Web Sling with one swivel	. 3/6	

PARKER'S PERFECT ALL STEEL SLING SWIVEL HOOKS. For Small Bore Target Rifles and Sporting Rifles.

In target rifle shooting, as in many other competitive sports, the winner of the event is usually the man who sees to it that he has the most suitable equipment, the sort that under any condition is not liable to be troublesome.

We therefore have pleasure in introducing the Perfect All Steel Swivel, made in our works to a sample sent to us by a Canadian buyer.



It swivels smoothly but is never likely to wear loose and give way. It cannot get jammed in the eye as cast swivels are prone to do. It is not the least liable to slip out, and yet can be released very speedily when desired for attaching to one's rifle cover for instance.

It is so beautifully designed that it is an attractive addition to the rifle.

List No. 216D. Price 10d. each. 1/6 per pair.

MARTINI-ACTION IMPLEMENT.

This is a Government surplus tool of first-class workmanship, by means of which Converted Martini Actions can be stripped and assembled. The tool on the left is used for expelling and closing the block axis pin, etc., the next tool is for removing and replacing the stop nut. The two screwdrivers are needed for releasing the extractor axis screw, the indicator keeper screw, stopnut keeper screw, etc.

Price 2/-, post 3d.



THE PARKER-HALE CLEANING ROD STOP



When a rifle is cleaned from the breech end, it is important that the cleaning patch be kept inside the barrel. It should not be allowed to expand and then be resized by the muzzle when dragged back. This treatment wears away the rifling at the most vital spot and such a rifle cannot be expected to group inside two inches at 100 yards which a first-class rifle will often do. For Small-bore Cleaning Rods List No. R.S.I. Price 1/6, Post 2d.




PARKER'S WRISTBANDOLIER.

A convenient method of carrying ·22 calibre rim fire cartridges for sporting purposes, particularly in the case of single shot rifles. The Wristbandolier is made of best leather, well stitched and grips the cartridges easily with no fear of loss.


List No. P.W.1. Price 2/9, post 2d.

SMALL BORE RIFLE COVERS.

Lowest Prices for First Class Materials. Please mention make and model of Rifle when ordering and give its overall length.



	No. 2 Pattern.	
1.		30/-
2.	Extra strong rot and damp proof canvas with heel plate leather patch, leather	202
	action and sight guard, leather box nosecap and sling	24 -
3.	Rot and damp proof canvas with leather box nosecap and sling	12/-
31.	Rot and damp proof canvas with leather box nosecap and "D's" for attaching sling	10/-
4	Rot and damp proof canvas with block leather nosecap	8/-
5	Rot and damp proof canvas, leather bound	6/6
	Dark cloth cover	2/-



No. 3 Pattern.

IMPORTANT.—In ordering covers for the particular rifle for which it is required please put the appropriate initial letters in front of the list number as follows:—

M. = for Converted Martini Rifles with 30 inch barrels.

B.M. = for B.S.A. Martinis with 25 inch barrels.

Y.M. = for Vickers Rifles.

B.M.M. = for B.S.A. No. 12 Martinis with 29 inch barrels.

C.M.C. = for Greener and Parker C.M. Target Rifle with 26 inch barrels.
In other cases give particulars as to maker, type and overall length.

SPECIAL OFFER.—Government Surplus green canvas rifle cover, new but slightly soiled, suitable for B.S.A. No. 12, Converted Martini, Short Service Rifle and B.S.A. Cub Air Rifle.

List No. LMG.5. Price 3/- If fitted with sling List No. LMG.6. Price 6/-



PARKER'S SMALL-BORE SHOOTING BAG.


A rifleman takes to the range, in addition to his rifle, his ammunition, cleaning outfit and cartridge stand, elbow pads, telescope and stand, and he therefore needs a roomy bag that will carry these accessories.

Our S.B.1 Bag has been designed to answer the purpose. It is made of the very best canvas and leather, and is excellent value for the money.

Size: 12in. × 8in. × 4in.

No. S.B.1. Price 15/-


S.M.R.C. NEW STANDARD TARGETS.




New 10 Ring Practice. for 25 yards.

Two Target Practice for 25 yards.


New 15 Yds. Ten Target.



Five Target Match Card for 25 7Yds.



Two Target Match Card for 50 Yds.



Six Ring Match Card for 100 Yds.

For	15	Yards	Ranges.
-----	----	-------	---------

List	Per Per
No.	1000 100
151T One Target Practice .	. 8/- 1/-
155T Five Target Match .	. 8/- 1/-
15TL Four Target (Time Lim	nit) 22/- 2/6

For 20 Yards Ranges

201T	One Target Practice	8/-	1/-
205T	Five Target Match	12/-	1/6
20TL	Four Target (Time Limit)	22/-	2/6

For 25 Yards Ranges.


2511	One Target Practice	8/-	1/-
252T	Two Target Practice	8/-	1/-
255T	Five Target Practice	10/6	1/3
255M	Five Target Match	15/-	1/9
250P	Ten Target Practice	15/-	1/9
25TL	Five Target (Time Limit)	22/-	2/6

For 50 Yards Ranges.

500T	One Target	(Six Rings)	8/-	1/-
501T		(Ten Rings)	27/-	3/-
502T	Two Targe		15/-	1/9
50TL	Two Targe	t (Time Limit)	27/-	3/-

For 100 Yards Ranges.

100S	One Target (Four Rings)	10/6	1/3
100R	One Target Match	27/-	3/-
100TL	One Target (Time Limit)	27/-	3/-
	Carriage Forward.	50	- 11




New 25 Yds. Pool Target.




"Small" and "Large."





Battle Practice Figures.



Bisley Dimensions.

GOVERNMENT REGULATION MINIATURE RANGE TARGETS.

					Per	r 1000
No	. 17	Small Target,	200/20	yards		7/6
,,	18	Do.	200/25	yds.		11/-
,,	19	Do.	200/30	yds.		14/-
,,	20	Large Target,	500/20	yds.		3/6
,,	21	Do.	500/25	yds.		4/6
,,	22	Do.	500/30	yds.	(* (* *)	6/-
,,	23	Small Snapsho	ooting,	100/30	yds.	31/-
,,	24	Do.		100/25	yds.	12/3
,,	25	Do.		100/20	yds.	10/-

BATTLE PRACTICE TARGETS.

No.		pe	er 100	No	c .	p	er 100
29	Figure :	3. 200	7d.	45	Figure 6.	400	10d.
29A.	do.	300	6d.	46	do.	50 0	1/4
29в.	do.	400	6d.	47	Crossing Cay	alry 600	1/6
29c.	do.	600	5d.	48	do.	800	1/5
37	Figure !	1.400	6d.	49	do.	1000	1/4
38	do.	500	6d.	50	Advancing C	avalry 600	1/6
39	do.	600	5d.	51	do.	800	1/5
40	do.	800	5d.	52	do.	1000	1/4
41	do.	1000	5d.	53	Machine Gu	n in	
42	Figure 4	1. 200	6d.		Action	300	9d.
43	do.	300	6d.	54	do.	500	8d.
44	do.	400	6d.	55	Infantry in l	ine	
				10000	4 figures	1500	1/5

IMPERIAL CHALLENGE SHIELD PRACTICE TARGETS.

Tin Hat Target for Junior and Senior Competitions. Bisley 1924 dimensions. 300/25 yards. Price 12/- Per 1000.

TARGETS REPRESENTING BISLEY TARGETS. 1928 dimensions.

		Prices p	oer 100	Price	s per 1000
25	Yard	s = 200	2/6		20/-
25	,,	= 300	1/6		12/-
25	,,	=500	1/3		10/-
25	,,	=600	1/-		8/-
20	,,	=200	1/6		15/-
20	,,	=300	1/-		10/-
Th		ve are all	of the la	itest pa	tterns.

CELLULOID GROUPING GAUGE.

For gauging the value of a 5 shot group as laid down in "Small Arms Training."

Gauge marked with 1, 2, 3 and 4 inch Rings.

List No. CGG1.

1/6 Post 2d.

For Decimal Targets see previous page.

BISLEY TARGETS FOR 25, 50 AND 100 YARDS.







Representing the 200 Yards Bisley Target (1924 dimensions) at 25 yards, 50 yards and 100 yards respectively.

There is no doubt that rifle club men contemplating a shoot with the .303 rifle would like to have a try out at Bisley Targets with their .22 calibre rifles on the small bore range.


For this purpose we nave copyrighted a series of cards for use at 25, 50 and 100 yards representing the "Tin Hat" target in the regulation colours, viz:—grey at top and sand at bottom.

The targets are designed for a ten shot shoot at each distance, each diagram at 25 yds. receiving two shots and each diagram at 50 yds. receives 5 shots.

PRICES.

List No. T.H. 25, for 25 yards range per 100 3/-List No. T.H. 50, for 50 yards range per 100 4/-List No. T.H. 100, for 100 yards range per 100 5/6

THE BROOMFIELD GOLF TARGET.



This is a novelty target of considerably more than usual interest. Golfers will readily understand its possibilities, and for those who do not golf the following description may suffice.

Each card represents one hole which the golfer endeavours to reach in the least number of shots, and in this particular instance the distance from the tee to the hole is such that by no fluke can a golfer hole out in less than three shots.

The first shot, the drive on to the fairway (grey) is simple, but if by chance the bunkers (red) are hit, the shot

is lost. The second shot on to the green is difficult, because the small green circle must be struck before proceeding to No. 3 approach. The third shot may miss the hole (black) and land on the green. The fourth shot also may miss the hole. The fifth shot if well let off should hole out, because one shot has already been made with this object in view.

List No. B.G.T.1. Price 4/- per 100. Post 6d. Sample Packet, with instructions. Post Free 6d.

BREAKABLE DISCS.



For Team Shooting, Quickfiring, and Sharp Shooting Competitions.

Per 1000 Per 100


\frac{1}{2} \cdot \text{in. Discs for 25 yards Pool Shooting. List No. BMD.1. \quad \text{10/6} \quad \text{1/6} \\
\frac{1}{1} \cdot \text{in.} \quad \text{, 50 } \quad \text{, ... } \quad \text{, ... } \quad \text{, ... } \quad \text{BMD.2. } \quad \text{15/. } \quad \text{2/-} \\
\text{2 in.} \quad \text{, 100 } \quad \text{, ... } \quad \text{, ... } \quad \text{BMD.3. } \quad \text{30/. } \quad \text{4/-} \\
\text{These Discs are made of Fire Clay and are completely}

These Discs are made of Fire Clay and are completely shattered when struck by a bullet. A good way of conducting a team shoot is the following:—Upon a coloured ground, say the back of a green time limit target fasten 5 discs in the form of a square with one

green time limit target fasten 5 discs in the form of a square with one in the centre. Put up a set for each man or team. At a given signal the teams will load and fire and continue to fire until they have smashed all their discs. A time limit should be fixed according to the number of shooters in the teams.

PAPER FASTENERS, suitable size for attaching discs to the green target, in boxes of one gross. List No. B.D F.1. Price 6d. Post 2d.

PARKER'S ANTI-FUDGE SHOT-HOLE GAUGE.




This instrument is a necessity for deciding doubtful shots. When a bullet passes through a Card Target the hole closes up to an extent depending upon the quality of the card. The end of the gauge fits the closed-in hole, but the rim of the gauge which measures :220 inch (the diameter of the bullet) rests on the card and proves conclusively whether the bullet in passing through cut the line or not.

The spring handle of the gauge tends to prevent unfair manipulation.

We make the following sizes :-

PARKER'S TIE SETTLING AND HANDICAPPING GAUGES.




(Taylor's System).

The use of these gauges for tie settling and handicapping is fully explained in the S.M.R.C. Handbook.

The gauges consist of six plugs with discs of varying sizes. The discs represent bullets of the following diameters: '25in., '30in., '35in., '40in., '45in., '50in., so that for handicapping purposes a novice given a '50in. disc handicap would score a carton if he just cut the edge of a 1 inch bull's eye.

The gauges are made on the same principle as our ·22 Anti-Fudge Shot Hole Gauges, and are put up in a neat cloth-covered box, as illustrated at the lowest possible price.

List No. A.F.T.1. Price 7/6 per set. Post 2d.



THE PARKER HALE

No. 2 (Extra Strong)

BULLET CATCHER.


List No. PBC.2. Price 55/-

Suitable for temporary or permanent Club Ranges or for private target practice in gardens or elsewhere.

Provides a ready made Stop Butt of ample dimensions for 25 yards range. The lead re-

Dimensions :-Width, 14 inches; Height, 11 inches; Front to back, 13½ inches: Weight, 48 lbs.

THE PATTISSON STOP BUTT.



A simple and effective type of Target Holder and Board Bullet Catcher.

It instantly converts any suitable place into a Kifle Range at a small cost.

Made to order as follows: List No. PST1. 4 feet

long, for two Targets, £6 5

List No. PST2. 6 feet long, for three Targets, £7 5

List No. PST3. 8 feet long, for four Targets,


For six Targets order two No. 2 Stop Butts. For eight Targets order two No. 3 Stop Butts.


Overall Dimensions of Pattisson Stop Butts.

2 Target 4 ft. long; 3 Target 6 ft. long; 4 Target 8 ft. long; 6 Target 12 ft. long. All 2 ft. 3 in. high to the highest point, and 181 ins. from back to front. In addition to this measurement allowance must be made for Target boards and Target board slides.

PATTISSON'S TARGET APPARATUS.

For Stationary and Snap Shooting Practices List No. PTA1. Price, complete as shown, £4






Front View.

In selecting Target Apparatus we cannot too strongly urge that simplicity should be the keynote. Travelling apparatus and targets controlled by more than one line from the firing point invariably get out of order unless an enthusiast will undertake the responsibility.

Seeing that Muskerry practice on the miniature range calls for disappearing targets the

apparatus illustrated above is ideally simple and consequently inexpensive.

N.B.—If a Stop Butt is also needed, we recommend that this apparatus be combined with and secured to the Pattisson Stop Butt illustrated above. It is easily the cheapest efficient form of range procurable.



PRICE, including Four Sandbags and Packing, £5 10 0

An efficient Snap Shooting Target Apparatus for the Miniature Range has been a long-felt want, and in introducing the Parker-GaitApparatus we believe we have solved the problem.

The swinging iron targets are far superior to card figure targets, because the firer sees the result of his shot. If he hits, the target moves; if he misses, he is immediately aware of the fact, as is also his instructor.

No special fixing is necessary; the apparatus can be placed in front of an existing range, and when not in use can be fired over.

A most effective Landscape background stop butt can be devised by the use of well pressed, damp sand, sloped steeply to indicate a hillside or cliff, and sprinkled with paint powders to imitate vegetation of various descriptions.


POINTS.

It is worked entirely from the Firing Point. It has four indestructible silhouette figures which move when struck. Figures swing noticeably when hit or by a movement operated from the firing point can be knocked flat and reset by a second movement. Figures rise and dip by a third movement. Deliberate, snap shooting and rapid practices can be carried out. The apparatus is portable, strong, simple, easily protected and cannot get out of order.

Capt. E. C. Harries, West Buckland School, Barnstaple, writes:—"We consider it a great success."

WONDERFUL TIME SAVER. TARGET PARKER-HALE FASTENER. THE

Registered No. 719900



Nothing simpler or more effective than the Parker-Hale Target Fastener can be imagined. Up to the advent of this device nothing really superseded the drawing pin for this necessary

but irritatingly tedious operation.

The saving of time by its use is enormous and the security of the target is complete, for the fastener both stabs and presses on it. The risk of destroying a fastener by a hit is

infinitesimal.


The fasteners are made of best hard drawn steel wire with a rustproof finish and the design is registered. It will be noticed that the length of the fastener allows for considerable variation in the size of targets.

They are put up in Cartons containing 16, a sufficient number for four targets.

List No. BTF4. Price 1/4 per box, post 2d.

In the Hampshire Advertiser and Independent of 15th May, 1926, "Carton" says:—The simplicity and effectiveness of the little gadgets appeal to me. There should be no more broken finger nails in lifting drawing pins. The little contrivance is securely fastened at one end to the framework, while the other stabs and holds the card so securely that even a gale of wind will not shift the tenset. If only favorable the card so securely that even a gale of wind will not shift the target. If only for saving time we should all adopt the Parker-Hale Fastener.

AN EFFECTIVE METHOD OF HOLDING CARD TARGETS ON INDOOR AND



SIDE & FRONT VIEW OF TARGET BOARD SHOWING SPLIT COTTER AND NAILS SECURING THE CARD TARGET.

OUTDOOR TARGETS. The method is extremely simple and Drill the target frame and drive in the split cotters up to their heads spacing them so that the card can be

forced unto them.


For outdoor use it will be necessary either to drop nails through the cotter heads or alternatively if nails are not available force .22 cal. Cartridge cases on the cotters.

We supply suitable size cotters in boxes of 6 dozen with a gross of brass nails.

The Burrow Target Fastening Device.

Price 2/6 Post 3d. List No. BTF1.

THE CROCKER TARGET HOLDER.



Holders complete 4/6 doz.

Clips only 2/6 doz.

These holders are supplied with our ranges. When used out-of-doors three are required for 25 yards cards and four for 50 and 100 yards.

96

TARGET CARTRIDGES.

·22 Calibre Short and ·22 Calibre Long Rifle Rim Fire.

On account of the great experience we gain by our "Parkerifling" process of restoring shot-out rifles for Target riflemen, we naturally find out the most consistent brands, and just as soon we locate defective batches which we are careful not to supply for Target shooting.

We find that some Rifles shoot all well-known brands with remarkable regularity. On the other hand a rifle may shoot one brand very well and others indifferently. A Rifleman should therefore try several makes before condemning his rifle.

However, Rifles are more to blame than ammunition for inaccurate shooting, and new rifles do not necessarily shoot closer than a good man can hold.

Careless cleaning by forcing in flannelette patches at the muzzle end does more to destroy accuracy than anything else, as it wears away the rifling and alters the shape of the bore that guides the cartridges at a most vital spot.

Being overshadowed the mischief cannot be seen and barrel gauges only will indicate the extent of the trouble.

All things being equal, we strongly recommend readers to give preference to the British-made "Nobel" or "Kynoch" Brands.

						PR	ICES.			nedi h pi	rice
					per	100	per	1,000		10.0	
	NOB.	EL (1	BRITIS	H).	1		Lorenzo -				
				100	S.		s.	d.	£	s.	d.
·22 Short Smokeless	• •		\$6.50	100	2	3	20	0	9	14	0
·22 IR. Semi-Smokeless					2	9	25	0	11	10	0
·22 L.R. Smokeless	74 ×	****	4040		2	9	25	0	11	10	0
"R,	, CHA	MPI	ONSHI	P (C	FRM	AN).					
·22 Short Smokeless					2	0	16	0	7	8	0
·22 Long Rifle Smokeless					2	6	21	0	9	14	0
·22 Long Rifle Semi-Smokeles	ss				2	6	21	0	9	14	0
REM	INGTO	N I	.M.C.	(AMF	RIC	ANI					
·22 Short Kleanbore				, .	2	0	17	6	8	2	0
·22 Long Rifle Palma	**				3	0	27	6	12	14	0
·22 Long Rifle Kleanbore (no	on corro	sive)			3	0	27	6	12	14	0
	, II.	S. (A	MERIC	ANI		. *					
·22 Short Lesmok		(11			2	0	17	6	8	2	0
·22 Long Rifle Lesmok N.R.	A	* *	12.5		2	9	23	6	11	10	0
· v	VINCH	ESTE	R (AV	ERIC	ΔNI						
·22 Long Rifle r.f. Precision					-	0	27	6	12	14	0
	WEST	ERN	(AME	RICAI	V).						
·22 L.R. "Lubaloy" Lesmok	(non c	orrosiv	ze)	2.5	2	9	24	0	11	0	0
Kynoch Smokeless (British). for confined indoor range	An a	accura	te cartri	dge							
and Lesmok Powders are	disagree	able	· ·		2	9	25	0	11	10	0
Winchester "Precision."	100				3	0	27	6	12	-	0

Carriage is paid on not less than half-case lots of 5,000, when cash is received with order.

N.B.—We are prepared to purchase Empty Cartridge Cases at 3d. per lb. delivered carriage paid to our address.

A BRITISH SUPER ACCURATE SMALL BORE CARTRIDGE.



It is with the greatest pleasure that we can announce that the Nobel Semi-Smokeless Cartridge is now superior in grouping qualities to the best American brands.

We have practical experience of this in testing our customers' "Parkerifled" barrels at 100 yards range. To get 10 shots in a 2" circle is now the rule, whereas, a short time ago it was somewhat exceptional to do it twice running with any ammunition.

We are aware that-

- (1) Constant testing takes place to maintain the highest standard.
- (2) Missfires and Burst Cases do not occur in any properly adjusted rifle.
- (3) We do not find that there is one obviously faulty round in 10,000.
- (4) We find that continuous firing can be maintained without the necessity of wiping out.
- (5) We have not found any evidence of undue barrel erosion in spite of the fact that it is a powerful cartridge.



A BRITISH RIFLEMAN should give this cartridge a fair trial for the sake of British prestige, to help the severely handicapped British Manufacturer and to find employment for British workmen.

Prices of the NOBEL .22 long rifle semi-smokeless Cartridge per 100.......2/9. Per 1,00025/-. Per half case of 5,000......£5 15 0.


Half case lots of 5000 are sent carriage paid when cash accompanies order.


A REMARKABLE ADVANCE IN AMMUNITION MANUFACTURE.

emington,










(A) Barrel sawed lengthwise and photographed after shooting 30,000 rounds of ordinary ammunition— barrel carefully cleaned every time it was used, Accuracy fell off after 5,000 rounds.



(B) Barrel sawed lengthwise and photographed after shooting 30,000 rounds of Remington KLEAN-BORE Cartridges. Barrel has never been cleaned. Accuracy unimpaired.







YOU NEED NEVER CLEAN the bore of your ·22 rifle again, providing you use Remington KLEANBORE cartridges exclusively.

These remarkable new cartridges, MADE ONLY BY REMINGTON, positively prevent rust, pitting or corrosion of the bore.

If you have been shooting ordinary ammunition, just clean the bore of your riflethoroughly-then use KLEANBORE cartridges exclusively.

This marvellous ammunition, by keeping the bore in perfect condition, ensures the accuracy and prolongs the life of your rifle.

KLEANBORE cartridges cost no more than other makes.



PRICES :-

Hollow point cartridges 6d. per 100 extra.

Per case Per 100 Per 1,000 of 5,000 ·22 cal. Long Rifle 3/-27/6 £6 2/9 25/-2/-17/6 £4 1

N.B.—The "long rifle" cartridge which has a 40 grain bullet possesses great ranging capacity and is accurate upwards of 300 yards and will travel as far as 1,500 yards. should therefore be used for Sporting shots with great discretion. The "long" Cartridge which has a 30 grain bullet should be used for sporting purposes where the long rifle cartridge is found to be too powerful. The "short" Cartridge also has a 30 grain bullet with a small powder charge and is largely used on short gallery rifle ranges.

·22 cal. Long

·22 cal. Short

PARKER'S QUICKLOADER.




Price 2/6 (with fixing screws).
Post 2d.

A necessity for rapid firing competitions, being by far the quickest means of loading, as it can be placed in the most convenient spot on the rifle where the loading and firing hand can naturally get at best.

It also acts as an automatic check on the number of rounds fired. Although the cartridges appear close together they can be easily picked up singly from the near end without interfering with the remainder.

The loader is made of aluminium, chemically blacked.

N.B. On the Martini Rifle the best position is alongside the action body sloping downwards to the rear. (See illustration).



PARKER'S SAFETY CARTRIDGE BOX AND STAND COMBINED.

No. CB122. Price 2/- Post 3d.


Will take 100 Kynoch, U.M.C. Rhen-West, or US(NRA) long Rifle Cartridges, without removing them from their original boxes. The Cartridges are thus kept free from dirt and secure from damage, and the lid, now drilled with 10 holes, forms a very convenient Cartridge Stand.



PARKER'S .22 CAL. CARTRIDGE BLOCK.

A plain hardwood block drilled with 10 holes for .22 calibre Cartridges. Useful in Rapid Practices, and for keeping a check on the number of rounds fired.

No. CB22. Price 8d. each. Post 2d. Per doz, 7/-No. CB23. Weighted with lead. 1/6 Post 2d.



PARKER'S No. 1A CLEANING OUTFIT AND CARTRIDGE STAND.

(Strongly recommended for all users of .22 cal. rifles.)

This Outfit contains everything needed for keeping the rifle in condition. The Oil Bottle is filled with Young's Combined Cleaner and Rust Preventer, the well-known Rifle Oil. A bristle brush for moistening the barrel. Trueform Jag and Flannelette Patches for cleaning, a wool mop for oiling, and a wire brush for use in case cleaning should ever have been neglected. A Pull-through is provided in case the Rod is not available.

No. 1A. Price 8/6 Post 6d.



TERRY'S POCKET SCREWDRIVER.

A most useful little accessory for a rifleman, and especially for the owner of a B.S.A. No. 12 take-down rifle; for dealing with the taper body pin, also the action keeper pin.

It is so small that its size is unnoticeable in the vest pocket, yet its shape enables one to remove screws which a bulkier tool might not remove.

> List No. T.P.S.1. Price 6d.

CLENVEET POLISHING AND PRESERVING CLOTHS.


These Cloths are impregnated by a process designed to preserve the finish on the steel parts of a rifle and polish the woodwork.

Although apparently greasy, they do not soil the hands.

Small size, — square ... 1/- each. Post 2d.

No. 205a. Large size, - square ... 1/6 each. Post 3d.





PARKER'S NEW RIBBED RUBBER BUTT SHOE.

Does not lengthen the butt appreciably but absolutely prevents any tendency to slip. Very comfortable.

Give make and model of rifle when ordering.

List No. R.P.22 for B.S.A. Target Rifles, 3/6

List No. R. P.23 for Vickers' and Con. Martini, 3/6



A. G. PARKER.

FINLAYSON'S RUBBER FORE-END GRIPS.

These offer a more comfortable grip than the hard wood affords, particularly if shooting is prolonged, as at open meetings.

R.F.G.1. Ribbed Tubular Fore-end Grip suitable for Converted Martini fore-ends. The

open backsight must be entirely removed to make a good job. Price 2/3 R.F.G.2. Rubber Tubular Fore-end Grip suitable for B.S.A. No. 12 and No. 8 Rifles, also for Vicker's Rifles without open backsights, or with open backsights removed. Price 2/6 R F.G.3. Lace-up Rubber Grip for B.S.A. and Vickers Target Rifles with open backsight. Price 2/9

VICKERS' CLEANING ADAPTER.

For Vickers' and B.S.A. .22 Cal. Target Rifles.



List No. VIC.1. Price 2/- Post 2d. THE ADAPTER

The extreme importance of protecting the muzzle end of the barrel is now well known, but it is not so well known that the real cause of the bell-mouthing is the continuous use of the muzzle for sizing the flannelette patches to enter the barrel. The Vickers Adapter has been designed to do this sizing as a close examination of the sectioned illustration indicates.

N.B.—The latest B.S.A No. 12 Martini Target Rifles have non-dismountable barrels and must therefore be cleaned from the muzzle end.

SPORTING RIFLES AND ACCESSORIES.

Pages	
99а & 99в	Lists of Winchester, Savage, Remington and Austrian Small Arms Rifies.
100 to 105	High Velocity Sporting Rifles, etc.
106 to 112	.22 cal. Repeaters, Automatics and Single Shot Sporting Rifles.
113	Auxiliary Cartridges, Adapters for Sporting Rifles.
114 & 115A	Maxim Silencer.
116	Sporting Frontsights.
117 & 118	Sporting Rear Aperture Sights.
118 & 119	Telescope & Optical Sights.
120 to 122	Cleaning Implements for Sporting Rifles.
123 to 127	Rifle and Pistol Cartridges.
128	Marble's Axes and Sporting Knives.
129	Sportsmen's Seats and Sundries.
120p	Catapult Cun and Slings for Sporting Diffes

99_A

Price List of Weapons made by THE WINCHESTER REPEATING ARMS COMPANY

to order and available at short notice.

Model.			Th. C	
90.	7 g (2) 302 Mg		£5 13 (0
92.	·22 calibre Repeater	3.6 35		0
92.	Sporting Round Barrel, Full Magazine, .25/20, .32 and .44	* * * * * * * * * * * * * * * * * * * *		6
92.	Take Down Ditto	3.5 5.5		6
94.	Carbine Full Magazine 32/40 and 38/55			9
94.	", Take Down, Ditto	** **		9
94.	,, Take Down, Ditto			0
94.	Carbine, Full Magazine, ·25/35—·30/30, ·32 Winchester Spec	ial		Ö
94.	Sporting Dound Dorrel Full Magazine Ditte	141		6
94.	Take Down, Ditto	*** ***		o
95.	·35 and ·405 calibre			ŏ
95.	Take Down, Ditto 22 calibre Single Shot 22 . Automatic 22 . Single Shot 35 . Self Loading Rifle 22 . Light Weight Repeater 351 . Self Loader Rifle 401	2.0		6
02.	·22 calibre Single Shot			Ö
03.	·22 Automatic			ŏ
04.	·22 Single Shot	* *		6
05.	·35 Self Loading Rifle	** **	10 10	6
06.	·22 Light Weight Repeater			ŏ
07.	·351 Self Loader Rifle			Ö
10.	401	***		
87.	·22 ,, rim fire, single shot, Musket		722 102020	0
52.	22 , rim fire, single shot, Musket			
53.	Sporting Round Barrel, Lever Action, 4-magazine, 25/20—	32 and	300 155 500 NA	
	·44 calibre	90.20 90%	7 5 6	6
53.	,, Take Down, Ditto		9 3 3	3
54.	,, ·270 and ·30 calibre model 06, Bolt Action Sporting	ıg	11 11 ()
54.	,, Fitted with Lyman No. 48W Receiver Sight		14 12 (0
56.	·22 calibre rim fire Box magazine, bolt action, light weight	Sporting	5 0 0	0
56.	Ditto, Target		5 17 (0
55.	Ditto, Target		10 15 11	1
	SHOT GUNS.			
	10 C.16 I - 1 - Cl - 1 - C			
			14 2 /	•
11.	Hammerless Reporting Shot Cup 12 16 and 20 gauge	2.	14 2 6	6
12.	12 gauge Self Loader Shot Gun	** **	14 2 6 12 8 6	6
12. 97.	Hammerless Repeating Shot Gun, 12, 16 and 20 gauge 12 gauge Take Down Repeating Shot Gun	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 11 (6
12. 97. 20.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun		10 11 (3 15 6	6
12. 97.	Hammerless Repeating Shot Gun, 12, 16 and 20 gauge 12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun	6. 13 6. 13 6. 13 6. 14	10 11 (3 15 6	6
12. 97. 20.	410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun		10 11 (3 15 6 3 4 (6 6 0
12. 97. 20.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun		10 11 (3 15 6 3 4 (6 6 0
12. 97. 20.	410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon		10 11 (3 15 6 3 4 (6 6 0
12. 97. 20.	410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon		10 11 (3 15 6 3 4 (6 6 0
12. 97. 20.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by	y	10 11 (3 15 6 3 4 6 2 16 8	6 6 0
12. 97. 20.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by	y	10 11 (3 15 6 3 4 6 2 16 8	6 6 0
12. 97. 20.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN	y Y INC	10 11 (3 15 6 3 4 6 2 16 8	6 6 0
12. 97. 20. 41.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by	y Y INC	10 11 (3 15 6 3 4 6 2 16 8	6 6 0
12. 97. 20. 41. Model.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 5)	6 0 6 0 8
12. 97. 20. 41. Model. 12A.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 2) Price £5 5 6	6 0 6 0 8
12. 97. 20. 41. Model. 12A. 12B.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 5 5 6 6 0 6 6 0 6	6 0 6 0 8
12. 97. 20. 41. Model. 12A. 12B. 12C.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 5 5 6 0 6 0 6 0 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 6 0 6 0	6 0 6 0 8
12. 97. 20. 41. Model. 12A. 12B.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle	y INC	10 11 (3 15 6 3 4 6 2 16 8 5 5 6 0 6 0 6 6 0 0 6 6 0 0 6	6 0 6 0 8
12. 97. 20. 41. Model. 12A. 12B. 12C.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 5 5 6 6 0 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0	6 0 6 0 8
12. 97. 20. 41. Model. 12A. 12B. 12C.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 Special Rifle 28 Specify the step sight when desired, as the screen	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 5 5 6 6 0 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0	6 0 6 0 8
12. 97. 20. 41. Model. 12A. 12B. 12C.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 5 5 6 6 0 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0	6 0 6 0 8
12. 97. 20. 41. Model. 12A. 12B. 12C. 12Cs.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 5 5 6 6 0 6 0 6 6 0 6	6 0 6 0 8
12. 97. 20. 41. Model. 12A. 12B. 12C.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle The above rifles can be supplied with rear step sights without charge. Specify the step sight when desired, as the screenight is regularly furnished.	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 5 5 6 6 0 6 6 0 0 0 0 0 0 0 0 0 0 0 0 0	60608
Model. 12A. 12B. 12C. 12C.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Gallery Rifle 22 calibre "Special" Rifle 22 calibre "Special" Rifle 22 calibre "Special" Rifle 32 calibre "Special" Rifle 33 calibre "Special" Rifle 44 calibre "Special" Rifle 45 calibre "Special" Rifle 46 calibre "Special" Rifle 47 calibre "Special" Rifle 48 calibre "Special" Rifle 49 calibre "Special" Rifle 40 charge. Specify the step sight when desired, as the scressight is regularly furnished.	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 2 16 8 2 16 8 12 6 8 12 6 8 12 6 18 15 16 16 16 16 16 16 16 16 16 16 16 16 16	60608
12. 97. 20. 41. Model. 12A. 12B. 12C. 12CS.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle 22 calibre "Special" Rifle 32 calibre "Special" Rifle 43 calibre "Special" Rifle 44 calibre "Special" Rifle 45 calibre "Special" Rifle 46 calibre "Special" Rifle 47 calibre "Special" Rifle 48 calibre "Special" Rifle 49 calibre "Special" Rifle 40 calibre "Special" Rifle 41 calibre "Special" Rifle 42 calibre "Special" Rifle 43 calibre "Special" Rifle 44 calibre "Special" Rifle 45 calibre "Standard" Repeating Rifle 25/20 and 32 W.C.F.	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 2 16 8 2 16 8 12 6 9 12 6	50 60 8
12. 97. 20. 41. Model. 12A. 12B. 12C. 12CS.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rif	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 2 16 8 2 16 8 2 16 8 12 6 14 12 6 1	60 60 8
12. 97. 20. 41. Model. 12A. 12B. 12C. 12CS.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle 22 calibre "Special" Rifle 32 calibre "Special" Rifle 43 calibre "Special" Rifle 44 calibre "Special" Rifle 45 calibre "Special" Rifle 46 calibre "Special" Rifle 47 calibre "Special" Rifle 48 calibre "Special" Rifle 49 calibre "Special" Rifle 40 calibre "Special" Rifle 41 calibre "Special" Rifle 42 calibre "Special" Rifle 43 calibre "Special" Rifle 44 calibre "Special" Rifle 45 calibre "Standard" Repeating Rifle 25/20 and 32 W.C.F.	y Y INC	10 11 (3 15 6 3 4 6 2 16 8 2 16 8 2 16 8 12 6 9 12 6	60 60 8
Model. 12A. 12B. 12C. 12CS. 12C—N 25A. 25C. 25R.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle The above rifles can be supplied with rear step sights withor charge. Specify the step sight when desired, as the scresight is regularly furnished. URA. "NRA Target" (Equipped with special sights and slit "Standard" Repeating Rifle .25/20 and .32 W.C.F. "Special" Ditto Ditto "Carbine" Ditto Ditto "Carbine" Ditto Ditto	y (Y INC)	10 11 (3 15 6 3 4 6 2 16 8 2 16 8 2 16 8 2 16 8 2 16 8 2 16 8 2 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6060
12. 97. 20. 41. Model. 12A. 12B. 12C. 12CS. 12CS.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 25 calibre "Special" Rifle 26 calibre "Special" Rifle 27 calibre "Special" Rifle 28 calibre "Special" Rifle 29 calibre "Special" Rifle 20 calibre "Special" Rifle 21 calibre "Special" Rifle 22 calibre "Special" Rifle 23 calibre "Special" Rifle 24 calibre "Special" Rifle 25 calibre "Special" Rif	Y INC	10 11 (3 15 6 3 4 6 2 16 8 2 16 8 2 16 8 2 16 8 12 6 14 12 6 1	6060
Model. 12A. 12B. 12C. 12CS. 12C—N 25A. 25C. 25R.	12 gauge Take Down Repeating Shot Gun 410 Centre Fire Break Action, Shot Gun 410 Bolt Action, Shot Gun 10 Gauge Breech Loading Cannon Price List of Weapons made by THE REMINGTON ARMS COMPAN to order and available at short notice 22 calibre "Standard" Repeating Rifle 22 calibre "Gallery Special" Rifle 22 calibre "Target" Rifle 22 calibre "Special" Rifle The above rifles can be supplied with rear step sights withor charge. Specify the step sight when desired, as the scresight is regularly furnished. URA. "NRA Target" (Equipped with special sights and slit "Standard" Repeating Rifle .25/20 and .32 W.C.F. "Special" Ditto Ditto "Carbine" Ditto Ditto "Carbine" Ditto Ditto	Y INC	10 11 (3 15 6 3 4 6 2 16 8 2 16 8 2 16 8 2 16 8 2 16 8 2 16 8 2 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	60608

F

14A "Standard" Remington High Power Repeating Rifle 25—30—32 and 35 calibre Ditto 20 0 0 14C "Special Ditto 21 0 0 0 14R "Carbae "Bounded with ring on left side of Receiver, no extra charge 14 12 6 14R "Carbae "Bounded with ring on left side of Receiver, no extra charge 14 12 6 14R Remington Single Shot rifle, take down, 22—32 cal : BB and CB Caps 6 n/lm:
14 12 25 25 32 32 35 36 36 36 36 36 36 36
4. Remington Single Shot rifle, take down, .22—32 and .25 Stevens 2 6 0 30A. Remington Bolt Action Sporting Rifle .30 calibre (open step sight) chambered for the .30 Springfield model 1906 cartridges
Remington Single Shot rille, take down, -22—32 and -25 Stevens
SHOT GUNS. 12 gauge Remington Repeating Shot Gun, slide action 12 5 0 0 17A. Remington Repeating Shot Gun, 20 gauge only 12 5 0 0 17A. Remington Repeating Shot Gun, 20 gauge only 12 5 0 0 17A. Remington Auto-Loading Shot Gun, 20 gauge only 15 10 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10A. 12 gauge Remington Repeating Shot Gun, slide action.
17A. Remington Repeating Shot Gun, 20 gauge only
THE SAVAGE ARMS CORPORATION, to order and available at short notice. Price
Node Node Price Risper Ris
Model 1899F 22 calibre Hi-Power Magazine, take down £10 15 0 15 0 15 0 1920—26. Bolt Action Rifle, full pistol grip, fitted with Lyman No. 54 Rear sight, 250/3000 or 300 calibre
1899F. ·22 calibre Hi-Power Magazine, take down
-250/3000 or :300 calibre
1925. Repeating Rifle, ·22 calibre
1923B. Savage Super Sporter Bolt Action Magazine Rifle, '30 cal. U.S. Govt. special finish with Lyman No. 10 peep sight
Price List of Weapons made by THE AUSTRIAN SMALL ARMS CO., of Steyr, to order and available at short notice. 372—1. Mannlicher-Schonauer Sporting Rifle, round steel barrel about 22½" long, for 6.7 m/m. 24" for 8.9 m/m. and 9.5 m/m. standard and leaf backsight 100/300 yards. German silver bead foresight on raised block with engine turned plane, fine walnut full pistol hand stock with cheek piece, checkered fore-end and grip, and trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, detachable stock, best finish throughout, total length about 43½", weight about 7 lbs. Calibres 6.7 m/m., 8.2 m/m. " 9 m/m., 9.5 m/m. 10 10 0 372—3. The same as No. 372—1 but with Bailie-Grohman Peepsight. Calibres 6.7 m/m and 8.2 m/m. " 9 m/m. 9.5 m/m. 12 10 0 372—5. Mannlicher-Schonauer Sporting Rifle, round steel barrel, 6.7 and 8m/m. 20" for 9 m/m and 9.5 m/m. standard, and leaf sight for 100/300 yards, German Silver Foresight on raised block with engine-turned plane, fine walnut pistol hand stock running the length of the barrel checkered at grip and fore-end, fixed stock trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, best finish throughout, total length
Price List of Weapons made by THE AUSTRIAN SMALL ARMS CO., of Steyr, to order and available at short notice. 372—1. Mannlicher-Schonauer Sporting Rifle, round steel barrel about 22½" long, for 6·7 m/m. 24" for 8·9 m/m. and 9·5 m/m. standard and leaf backsight 100/300 yards. German silver bead foresight on raised block with engine turned plane, fine walnut full pistol hand stock with cheek piece, checkered fore-end and grip, and trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, detachable stock, best finish throughout, total length about 43½", weight about 7 lbs Calibres 6·7 m/m., 8·2 m/m
THE AUSTRIAN SMALL ARMS CO., of Steyr, to order and available at short notice. 372—1. Mannlicher-Schonauer Sporting Rifle, round steel barrel about 22½" long, for 6·7 m/m. 24" for 8·9 m/m. and 9·5 m/m. standard and leaf backsight 100/300 yards. German silver bead foresight on raised block with engine turned plane, fine walnut full pistol hand stock with cheek piece, checkered fore-end and grip, and trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, detachable stock, best finish throughout, total length about 43½", weight about 7 lbs Calibres 6·7 m/m., 8·2 m/m
to order and available at short notice. 372—1. Mannlicher-Schonauer Sporting Rifle, round steel barrel about 22½" long, for 6·7 m/m. 24" for 8·9 m/m. and 9·5 m/m. standard and leaf backsight 100/300 yards. German silver bead foresight on raised block with engine turned plane, fine walnut full pistol hand stock with cheek piece, checkered fore-end and grip, and trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, detachable stock, best finish throughout, total length about 43½", weight about 7 lbs. Calibres 6·7 m/m., 8·2 m/m. 9 m/m., 9·5 m/m. 10 10 0 372—3. The same as No. 372—1 but with Bailie-Grohman Peepsight. Calibres 6·7 m/m. and 8·2 m/m. 9 m/m. 9 m/m. 9 **5 m/m. 12 10 0 372—5. Mannlicher-Schonauer Sporting Rifle, round steel barrel, 6·7 and 8m/m. 20" for 9 m/m. and 9·5 m/m. standard, and leaf sight for 100/300 yards, German Silver Foresight on raised block with engine-turned plane, fine walnut pistol hand stock running the length of the barrel checkered at grip and fore-end, fixed stock trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, best finish throughout, total length
Mannlicher-Schonauer Sporting Rifle, round steel barrel about 22½" long, for 6·7 m/m. 24" for 8·9 m/m. and 9·5 m/m. standard and leaf backsight 100/300 yards. German silver bead foresight on raised block with engine turned plane, fine walnut full pistol hand stock with cheek piece, checkered fore-end and grip, and trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, detachable stock, best finish throughout, total length about 43½", weight about 7 lbs. Calibres 6·7 m/m., 8·2 m/m. 9 m/m., 9·5 m/m. 10 10 0 372—3. The same as No. 372—1 but with Bailie-Grohman Peepsight. Calibres 6·7 m/m. and 8·2 m/m. 9 m/m. 9 m/m. 9 so m/m. 12 10 0 372—5. Mannlicher-Schonauer Sporting Rifle, round steel barrel, 6·7 and 8m/m. 20" for 9 m/m. and 9·5 m/m. standard, and leaf sight for 100/300 yards, German Silver Foresight on raised block with engine-turned plane, fine walnut pistol hand stock running the length of the barrel checkered at grip and fore-end, fixed stock trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, best finish throughout, total length
long, for 6-7 m/m. 24" for 8-9 m/m. and 9-5 m/m. standard and leaf backsight 100/300 yards. German silver bead foresight on raised block with engine turned plane, fine walnut full pistol hand stock with cheek piece, checkered fore-end and grip, and trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, detachable stock, best finish throughout, total length about 43½", weight about 7 lbs. Calibres 6-7 m/m., 8-2 m/m. 9 m/m. 9 m/m. 10 10 0 372—3. The same as No. 372—1 but with Bailie-Grohman Peepsight. Calibres 6-7 m/m. and 8-2 m/m. 9 m/m. 9 m/m. 9 -5 m/m. 12 10 0 372—5. Mannlicher-Schonauer Sporting Rifle, round steel barrel, 6-7 and 8m/m. 20" for 9 m/m. and 9-5 m/m. standard, and leaf sight for 100/300 yards, German Silver Foresight on raised block with engine-turned plane, fine walnut pistol hand stock running the length of the barrel checkered at grip and fore-end, fixed stock trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, best finish throughout, total length
raised block with engine turned plane, fine walnut full pistol hand stock with cheek piece, checkered fore-end and grip, and trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, detachable stock, best finish throughout, total length about 43½", weight about 7 lbs Calibres 6.7 m/m., 8.2 m/m
heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, detachable stock, best finish throughout, total length about 43½", weight about 7 lbs. Calibres 6·7 m/m., 8·2 m/m. 9 m/m., 9·5 m/m. 10 10 0 372—3. The same as No. 372—1 but with Bailie-Grohman Peepsight. Calibres 6·7 m/m. and 8·2 m/m. 9 m/m. 9 m/m. 9 to m/m. 12 10 0 372—5. Mannlicher-Schonauer Sporting Rifle, round steel barrel, 6·7 and 8m/m. 20" for 9 m/m. and 9·5 m/m. standard, and leaf sight for 100/300 yards, German Silver Foresight on raised block with engine-turned plane, fine walnut pistol hand stock running the length of the barrel checkered at grip and fore-end, fixed stock trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, best finish throughout, total length
Calibres 6·7 m/m., 8·2 m/m
372—3. The same as No. 372—1 but with Bailie-Grohman Peepsight. Calibres 6·7 m/m. and 8·2 m/m
Calibres 6·7 m/m. and 8·2 m/m
20" for 9 m/m. and 9.5 m/m. standard, and leaf sight for 100/300 yards, German Silver Foresight on raised block with engine-turned plane, fine walnut pistol hand stock running the length of the barrel checkered at grip and fore-end, fixed stock trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, best finish throughout, total length
yards, German Silver Foresight on raised block with engine-turned plane, fine walnut pistol hand stock running the length of the barrel checkered at grip and fore-end, fixed stock trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, best finish throughout, total length
barrel checkered at grip and fore-end, fixed stock trap in heel with cleaning rod in butt, swivels for sling, flat bolt handle, matted receiver and cocking piece, best finish throughout, total length
receiver and cocking piece, best finish throughout, total length
about 30" weight about 7 lbs
about 39", weight about 7 lbs. Calibres 6.7 m/m. and 8.2 m/m
,, 9 m/m. 9.5 m/m 9 0 0
Calibres 6.7 m/m. and 8.2 m/m
9 m/m. 9·5 m/m 9·10 0



Bores 303 :: or ·315 (8 m/m).



These rifles are extremely accurate and reliable, and are confidently recommended as inexpensive weapons for shooting medium and soft-skinned game. The muzzle velocity of the Mark VII ·303 Cartridge is 2440 f.s. In view of the fact that .303 weapons are prohibited in India, the rifle for the .315 cartridge is specially recommended for sportsmen in that country.

SPECIFICATIONS. Bore .303.

LENGTH		5. 2	Over all 45 in.	Over all 45 ins.
WEIGHT			Approx. 6 lbs., 13 ozs.	Approx. 6 lbs., 13
DADDDT			25 in. Long, Enfield rifling.	25 in. long, Enfiel
ACCUTORI	202 0595		L.E. short Mark III Govt.	L.E. short Mark pattern action.
MAGAZINE			Takes 5 or 10 Cartridges.	Takes 4 Cartridge
STOCK	3 E 207	n nere	Nicely figured walnut with chequered semi-pistol grip.	Nicely figured wa tary pattern (as i
		4.	Length from trigger to centre of butt 14 in. (as illustrated above).	on page above). from trigger to butt 13\frac{1}{2} in.
FORE-END			Walnut with chequered grip.	Walnut with grip.
SIGHTS		74(*)	BACK—100 yards fixed; folding leaves for 200 and	BACK—100 yard folding leaves for
.303 calibre.			300 vds. and tangent leaf	300 yards, and ta
List No. BSA5	64. £12	7 6	400 to 1000 yards. FRONT—Nickel-faced bead	for 400 to 1000 yo FRONT — Ni
·315 calibre.			fitted with foresight pro-	bead, fitted with
List No. BSA5	55. £12	0 0	tector.	protector.

Bore .315. 3 ozs. ld rifling. III Govt. alnut Miliillustrated Length centre of chequered ds fixed; r 200 and ingent leaf ds. ickel-faced n foresight

PARKER'S AGA :303 SPORTING LEE ENFIELD RIFLES.

These rifles are made up from Charger Loading Long Lee-Enfield rifles that have come on to the market since the introduction of the Short rifle. cut down to sporting length and equipped with first-class spring leaf sporting The barrels are new, the woodwork is given the correct sporting appearance and feel, and in every respect we have turned out a nice reliable arm.

Specification :-

Length of Barrel:—26 inches. Magazine:—10 shot. Weight: $-7\frac{3}{4}$ lbs. Backsight:—100, 300, 400 yards, folding spring leaves. Foresight:—bright bead.

Price :- £8 8 0

Extras: -Lyman No. 48 Aperture Sight supplied and fitted on action body, 65/-1A cocking piece, 35/-



High Velocity .26 and .33 cal.



These two high-velocity rifles have been designed expressly for 'shooting soft-skinned game. For deer and similar game the .26 rifle is undoubtedly the best rifle to use, the more powerful .33 being particularly suitable for the larger and heavier beasts classed as soft-skinned. Both rifles are strong and thoroughly well-made, having barrels of Jessop's fluid-pressed Sheffield steel, amazingly durable and exceptionally strong and well-built actions to withstand the shock of explosion of the high-velocity cartridges. Special B.S.A. cartridges having a high muzzle velocity and a flat trajectory can be supplied.

Barrel.-26. in. long.

Stock and Fore-end.—Full pistol-grip, chequered, with butt-plate. Chequered grip. Length.—From trigger to centre of butt, 14§ in. Overall, 48 in.

Action.—Bolt type, forward locking. Exceptionally strong to withstand the explosion of the high velocity cartridges. Fitted with safety catch.

Sights.—Back, on barrel—open folding leaves 200. 400, 600, and 800 yards. Back, on rear of action—aperture, two folding apertures for 200 and 400 yards. Front—bead foresight, white metal-tipped.


Magazine. - 5 shot.

CARTRIDGES.

	.26 in. cal.	.33 in. cal.
Bullet weight	.110 grains.	.165 grains.
Powder charge	.48 grains.	.59 grains
Muzzle velocity	.3100 f.s.	.3000 f.s.
Muzzle energy	.2345 ft. lbs.	.3300 ft. lbs.
Pressure	, 19 tons.	.19 tons.




Side view of action showing bolt in full rear position, and all the open backsight leaves up.



Close-up side view of action showing aperture for 200 yards up. Bolt cocked and safety catch on.

Price as specification, List No. B.S.A.58 (.26 cal.) £20. List No. B.S.A.59 (.33 cal.) £21 10s. Telescope Sight on B.S.A. new type mounting £15 15s. extra.


UNIVERSAL LEATHER FORESIGHT PROTECTOR FOR SPORTING RIFLES.



This device supplies a long felt want. It is impracticable to make metallic foresight protectors to suit all makes of Sporting Rifles and even if we could do this a metal protector would not be so serviceable.

The locking strap is the feature which makes it an almost universal fit and whilst preventing loss, enables it to be removed quickly if the need arises.

List No. L.S.P.1. Price 2/6 Postage 2d.



LEE-ENFIELD EXPRESS SPORTING RIFLE

.375 BORE (Rim Cartridge).

Short of the most modern developments in very high velocity—and generally very high-priced—weapons, the .375 Lee-Enfield is recommended as the best sporting rifle now offered, more especially because of its utility as an express arm for killing heavy game up to 200 yards or so.

The 375 bullet has greater smashing effect than many others mistakenly used for this work. The 375 is a popular cartridge, and consequently may be obtained readily in almost any part of the world.




THE B.S.A. MARTINI SPORTING RIFLE.

For 300 Bore Sherwood Cartridge.

This B.S.A. Martini Rifle is specially designed to shoot the 300 bore evera long cartridge, which is the finest of its class for shooting small buck and other medium sized thin skinned game. Although a single shot rifle it can be loaded very rapidly indeed and quite silently. The action and barrel can be dismounted easily, quickly and without the aid of tools. Cleaning, packing and carrying are thus facilitated.

With its remarkable accuracy, its convenience and rapidity in manipulation, its accessibility of parts and fine workmanship, this B.S.A. Martini Rifle leaves nothing more to be desired by the game hunter for the class of work for which it is adapted.



BALLISTICS.

The '300 bore extra long cartridge is one of the finest of its class for mid-range target and sporting work.

Bullet in Grains—140 Velocity ft. per sec.—1450 Energy ft.-lbs.—653

SPECIFICATION.

Length		***	4.4.4	666	***	***	0	ver all 40in.
,,	00.00	75.5	22.2	**		Of ba	rrel, taken	down, 25in.
,,			17(2)			Stock e	nd from tr	igger, 13½in.
,,		222	****	-14/4	(4.4.4		Fore	e-end, 101in.
Weight	1.020	4900	63.0	3444	344	200	244	5lb. 9oz.
Distance	F ()	100	199	E	Between for	resight and	open back	sight, 174in.
,,	2.11		***	Bet	ween fores	ight and ap	erture bac	ksight, 27in.
Balance	***		***			3	in. in from	at of trigger.
Action			5274		***	22.2		Martini.
Sights	Back-	-50 yards f	ixed; foldi	ng leaves f	or 100 and	200 yards.		

Back—30 yards fixed; folding leaves for 100 and 200 yards. B.S.A. No. 8 Aperture Backsight can be fitted at 19/6 extra. Front—Nickel-faced bead.

List No. BSA57. Price £5 0 0

Also made for .22 cal. long rifle Cartridges. List No. BSA58. £5 0 0

一家

.250-3000 SAVAGE SPORTING RIFLE. MODEL 1899.



Made in Takedown Pattern only, with extra full checked Pistol Grip forearm, Flat Top Sporting Rear Sight, Checked Trigger and Corrugated Steel Butt-plate. 22-inch Round Barrel. Weight 7 pounds. Velocity 3,000 feet per second.

List No. SAV1. Price £10 15. 0.

Since this rifle came out in 1914 it has killed specimens of nearly every big, dangerous game animal in the world. In America it has killed Alaskan brown bear, polar bear, grizzly, moose, elk and caribou. In Asia it has killed tiger and wild boar, and in Africa it has killed leopard, lion, rhino, hippo, buffalo and elephant. Well-known American big game hunters of exceptionally long and varied experience in Asiatic and African big game hunting, who have used the '250-3000 Savage for long periods of time in their work, are its most competent judges and its most enthusiastic advocates. When a man has hunted in wild country for every day for months at a time, during periods extending over several years, and has used a rifle as an every day tool in killing animals for zoological collecting or for meat for feeding a caravan, he is likely to learn that rifle pretty thoroughly.

Perhaps the strongest feature of the '250-3000 SAVAGE is its accuracy. Many rifles sacrifice accuracy to obtain high velocity and flat trajectory. The '250-3000 combines with the highest velocity and flattest trajectory a degree of accuracy that compares favourably with that of the best military rifles with star gauged barrels and special match ammunition.

The '250-3000 SAVAGE is a light six-shot hammerless repeating arm possessing the strength, simplicity and convenience for which the SAVAGE Model 1899 rifle is famous.

The cartridge of the '250-3000 SAVAGE is rimless. It is loaded with an 87-grain Spitzer point, soft nose or full metal case bullet. The material of the bullet jacket is copper, and prevents metal fouling. The powder is of the latest military type, free from nitro-glycerine, and the primer is non-mercuric. So that in spite of the extreme velocity, the barrel is easy to clean and its accuracy life exceptionally long.

Weight of Bullet-87 grains.

Velocity-Muzzle, 3000 feet per second;

100 yards, 2698 feet per second.


Energy-Muzzle, 1739 foot pounds;

100 yards, 1406 foot pounds.

Penetration at 15 feet in $\frac{7}{8}$ -inch Soft Pine Boards $-11\frac{3}{4}$ boards.

Trajectory—
100 yards, measured at 50 yards, .503 inch.
200 ,, ,, 100 ,, 2.314 inches.

300 ,, ,, ,, 150 ,, 5.780 500 ,, ,, ,, 250 ,, 20.116 A specially constructed Aperture Sight for this model rifle is the Lyman No. 29½. List No. Lyman 29½. Price 25/6



SAVAGE SPORTING RIFLE. IMPROVED MODEL 20.



Specifications:

5 Shot repeating bolt action, 24" medium weight barrel, full pistol grip walnut stock, checked on forearm and grip, steel butt plate. Lyman No 54 rear sight and white metal bead front sight. No open Sling strap screw eyes. rear sight. Weight 7 lbs.

Always popular with a host of sportsmen who recognized the utility of a light compact arm for hunting purposes, the Improved Model 20 Savage has incorporated in its new design the changes suggested by our sportsmen

List No. LYMAN54. Price 25/friends and leading firearms experts.



The forearm of stock has been increased in size providing full hand grip and The comb of stock is raised to give direct line of sight excellent balance to arm. When arm is placed to shoulder in shooting with new sighting equipment. position the shooter will find the high full stock lines his eye up perfectly through peep sight to front sight. The standard sighting equipment consists of a No. 54 Lyman rear sight and white metal bead front sight. The rear sight has graduated adjustments for windage and elevation and is located on tail block of bolt in best possible position for efficient use of peep sight.

The redesigned barrel has been slightly increased in weight its entire length. Rear sight slot has been omitted and front sight base is integral with barrel. thus providing ample rigidity of barrel for the high velocity ·250/3000 and ·300 Savage calibre cartridges.

The action is sturdy and simple—cocking on the upward movement of the bolt handle, ejecting on backward movement and loading and locking on forward The bolt handle has a graceful backward curve, and downward movement. bringing ball of handle directly above trigger and making operation quick and Locking lugs at front end of bolt directly behind cartridge chamber are large and unslotted, providing a perfect lock up on cartridge that is unusually safe and positive in operation. Bolt can be withdrawn from receiver and dismantled by hand without tools when arm is cleaned.

The safety is of shotgun type located conveniently on top of grip of stock. It is under immediate control of the shooter's thumb without removing hand from stock.

The Model 20 Savage rifle is chambered for either of the following hi-power cartridges: ·300 Savage

 $\cdot 250/3000$ 87 grains. 3000 ft. per sec. 1737 ft. lbs. Weight of Bullet Muzzle Velocity Muzzle Energy

Weight of Bullet 150 grains. Muzzle Velocity 2700 ft. per sec. Muzzle Energy 2426 ft. lbs. Muzzle Energy

300 Savage 180 grains. Weight of Bullet 2400 ft. per sec. 2300 ft. lbs. Muzzle Velocity Muzzle Energy



THE SAVAGE '300 CALIBRE SPORTING RIFLE.



Illustration of 1899 Model to show take-down feature only.

Butt has pistol grip as shown on page 57.


It is Savage, with all the ballistics of the '30 cal. Government—150 grain bullet—2,790 foot velocity—striking force 2,426 lbs.—mid-range trajectory 200 yards, 2.9 in.—and the preeminent Savage advantage of a soft nose Spitzer bullet, handled in our action without deforming the point.

And Listen! The Savage Featherweight models handle this cartridge. A 6½ lb. gun that makes possibles at 1.000 yards, with a recoil so light that it makes target practice a delight and a hunting trip a pleasure.

You can pack this gun on the longest trail, stop in their tracks the Grizzlies of the Rockies, or the Man Eaters of the African Wilds, and not be muscle tired when you must place the bullet in the right spot.

List No. SAV3. Model 1899. Prices: £10 15 0

THE '410 GAUGE SAVAGE SHOT BARREL.



This latest convenience has been added to the Savage line of Rifles to enable the shooter to enjoy big game hunting and small game hunting with the same arm. It can be adjusted on any Model '99 Savage Takedown Rifle for any calibre by any one, and at any time or place.

To the man who hunts in the big woods or to the man who desires shooting in the more densely populated districts, the '410 gauge Savage Barrel is almost indispensable.

Just take down your rifle and substitute the '410 gauge barrel for your regular rifle barrel. This operation is simply and easily done, wastes no time, requires no tools. In fact the only extra equipment to the man desiring all 'round shooting is simply the barrel itself, which can be packed easily in your kit and does away with the necessity of carrying an extra gun

Here's what T. K. Lee, the well-known shotgun, rifle, and pistol shot, says about the 410 gauge barrel:

"It makes splendid patterns at 25 or 30 yards: plenty good enough medicine for quail and rabbit at these distances.

"The sweetest part of this outfit is the lovely manner in which it handles. Savage is the only concern that ever made a rifle with sure enough feel and balance and to have a shotgun on the same old stock is a treat."

Every man who owns a Model '99 Savage Takedown will just have to get this barrel to complete the outfit. But be sure to specify if gun is a featherweight takedown or not.

List No. SAV5. Price 50/-

MODEL '99 TAKEDOWN SAVAGE RIFLES TO WHICH THE '410 GAUGE BARREL CAN BE ADJUSTED

·30-30 Savage Regular

·250-3000 Savage

303 Savage Regular


·30-30 Savage Featherweight

·22 Savage Hi-Power Featherweight.

·303 · Savage Featherweight

105A

THE NEW SAVAGE SUPER-SPORTER RIFLE,



MODEL 40-Standard Grade. Price £8 10/-

Calibers: ·30-'06 Springfield and ·30/30, ·250/3000, ·300 Savage

Weight: 7½ pounds.

Stock: American Walnut. Pistol Grip, British Type Forestock; rubbed varnish finish, fitted with screw eyes for sling strap.

Barrel: New style medium weight barrel, with raised ramp front sight base.

·30/30 and ·250/3000 Savage 22 in. barrel. ·30-'06 Springfield and ·300 Savage 24 in. barrel.

Sights: White metal bead front sight and adjustable flat top sporting rear. Receiver tapped for new No. 40 Lyman peep sight.

Butt Plate: Heavy corrugated steel.

Finish: Receiver charcoal blued.

MODEL 45-Special Grade. Price £9 15/-

Calibers and Barrels: Same as Model 40.

Stock: Selected Walnut. Fitted with screw eyes for sling strap. Checkered on forearm and at pistol grip.

Sights: Fitted with No. 40 Lyman receiver peep sight, a folding middle sight, and white metal bead front sight.

Extra Magazines, 6/- each.

The Savage Arms Corporation has again added a startling chapter to the history of American Firearms by presenting this rifle, chambered for such outstanding cartridges as the 30-06 Springfield and 30/30, 250/3000, 300 Savage, at a remarkably low price. For quality of materials used, workmanship and finish, it equals the best commercial arms. In its unique design it marks a new era of American rifle manufacture.

This rifle, of American design, differs from any other High Power Bolt Action rifle familiar to the American shooter. The locking lugs in about the centre of the bolt, being about $4\frac{1}{2}$ in. from the head of the shell. There are therefore no locking lug shoulders cut in the receiver ring. The locking lugs are in the walls of the heavy receiver just back of the ejector port. The bolt handle when in the firing position, seats in a deep slot in the receiver, making a third lock, thus insuring a safe, sturdy lockup.

The bolt is completely housed in against dirt and snow or leaves. The only openings in the receiver being the 3 inch ejection port and bolt handle slot on the right side. This construction supports the bolt at all points and makes a non binding, smooth, fast bolt throw



THE NEW SAVAGE SUPER-SPORTER RIFLE-continued.

The absence of locking lugs back of chamber allows magazine to feed cartridges directly into the chamber and consequently the bolt handle has about I inch less backward travel than the Mauser type Bolt Action rifle. This shorter travel of bolt makes the arm easy to operate without removing from shoulder.

The ignition is much faster than other Bolt Action rifles of Mauser type, having $\frac{3}{8}$ inch stroke against $\frac{5}{8}$ inch stroke.

The magazine is detachable through the floor plate by means of a spring latch; capacity is four cartridges. The detachable magazine allows reloading while bolt is closed and loaded cartridge is in chamber. Extra loaded magazines can be carried by shooter so that instant reloading can be made if magazine is empty; or if cartridges with heavier or lighter bullet, soft point or metal cased, are required.

This reloading feature without opening bolt is a specification built in special big game rifles by English rifle specialists for experienced hunters who recognise the necessity for quick reloading without withdrawing cartridge from chamber when facing dangerous game.

The stock design combines the best thought of several experts. The influence of the military experts is recognised in the excellent grip and butt stock with high comb. The full forestock is British type, characteristic of English high grade arms and now becoming popular with designers of American custom made stocks. It gives the arm fine balance and unusual ease in sight alignment.

The barrel is a new design of medium weight with a raised ramp front sight base—a distinct aid in quick sighting. The barrel steel is of the standard. Government specifications required for the Springfield rifle—a steel determined by experts as the best obtainable—having a tensile strength and elastic limit far beyond the pressures of the modern high power cartridge.

The rifle has a fixed, one stage or stationary trigger pull instead of the military double draw found on most bolt action rifles. The safety, a positive trigger lock, also locks the bolt closed

The bolt is removable by holding back on trigger and withdrawing when action is open. It can be dismounted by removing two assembly pins.

A new No. 40 Lyman sight has been designed for this rifle. The Model 45 is regularly equipped with this sight, and the Model 40 tapped with screw holes for mounting. The elevation slide is scaled so one graduation will move the point of impact 5 in. at 100 yards, 10 in. at 200 yards, 15 in. at 300 yards etc.


Capt. E. C. Crossman, noted firearm expert, lists these outstanding good points of the new rifle:—

- 1. A safe action.
- 2. Extremely short bolt travel.
- 3. Instant change of magazine, without opening bolt.
- 4. Fast ignition.
- 5. Bolt housed in against sand, snow etc.
- 6. Best commercial stock on the market.
- 7. Astonishingly low price.

THE B.S.A. .22 cal. MARTINI SPORTING RIFLE.

This B.S.A. Martini Rifle is specially designed to shoot the .22 cal. long rifle cartridge. Although a single shot rifle it can be loaded very rapidly indeed and quite silently. The action and barrel can be dismounted easily, quickly and without the aid of tools. Cleaning, packing and carrying are thus facilitated.

With its remarkable accuracy, its convenience and rapidity in manipulation, its accessibility of parts and fine workmanship, this B.S.A. Martini Rifle leaves nothing more to be desired by the sportsman for the class of work for which it is adapted.



SPECIFICATION.

Length		2.05	***	* * *		O	er all 40 in.
,,	244	200	***		Of bar	rel, taken	down, 25 in.
,,		***	***	. 272			gger, 131 in.
3,7	14.4.4	10.0	200	10.1	41494		end, 101 in.
Weight	35.53	11.00		***		\$2.00	6 lbs.
Distance		1.44	В	etween for	resight and	open backs	ight, 173 in.
,,		550	Bety	veen fores	ight and ape	erture back	sight, 27 in.
Balance	401		***				t of trigger.
Action		***	- * *	£97£			Martini.
Sights	Front-	-Nickel-fac	ced bead.				

Back-50 yards fixed; folding leaves for 100 and 200 yards. B.S.A. No. 8 Aperture Backsight can be fitted at 19/6 extra.

Sling eyes fitted to barrel and fore end for target shooting 4/6 extra.

List No. B.S.A. 58 ... Price £5 0 0

THE SAVAGE .22 cal. BOLT ACTION MAGAZINE SPORTING RIFLE.



Here's a rifle with the precision of the finest small-bore range rifles combined with the most modern features found in up-to-date sporting models.


The Savage Sporter .22 Repeating Rifle is built along the same sturdy lines as the famous Savage Model 1920 Bolt-Action High.Power Rifle. Strong and durable—yet light and lively. You will love the clean, graceful lines and the beautiful balance of this rifle.

23 inch round barrel, genuine American walnut stock, oil finish, pistol grip, open sporting sights, five-shot detachable box magazine, chambered for .22 long rifle cartridge only. checked full-curve trigger. Weight six pounds.

List No. S.A.V. 20 ... Price £4 0 0

THE MAUSER BOLT ACTION MAGAZINE CALIBRE RIFLE.

In the absence of Bolt Action Magazine Rifles of British manufacture, it is necessary to list rifles of foreign make, but in doing so we are careful to choose only those which are of the highest quality and reputation. The Mauser .22 cal. Bolt Action Rifle is a genuine Mauser production made at Oberndorf, is splendidly designed, built on the most modern lines and shoots with the greatest accuracy.





SPECIFICATION OF LIGHT MODEL.

5 shot Magazine, walnut stock, grooved fore-end, checkered pistol grip, safety catch, spring type open rearsight with screw adjustment for elevation, bead front sight and sling swivels.

Length of barrel, 23½ inches. Overall length 40½ in. Weight 4½ lbs. List! No. M506. Price 75/- Spare Magazines 4/- each.



SPECIFICATION OF HEAVY MODEL.

As above but with Military pattern rearsight graduated from 30 to 200 metres. Bead frontsight dovetailed into raised block.

Length of barrel 25½ inches. Total Length 43½ inches.


Weight 63 lbs. List No. M507. Price 87/6 Spare Magazines 4/- each.

107A

THE WALTHER .22 CAL, RIFLE.

Self Loader, Repeater, or Single Shot.

The most ingenious Rifle yet designed.



- Bolt action removed from frame showing bolt locked back in loading position for use as a single shot. At the rear of the bolt action is shown the spring actuated catch,
- which secures the action in the Receiver "B."

 Receiver showing (1) 5 shot Magazine, (2) Hammer, (3) Trigger, (4) Safety Catch, (5) Windgauge Backsight adjusted by key "C," (6) Pull-off adjustment.

 Key for adjusting windgauge sight and for regulating trigger pull.

Specification of Light Model.

Weight, 54lbs. Length overall, 39½in. Length of barrel, 20½in. Length of Butt from Trigger, 14½in. Length of Stock, 28½in. Length of Barrel and Action, 27½in.

Specification of Heavy Model.

Length overall, 43½in. Length of Barrel, 24½in. Length of Butt from 14½in. Length of Stock, 31in. Length of Barrel and Action, 31½in. Trigger, 141in.

There is no question that an automatic or self loading action is extremely useful at For instance, a self-loader would secure four rabbits, whereas a repeater would get two and a single shot only one with similar opportunities.

On the other hand, one does not always want to have a live cartridge in the chamber. In this case the bolt can be definitely locked down as shown in the top illustration.

Instructions.

To Operate as a Self Loader .- Fill the Magazine and lift the bolt out of the front slot, pull back to full extent and allow it to move forward and carry a cartridge into the chamber. Simply pull the trigger and bolt will reload automatically.

To Operate as a Repeater.—Pull back the bolt and allow it to carry a cartridge into the chamber and drop the handle into the forward slot.

To Clean.-Press in the spring catch shown at the rear of Bolt Action "A" and lift out the bolt action by an upward rotary movement, first taking care to lock back the handle in the rearward position to keep the parts together.

Pass the cleaning rod through the barrel from the breech end and to make sure of perfect functioning use Young's .303 Cleaner and Rust Preventer Oil immediately fiiring is over.

Prices.

List No. W.A.L.1. Light Model Walther Rifle. Price .. £4 10 0.

" No. W.A.L.2. Heavy ditto. with windgauge backsight ... £5 0 0.


Spare 5 Shot Magazines .. 3/9 each. Spare 9 Shot Magazines .. 6/6

We guarantee these Rifles to group inside 3 inches at 100 yards or better.

They are of German manufacture.

B.S.A. REPEATING RIFLE .22 CALIBRE SLIDE ACTION. TUBULAR MAGAZINE.

Patents Nos. 202819, 202820, 203856, 204175 and P. Pat. No. 24549/24.)



The B.S.A. Repeating Rifle is quite modern and original in design. It is a weapon of great utility—one which exactly fulfils the requirements of the sportsman who desires an accurate, rapid-firing .22 bore rifle for small game and general shooting. Its effective killing range is 200 yards. It also makes an excellent saloon rifle.

The rifle has a tubular magazine which holds 10 Long Rifle, 11 Long, or 15 Short cartridges. It will take these cartridges mixed indiscriminately if necessary. The rifle is operated by means of a sliding fore-end, which, when drawn breechwards after firing, ejects the cartridge case and on the return carries a fresh cartridge from the magazine into the chamber.


Length	overall	•••		404 ins.
,,	of barrel (rifling chamber)		uding 	21½ ins
,,	of barrel and down	body 	taken	$25\frac{1}{2}$ ins.
,,	of stock from	trigger		14§ ins.
Weigh	t		****	5¼ lbs.
,,	of barrel and	body	3 1bs.	. 14 ozs.

Distance between foresight and open backsight ... 18§ ins.

Sights.—Sporting bead foresight and sliding adjustable backsight.


Magazine.—Tubular, taking 10 long rifle, 11 long, or 15 short cartridges.

A full size (man's size) stock is fitted adapted for the B.S.A. No. 8 aperture backsight.



View of action showing bolt in rear position.

When loaded the action is locked, and can only be opened by firing the cartridge or by pressing back the small catch (a) on the right of the trigger guard, when the cartridge may be ejected without firing. The rifle is also fitted with a safety catch (b) at the rear of the jurigger guard.



Take-down Feature.

Another important detail of the rifle is the take-down feature. Merely turn the screw (c) on the right side of the action up to its stop and the barrel, action, slide, and bolt may be removed. Then by sliding the fore-end backwards the bolt may be withdrawn to leave the barrel quite free for cleaning.

List No. B.S.A.60. Price as specification £5 5 0

REPEATING AND AUTOMATIC RIFLES. THE BROWNING AUTOMATIC RIFLE

For '22 cal. short smokeless cartridges. Also for '22 cal. long rifle cartridges.



Take-down Barrel, 19 in. long. Overall length, 36 in. Weight, 4 lbs.

The magazine is in the butt, following the style of the Winchester Automatic. An excellent rifle for rooks and rabbits. Loads itself and ejects the empty shell automatically. Instantly dismountable for cleaning. The trigger is provided with a safety locking device. Smokeless cartridges are the best and make very little noise. The high power "long rifle" cartridge as used by target shooters does not function well in this rifle.

For '22 long rifle low power smokeless cartridges. List No. BRO.3. Price 45/-For '22 short smokeless cartridges. List No. BRO.2. Price 45/-

No. 12A REMINGTON U.M.C. '22 CALIBRE REPEATER.




This hammerless repeater has a solid breech, the top and rear of which is positively closed, protecting the shooter's face from blowbacks. It has a safety device which securely locks the trigger, also indicates whether the weapon is cocked or not. It takes down easily and rapidly without the aid of tools and the barrel can be cleaned from the breech end.

Specification:—Takes '22 short, long and long rifle cartridges without adjustment; length overall, 39½ inches; length taken down, 25½ inches; barrel, 22 inches long; weight, 4½ lbs.; white metal bead foresight.

List No. REM.12a. Price £5 5 0.

THE SAVAGE MODEL 1925 .22 CALIBRE REPEATER.



The arm is hammerless, with solid breech, solid top and side ejection. All the moving parts are enclosed within the receiver. The action is positive, short, quick and easily operated.

Model 1925—'22 CALIBRE Takedown, Repeating, Hammerless, Slide Forearm Action. 24 in. octagonal barrel, with bright bead front sight and flat top elevator rear-sight. Full pistol grip American Walnut stock with steel butt plate. Chambered to shoot without adjustment '22 calibre short, long or long rifle rim-fire cartridges. Magazine capacity 20 short, 17 long or 15 long rifle cartridges. Weight 54 pounds. List No. SAV.6. Price £4 17 6

WINCHESTER MODEL '06 REPEATER.




A favourite Rook and Rabbit Rifle, takes '22 calibre short, long or long rifle cartridges mixed or otherwise. Round barrel, 20 inches long. Weight, 5 lbs.

List No. WIN'06. Price £4 18 0



WINCHESTER MODEL '03 AUTOMATIC RIFLE.



As used in the War by the Royal Air Force. Made for '22 cal. special Automatic rim fire cartridges only. 20 inch. round barrel, Weight 5# lbs. Magazine capacity 10 shots.

List No. WIN.'03.

Price £9 9 0

We have a limited number of these rifles purchased from Government surplus stocks. We offer them with good barrels, well tested and made equal to new at 84/- each.

GOVERNMENT SURPLUS '22 WINCHESTER AUTOMATIC CARTRIDGES.

Available in large quantities at very low rates. Enquiries stating quantities required solicited. Shipments can be made to all parts of the world.

THE NEW BROWNING REPEATING RIFLE. Cal. 122.



This rifle although sold at a very low price is the latest and most up-to-date rifle of its kind on the market.

It is hammerless, and has a barrel most easily dismounted from the action, and all parts being interchangeable and inexpensive can be replaced by the shooter himself with very little trouble.

The working of the rifle is done by hand by pressing backward and forward after each shot the wood fore-end under the barrel, and it is from this manner of ejecting the empty cases and reloading the rifle that the word Trombone is used, as this word describes exactly its manner of functioning.

The loading of the magazine is very easy, the cartridges being simply dropped into the tubular magazine underneath the barrel until it is full; its capacity being 15 Short, 12 Long or 11 Long-rifle cartridges, any of these cartridges can be used in the same rifle at one time.

Special care has been taken to get the best possible shooting results from such a miniature rifle, and it is bored, chambered and rifled on the latest principle to obtain the highest results.

It is particularly well balanced and is light and elegant in design, and no pains have been spared to turn out an arm equal to the best productions of the Fabrique Nationale whose reputation is well-known, and whose name is a guarantee of efficiency and quality surpassed by no maker of fire-arms.

It is fitted with a straight bar adjustable backsight, easily regulated by a turnscrew, and as all the working parts are easily accessible the rifle is easily kept clean and if carefully oiled will work perfectly in every way. It should be cleaned and greased immediately after shooting and the barrel wiped through from the muzzle end and not from the chamber, as if allowed to get dirty its efficiency is impaired.

Total length of rifle ... 39in. Bend of Stock ... $2\frac{3}{4}$ in. Length of barrel ... 22in. Weight of rifle (empty) ... $4\frac{3}{4}$ lbs.

Length of Stock 131in.

List No. BRO.1.

Price 55/-

WINCHESTER MODEL '90 REPEATER.



The Standard Shooting Gallery Rifle for the past 30 years. 24 inch octagon barrel. Weight 5\frac{3}{2} lbs.

In stock for .22 short cartridges or for .22 calibre long rifle cartridges, or for .22 calibre Winchester Rim Fire cartridges to order.

List No. WIN90. Price £5 13 0

Mist No. Wilnot. Title 25 18 0

REPLACEMENT PARTS FOR WINCHESTER REPEATERS.

Extractors 2/6 each. Main Springs 3/6 each.	ch.
Assembling Screws 1/8 ,, Firing Pin Stops 1/- ,	,
,, Stop Pins 6d. ,, ,, Screws 6d. , ,, Screw Bushing 1/ Action Slide Handles 3.99	,
Comions	,
G	,
Carrier Lever Springs 8d. ,, Triggers $3/$, Carrier Lever $1/$ - , Firing Pins with Springs $4/9$,	,

THE B.S.A. MODEL 1 MINIATURE RIFLE. .22 Bore Single Shot, Bolt Action.

Patent No. 1944/19.

Registered No. 668490.



The bolt action of this rifle is quite novel and very strong, being far superior to rifles of American and Continental manufacture.

SPECIFICATION.

4 lb. 1½ oz. Weight Standard Backsight... Fixed V. Length of Rifle Over all 37in. Foresight... Barleycorn. Barrel 19½in. Bend of Stock ,, Heel 2in. ... Stock, over all 23in. ,, Face (comb) 14 in. from trigger to butt-end 131 in.

List No. B.S.A.I. Price £2 15 0

There is a plate let into the stock on which can be fixed a B.S.A. No. 1 Aperture Backsight at 19/6 extra.

An adjustable open V backsight and bead foresight can be substituted at a cost of 12/(Model No. 1A)

"PARKERIFLED" AND RENOVATED WAR OFFICE MINIATURE RIFLES.



Weight $5\frac{1}{4}$ lbs.

A. G. Parker & Co., Ltd., have secured a limited quantity of these remarkably fine Cadet Rifles which have been re-barrelled on their famous "Parkerifling" system and beautifully renovated, being equal to new in all respects, great attention being paid to accuracy.

The sighting of the War Office Miniature Rifle is almost exactly similar to that of the S.M.L.E. Mark III Service Rifle, therefore it is an admirable weapon for training young cadets.

Price .. 75/-




THE COLUMBIA (NOW FIALA) .22 CALIBRE COMBINATION REPEATING RIFLE AND

The Columbia Rifle and Target pistol is the answer to an insistent demand for a light portable accurate arm that does not weigh eight pounds in the morning and eighty in the evening on the way home. The Columbia, in the opinion of many eminent sportsmen is the most accurate small calibre gun in the world with an effective range of 400 to 500 yards—a most unusual range for a gun of this size. The Columbia is notwithstanding its light construction, extremely durable, the action is simple and practically indestructible. Kept clean and free from rust it will last a lifetime and cannot be shot to destruction.

The Columbia is unique in that it is the only gun that comes fitted into a black leatherette

or leather case of refined appearance, only 21 inches long, and most convenient for carrying.

The Columbia is a Repeater, not a self-loader. The Columbia appeals to ladies on account of its light weight and safety. Weight complete, 5 lbs.



As a Rifle:

Length over all, 35 inches. Length of barrel, 20 inches. Distance between sights, 231 inches. Sights-folding peep sight adjustable for range. Weight 33lbs. Capacity of Magazine, 10 Cartridges.

As a Target Pistol:

Length over all, 111 inches. Length of barrel, 71 inches. Distance between sights, 97 inches. Sights, open navy type. Weighs 31 ounces.

Full Pistol grip-Walnut grips forearm and

Ammunition, 22 calibre—long rifle rim fire greased cartridge loaded with lesmok or semi-smokeless powder.

Safety side lever which locks bolt and disengages trigger from sear.

Finish, full blued.






As a Pocket Pistol:

Length over all, 61 inches. Length, over barrel, 3 inches. Weight, 27 ounces.

Price

Complete in Green Canvas covered compartment case, with lock and key.

List No. C.A.C.1. £5 5 0



A. G. PARKER & Co., Ltd. are Sole Agents for the United Kingdom.

MARBLE'S AUXILIARY CARTRIDGES.

Places the pistol cartridges at the forward end of shell chamber for firing. Bullet takes rifling on being fired; does not strip and become deformed; does not lead the barrel. It allows the use of cheap ammunition for small game or target shooting in a large, high-power rifle.

Perfectly harmless to any part of the rifle. Can be used through the magazine if desired.

Order by number in list below.

Price 4/- each.



FOR RIMLESS CARTRIDGES.

Size .30 Remington for use with .32 short Colt cartridges. Size .30—30 for use with .32 short Colt cartridges.

No. 150-No. 151-


No. 152 No. 153

-Size .30—30 for use with .32 short Colt cartridges.
-Size .30—35 for use with .25 Colt Auto. cartridges.
-Size .303 Savage for use with .32 Smith and Wesson smokeless.
-Size .303 Savage for use with .32 Colt Auto. cartridges.
-Size .30—40 for use with .32 Smith and Wesson smokeless.

No. 154-No. 155-

Size .30-40 for use with .32 Colt Automatic. No. 157 No. 158-

Size .32 W.S. for use with .32 Colt Automatic. Size .30 Government Rimless '03 and '06 for use with .32 Colt Auto. No. 159



FOR RIM CARTRIDGES.



FOR .22 H.P.

Size .22 Savage H.P. for use with .22 L.R. smokeless, semi-smokeless and No. 161lesmok

Size .30 Government Rimless '03 and '06 for use with .32 Smith and No. 162-

Wesson smokeless. Size .25 Remington for use with .25 Colt Automatic. Size .32 Remington for use with .32 Colt Automatic.

No. 163-No. 164-

Size .303 British for use with .32 S. and W. No. 165-

No. 166-

Size .303 British for use with .32 Colt Automatic. Size .35 Remington for use with .380 Colt Automatic. Size .35 Winchester Model '95 for use with .380 Colt Automatic. No. 167-No. 168-

No. 169

Size 8 MM for use with .32 Colt Automatic.
Size .250—3000 Savage for use with .25 Colt Automatic.
Size .250—3000 Savage for use with .25 short Stevens R.F.
Size .300 Savage for use with .32 Colt Automatic. No. 170-

No. 171-No. 172-

Size 6.5 MM (.256) Mannlicher-Schoenauer, Model '03 for use with .25 No. 173 Colt Automatic.

MARBLE'S BROKEN SHELL EXTRACTOR.



Made for all calibres from .22 Automatic to .45—90 inclusive. The Marble Extractor slips inside the broken shell, grabs it by the nose and one motion of the lever throws out extractor and the broken section. Mention calibre desired.

No. 160-Price 4/-

A. G. PARKER & Co., Ltd., are Sole Agents for the United Kingdom for the Marble's Outing Specialities.



PARKER'S MAXIM TYPE RIFLE SILENCERS



LIST NºMMI FOR 22 CAL RIFLES SHOWING SPLIT COUPLING FOR ATTACHING TO PLAIN BARRELS
LENGTH 7 1/8 INS. DIAMETER 76 IN. WEIGHT 6 025.



LIST Nº M.M.2. FOR HIGH POWER RIFLES SHOWING THREADED COUPLING FOR ATTACHING TO SCREWED BARRELS

LENGTH 10½ INS. DIAMETER 11/32 INS. WEIGHT 17025.

List No. M.M.1. 22 Cal. Silencer and Split Coupling. Can be taken apart.

How the Silencer Operates.

The Silencer checks the muzzle blast. Instead of the powder gases being liberated into the air instantaneously when the bullet emerges from the muzzle, they are caught by the Silencer, and allowed to escape gradually.

This is accomplished by the SILENCING CHAMBERS, which are so constructed as to offer a very high resistance to a rapid flow of gas through them, but very little resistance to a slow flow of gas.

The hole in the Silencer is much larger than the bullet and the latter does not touch anything in passing through, and consequently accuracy of flight and velocity are just the same with or without the Silencer.

How much it reduces the Noise.

The Silencer annuls almost all the noise of the gun report. On high power rifles it also reduces the recoil over two-thirds. The reason for this is that there is a very strong tendency for the Silencer to be blown off the end of the gun. This tendency amounts to a forward pull on the gun barrel. This forward pull counter-balances part of the backward kick.

The only noise the Silencer does not control is the noise made out in the air beyond the gun by a bullet in its flight. This noise is a "crack" like the crack of a whip and not a "whistle" or a "shriek" as is commonly supposed. The noise is made by the same thing that causes the air to crack when a whiplash is snapped.

This noise cannot be avoided when the bullet velocity exceeds 1,075 feet per second, no matter how quiet we make the gun. '22 Short and '22 Long Rifle ammunition is below this, and flies quietly. '22 Long and '22 W. R. F. and all high power ammunition are above the critical velocity and usually give bullet flight noise.

Shot cartridges up to '45 calibre work perfectly in the Silencer and make noiseless miniature trap shooting possible without disturbance or danger. On single shot target pistols it improves marksmanship to a surprising degree as it avoids nearly all recoil, or "flip."


The Maxim Silencer will not operate on revolvers. No revolver can ever be silenced. If you stop the noise at the muzzle, it makes its escape at the gap between the cylinder and the barrel. Every revolver must have this gap.

The Maxim Silencer is a practical device for use on all Repeating, Automatic, Single Shot Rifles, and Single Shot Target Pistols. It is made in all calibres from '22 to '45.



Split Coupling. By means of this coupling it is possible to attach the Silencer to many standard rifles, without the necessity of screwing the barrel. It cannot be used on the Model 'o6 Winchester Repeater because it interferes with the withdrawal of the magazine tube, unless the Knurled Top of the magazine tube is filed flat to engage a corresponding flat made on the locking ring of the coupling.

Colt ·22 cal. Automatic Pistol fitted with Maxim Silencer.



Reising .22 cal. Automatic fitted with Maxim Silencer.

Silencers can only be fitted to Automatic Pistols by means of a thread coupling No. 2a to take which the barrels must be screwed, an operation which is best done by ourselves as experience is necessary.

BRITISH TESTIMONY.


From H. C. M. Shaw.

The $\cdot 22$ cal. Silencer works very well. A partridge sat and allowed me to have 4 shots at it, evidently hearing nothing. The last shot killed it.

Received from B. C. Melton, 267, High Holborn, W.C.1.

I have received Silencer for which I thank you very much. After trying it over the week end, I find it very effective.

Major F. S. Gillespie, R.A.M.C., British Military Hospital, Kamptee, C.P. India. Received 14-2-27. "I have had great value out of the Maxim Silencer for my 22 Browning which I got from you, it is invaluable for shooting for the pot when out in the jungle, when the use of a shot gun or ordinary 22 would disturb game."




Top illustration shows Silencer fitted on a Remington No. 12 Repeater by means of a split coupling. Bottom illustration shows Silencer fitted on a Winchester -22 Automatic, the barrel being screwed.

PARKER'S MODEL 1927 "MAXIM" SILENCER for .410 GAUGE SHOT GUNS.



Having for some years experienced a demand for '410 gauge Silencers, during which time we were expecting delivery from the original makers, we at length decided to manufacture one in our own works, which we have no hesitation in saying is of a better design than its predecessor. As will be seen in the lower illustration, a long sleeve is fitted to the barrel, either by screwing or soldering, on which the Silencer is detachably fixed.

With 2" case cartridges the report is reduced by 50%; with 2½" cases it is naturally not so silent, but the sharp crack is reduced to a sort of thud which would scarcely be noticed at 200 yards distance, and consequently the disturbance of game would be very much less than is usual.




PRICES: Model 1927 Silencer

50/-As illustrated

10/-Fitting to Gun ..

N.B.—If customer desires Ito do the fitting himself, please give the diameter of the barrel at the muzzle and 4" further back, and we will do our best to send a close fitting sleeve for soldering on.



This is an English edition of an American invention for providing a light for night shooting.

We have, however, improved upon the American Torch by providing a variable focus, which is adjustable by twisting the front portion of the torch.

The "Vee" Clip fits an any rifle and Shot Gun Barrel to which it is attachable and detachable with ease. The Torch is a high grade instrument useful for general purposes and for which bulbs and refill batteries are obtainable everywhere.

N.B.—The latest nattern Torch has a helical focuseing measurement. The Switch connect he accident

N.B.—The latest pattern Torch has a helical focussing movement. The Switch cannot be accidentally set, so there is no fear of running down the battery.

PRICE:

Outfit, consisting of Torch and spare bulb in end cap, the "Vee" Clip and one sealed battery. List No. N.S.L.1. Price 25/-

SPORTING RIFLE SIGHTS.

MARBLE'S STANDARD

Ivory or Gold Bead.







For all American Rifles—18, 38 and 18-in. ivory or Pope's Ivory or Gold Bead, List No. MFS4. Price 4/6 Handsome and well made. Island Gold Bead.

MARBLE'S IMPROVED

Ivory or Gold Bead.







We may justly describe this sight as a "long look ahead." It enables one to make accurate shots at any range without stopping to adjust the rear sight.

On a range somewhat longer than the gun is sighted for, one can see the object aimed at

under the centre of the bead as well as over.

It is an exceptionally valuable sight for running shots and is used for shooting at objects in the air by the most famous professional riflemen.

18 or 39 in. Ivory or Pope's Island Gold Bead. Ivory or Gold Bead, List No. MFS5. Price 4/6

MARBLE'S REVERSIBLE

Ivory and Gold Bead.







Both beads are the same size and are furnished in $\frac{1}{16}$, $\frac{5}{32}$ or $\frac{1}{8}$ inch sizes. The tion can be relied upon to meet every possible condition of light, background, etc. This combina-

This sight can be instantly reversed. Simply pull up the bead carrier against the pressure of the spring until it clears the groove-then turn it around.

A dowel near each end of groove engages with holes in the bottom of bead carrier. These would take up the shock of a blow on either end. Ivory and Gold Bead.

MARBLE'S DUPLEX

Gives shooter choice of fine or coarse bead as imstances require. Fine bead is 10 in. gold; circumstances require. coarse bead is & in. white enamel, and will always retain its snowy whiteness. When fine bead is used, coarse bead folds down flat as shown.




List No. MFS6. Price 6/6

Made for Winchester 1894; .25-35, .30-30 and .32 W. S.; Marlin 1893 (state calibre); Savage 1899, except Featherweights, .22 H. P. and 250-3000. List No. MFS7. Price 6/6

MARBLE'S V-M SIGHT

Made For All American Rifles

Embodies an optical principle new to many shooters.




Face and lining of aperture are made from our lustrous Pope's Island Gold, visible in the dimmest light. The aperture is 32 inch inside diameter, 1 inch outside diameter, 1 inch deep. List No. MFS8. Price 6/6



This sight is guaranteed to show up well in the darkest timber, under any and all circumstances, and not to "blur." Will show the same colour on different coloured objects; will stand rough work and improve the shooting greatly. Made to fit nearly all sporting

and military rifles, carbines, target revolvers and pistols, and Luger automatic pistols. When ordering Sheard front sights for Mauser and Mannlicher rifles, send front sight now in use on rifle as sample to make sure that correct sight is sent. For other rifles and revolvers give makes, model and calibre.






Sheard sight—With medium bead. List No. MFS9. Price 6/6. N.B.—In all cases it is necessary to give the name and type of rifle for which the sight is required.



MARBLE'S REAR SIGHTS FOR SPORTING RIFLES.

Marble's Flexible Rear Sight.



For all Standard American Rifles.

Does not lock up, but is held by a double acting spring. Sight yields when struck and automatically flies back to correct place. Cannot be injured by blows or shocks and is always ready for accurate shooting. Can be locked down at will and instantly raised when wanted. Jamb nut at bottom securely holds elevation sleeve and keeps disc stem always rigid and in alignment.

This sight will suit all American rifles but when ordering state whether or not the rifle has pistol-grip stock and be careful to give Make, Model and Calibre.

Furnished with two discs, having different apertures.

List No. Marble 1. Price 17/-

Marble's Simplex Rear Sight.

For .22 Calibre Rifles only.

Note Low Price.

The stem can be set very quickly in any position by raising the lock to a horizontal position and moving the stem up or down with the fingers.

The lock holds stem rigid at any elevation.

The sight is held quite firmly by an inside spring in the proper position for shooting, but can be easily folded down.

Supplied, with two discs, having different apertures, 8/6 List No. Marble 2.





Marble's Receiver Sight.

For Model 1920 Savage Bolt Action Rifle & .303 British Lee Enfield. Price 29/6, and please state for which rifle the sight is required.

This sight was designed especially for these rifles. It attaches to the side of the receiver, around ejector, and is absolutely rigid.

Adjustments for windage and elevation are made with two sleeves having spring click attachments for each quarter turn. A quarter turn of the elevating sleeve will alter the elevation .0125 inches and a quarter turn of the wind-gauge sleeve will give a variation of .0104 inches in windage adjustment. The size of the aperture is $\frac{3}{32}$ inches. List No. Marble 208 Price 27/6

Marbles's Adjustable Leaf Sight.



95L.	For Winchester Rifles; Marlin Rifles and '95; Savage Rifles, Models.'					
	Remington Rifles, Models 12, 14, 16,					5/6
No. 95H.	For Savages and Marlin H. P. Rifles	0.224		•••		5/6
No. 95XH.	For Savage 1920, Bolt Action Rifles .	988				5/6
No. 95NRA.	For Savage 1919, 22 N. R. A. Rifles .		**	• • •	100	6/6
No. 95S.	For Stevens Rifles		101.00	5.550		5/6
No. 95R.	For Remington Auto. Rifles					6/6

The leaf of this leaf sight is firmly held in position by the spring of the long flat part when either up or down, and can be easily put in either position.

Useful on rifles, fitted with aperture sights. It lies down out of the sight line when not required.

117A



LYMAN COMBINATION FRONT SIGHTS. For All-around Shooting,



Using Globe.

Lyman List No. 5 Globe and Ivory Post


Price 7/6

Adapted to ail guns taking regular rifle type of front sight. Can be used for combination hunting and target work. Use protected globe against target



Using Ivory.

or light background, and instantly adjustable ivory post for hunting and against dark background.



Lyman Micrometer Windguage Receiver Sight No. 48

In stock for Springfield and Lee-Enfield Rifles, also supplied for Newton, Ross .280 Remington Model 30. B.S.A. No. 12.

Price 46/-List No. Lyman 48.




Lyman New Micrometer Windguage Rearsight

Can be supplied for Stevens Ideal and Stevens No. 414 also for the Winchester Single Shot and the Winchester Musket. Price 37/6

List No. Lyman 103.

APERTURE BACKSIGHT FOR MAUSER RIFLE MODEL '98.




This new sight for the Mauser Rifle Model 98 action is positioned on the bolt retaining catch, the pointed screw on which the catch pivots being replaced by the special long pointed screw shown in the left illustration. Although the foundation is not rigid, it is nevertheless reliable, for the spring which closes the catch automatically re-positions it.

The sight has micrometer elevation and windgauge movements and although these movements are rather restricted they are quite sufficient for sporting purposes and in some cases for target shooting.

List No. MAU.1. Price 16/-





This Sight is of excellent design and workmanship, and it is very difficult to improve upon it in either respect.

It is fortunate also that there are very few rifles on which it cannot be fitted to advantage.

A splendid feature is the clicking arrangement in the vertical and lateral screw adjustments, by which movements on the target at 25 yards range can be made to \(\frac{1}{6} \) of an inch with absolute certainty in the dark.

We strongly recommend the 6-hole rotateable eyepiece which enables the shooter to adjust the aperture to suit the prevailing light thus preventing eye strain.

It is made with two lengths of pillar.

The Short Pillar is suitable for fitting on the action body of B.S.A. Greener Miniature Club and Francotte Martini actions and small bolt action rifles.

The Long Pillar is suitable for B.S.A. Model 2, War Office Miniature, Stevens and other hammer action American rifles.

List No. 8	With plain eyepiece			19/6
List No. 8A	With 6 hole eyepiece	1444		 22/6
List No. 8B	Plain eyepiece only	14440	9	 3/-
List No 8c	6 hole eyepiece only			 5/-



Rotateable Eyepiece.


TANG PLATES.

With the assistance of these plates B.S.A. No. 8 sights can be readily attached to some American Rifles.

List No. T.S.P.1. For Stevens Rifles, ,, ,, T.S.P.2. ,, Winchester Repeaters, etc.

Price.....2/6.

TELESCOPE RIFLE SIGHTS.



The American type has outside lateral and vertical micrometer adjustments whereas the European pattern has no lateral adjustment with the result that it is never "dead on."

The Safeguarding of Industries Act has greatly increased the price of these telescopes, but we have a limited stock of Stevens No. 368 of sixtimes magnifying power of substantially the same design as the Winchester Telescope illustrated above, that we shall sell at the pre-duty price.

List I	No.	WIN369.	Winchester Telescope, 5 x power, No. 2 Mounts. Pr	ice	£7	10	0
		S368.	Stevens Telescope, 6 x power	,,	£6	10	0
		14067.	Easyfix Mounting for S.M.L.E. Rifles	,,	£1	10	0
,,		Г4068.	Easyfix Mounting for Long L.E. Rifles	,,	£1	10	0

A. J. BUTLER, Esq., of St. Leonard's Park, Horsham, writes on 16/5/26:—"You fitted a telescope sight to my '22 calibre Rifle last year which has added very greatly to the interest of shooting with it."






Fig. 1



Fig. :



Fig. 3



Fig.



Fig. 5

PARKER-HALE UNIVERSAL OPTICAL SIGHT SET.

For Sporting and Target Purposes. (1926 Improved Model.)

List No. OSS1. Price 30/- In lined oak case.

The Parker-Hale Universal Optical Sight is the first Optical Sight which will fit on any unencumbered rifle barrel.

It fits equally neatly on the light barrel of the Savage Hi-power Rifle and on the heavy barrel of the Stevens Armoury Model Rifle.

This is a great advantage both from the standpoint of the maker, dealer and user. The dealer has only to stock one pattern and the user has only to buy one sight for all his weapons.

The rearsight clearing lens holder fits the disc holder of Lyman and B.S.A. Aperture Sights.

Its magnification doubles the size of the object and considerably enhances its clearness, thus enabling the rifle to be sighted with extreme accuracy.

The foresight lens holder can be fixed either in front or rear of the ordinary foresight which is ignored in shooting, but is useful as a pointer over which the spot on the lens should be positioned when fitting the optical sight.

The foresight lens holder can be fitted and adjusted in a minute, and removed instantly by unloosening the coin slot screws.

screws.'

Fig. 1 shows the Optical Foresight on a Model 2 B.S.A.
Rifle.

Fig. 2 shows the rearsight clearing lens and holder screwed into a B.S.A. No. 8 backsight.

Figs. 3 & 4 show a rabbit on which the sight is aligned compared with another rabbit seen over ordinary sights. A vital part can be hit with far greater certainty. The Fig. 4 view is scarcely as clear in actual sighting.

Fig. 6 shows the set in the neat oak case in which it is supplied.

Elevation with the Optical Sight is naturally very different to ordinary sight elevation, firstly because the sighting spot is higher than the regular foresight, and secondly because the size of the object is doubled.

Price List of Parts.

Spot Front Sight Lens			List	No.	OSS2.	7/6
Rear Sight Lens	93	***	,,	1.7	OSS3.	3/-
Front Lens Holder	***		,,	,,	OSS4.	15/-
Rear Lens Holder		3555	,,	,,	OSS5.	2/-
Oak Case, plush lined		822.1	,,	,,	OSS6.	2/6

For some rifles the spot in the centre of the lens is too high. In such cases the ordinary foresight of the rifle can be utilised as the laying mark.

N.B.—In many instances the Pin Hole of the Aperture Sight acts well enough without the Rear Sight Lens.

Testimonial.


G. F. Anderson, Esq., Walsworth House, Hitchin, Herts.

6.9-27.

"I have just returned from Scotland, where I gave the .22 Rifle a thorough trial. I am extremely satisfied with it. The Optical Sight makes rabbit shooting almost child's play. I am happy to send you a cheque for the enclosed bill."



PARKER'S "HELVETIC" CLEANING ROD.



Illustrations show the Rod assembled ready for use

also when slackened for packing away.

A novel but highly practical device. A jointed rod without any loose parts that assembles in a second and takes down just as quickly. Packs into 81 inches. The cord is immensely strong and is not at all likely to give way with years of use, but easily removable in any case.

The sections are made in two diameters, viz.: $\frac{1}{6}\frac{7}{4}$ -in. for Military and Small Game calibres and $\frac{1}{3}\frac{1}{2}$ -in. for Heavy Game Rifles and Shot Guns.

Implements to fit any bore are available and the calibre should be mentioned when ordering. Calibres . 400 to '500 List No. P.A.R. 8. Price 9/-

Calibres 275 to 375 List No. P.A.R. 1. Price 8/-

TRUEFORM

The advantages of a round jag are, the round surface presses the patch evenly on the bore, and forces the rod to follow the rifling, and thereby clear the grooves. The whole of the instrument, except the smooth shank, is covered by the patch.

BRASS "TRUEFORM" JAG.

Calibre List No.	"22 E.S.	256 E.825.	·280 or 7 m/m. EM 8.
Price	6d.	1/-	1/-
Calibre.	.300	to :355	·375 to ·404
List No.	1	768.	1769.
Price		1/-	1/6



"SAFESURE" BRASS JAG. '300 to '355 Calibre .00 List No. SBJ.1. SBJ.2. Price

1/-

.320



"FLEXIBLE" BRASS JAG. Calibre ·300 to ·355 450 FBJ.2. List No. FBJ.1. Price 1/6 1/6

8d.



BRASS PLUG.

	_		
Price	6 d.	9d.	9d.
List No.	E.1.	EM.11.	178.c.
Calibre	- 22	.280	.300 to

Instructions for use are given with Flannelettes put up in boxes, containing a special size for each calibre.

Calibre .380 .450 List No. 1780 1781 1/-Price 1/-



Flannelette lies back upon the "wai-t" and permits of movement of the cleaner each way in barrel.

BRASS LOOP (best finish)

Calibre	·177	·22 to 256
List No.	'AE.3.	E. 3.
Price	6 d.	9d.
Calibre	·280 to ·375	·400 to ·600
List No.	178A.	178. L.




PARALLEL CLEANING PLUG.

2/-

List No. E.11. Steel centre Plug, with Brass Head and Revolving Screwed Socket for '22 and '256 calibre. Price 1/-

Price

List No. E 12 As above, for 300 to 315 calibre. Special Flannelettes can be supplied from stock. Price 1/3



STEEL RAG DRAWER BIT.

Calibre	.22	280 and upwards.
List No.	F.51.	179.
Price	1/-	1/3

For use with "T" handle rod.



PARKER'S BRUSHES FOR SPORTING RIFLES.

Being actual makers of gun and rifle implements as well as shooting specialists we know the necessity for making each implement to suit the calibre of the weapon it is intended to clean. Consequently our brushes are far more effective than those of our competitors at home or abroad. The test of a straight wire brush in particular is its appearance after it has passed down a barrel. Our brushes emerge looking as good as when they entered. Screw threads are British Government standard threads for miniature bore rifles, up to and including 256 calibre. For 7 m/m, and upwards the Government "Martini" screw thread.

ORDINARY BRISTLE BRUSHES.

These are made of the best materials only, the stem being secured to the socket by our patent method, see illustration. Useful for swabbing prior to wiping out.

Calibre	.177	.22	256	·280 or 7 m/m	·300 to ·350	·351 to ·400	'450 to '500	.550 to .600.
List No.	BR. 1.	B.2.	BR.2.	BR.3.	No. 168.	BR.5.	BR.7.	BR.9.
Price	6d.	6d.	6d.	8 d.	8d.	9d.	1/-	1/-

PARKER'S DREADNOUGHT BRISTLE BRUSH.



The stem of this brush is made of half-round wire and carries a very heavy body of bristle.

Calibre	.22	.256	280 or 7 m/m.	.300
List No.	B.12.	DBM.5.	DBM.4.	DBS1.
Price	1/-	1/3	1/3	1/3

ORDINARY WIRE BRUSHES.



Made with Mild Steel Wire or Phosphor Bronze Wire brushing material. The round wire stem is secured to the socket by our patent method.

Calibre	·22	·256	'280 & 7 m/m	'300 to '318.	350 to 403		500
List No.	B.11.	FM.5.	FM.4.	No. 173.	FW.4.		FW.6.
Price	1/-	1/-	1/-	1/-	1/3	1/3	1/6

DREADNOUGHT WIRE SCOURERS.

The brushing material is of hard drawn mild steel wire or phosphor bronze wire as ordered. The stem is of half round wire which holds a heavy body of brushing material. Useful for removing metallic fouling.

Calibre	.22	256	·280 & 7 m/m	300 to 318	350	.450	.550
List No.	B.13.	DWM.5.	DWM.4.	DWS.1.	DWS.4.	DWS.5.	DWS.6.
Price	1/2	1/2	1/3	1/3	1/3	1/6	1/9

WOOL MOP for Oiling.


Calibre	.22	256	280	.300	.400	.500	.600
List No.	B.7.	B.71.	B.72.	181.	181.A.	181.E.	181.1.
Price	6d.	8 d.	9d.	9d.	9d.	1/-	1/-

N.B.-Wire Brushes are very strongly recommended. See paragraph on page 14a.

PULL THROUGH CLEANERS FOR SPORTING RIFLES.

The "DREADNOUGHT." We have at length succeeded in producing a better

brush pullthrough, by utilising a brush made on the "Dreadnought" principle (Registered No. 596501).



This brush carries a large, strong, and compact body of bristle, ground down to slightly over the size of the barrel, so that it actually sweeps the grooves and does not merely drag over the lands of the rifling as is usually the case.


List No.	Calibre.	Price
BSP.0.	·280 or 7 m/m.	3/-
BSP.1.	·300 or ·303.	3/-
BSP.3.	·320 cal.	3/-
BSP.4.	'350 to '400.	3/-
BSP.5.	'450 to '475.	3/6
BSP.6.	·500 to ·550	3/6
BSP.7.	·570 to ·600	4/-


The above are supplied in leather pouches at above prices, but can be had without pouches proportionately less.

BRISTLE BRUSH PULLTHROUGHS (Ordinary Quality.)

LEATHERETTE POUCHES.

Calil	bre. '22		.5296	'280 and	/ m/m.
List	No.	M2	MM2	ММ3.	
Price	e	1/3	1/3	1/6	
Calibre.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		·350 to ·400	·450 to ·500	·550 to ·6
List No.			182T	182E	182D
Price	1/6		1/6 1/6		2/-





LEATHER POUCHES.

Calibre.	.22	$\cdot 256$	·280 & 7 m/m.	·300 to ·320.	
List No.	M22	MM22	MM33	182.	
Price	1/6	1/6	2/-	2/-	
Calibre.	·35 0 to ·400		'450 to '500	550 to 600.	
List No.			182F	1821.	
Price	2/-		2/3	2/6	

WIRE BRUSH PULLTHROUGHS.

Calibre List No.	·22 M3	·256 MM24	·280 MM35	· 300 182M 2/-	·350 1820 2 /·	·450 1821' 2/6	182R 2/9
Price	1/6	1/6	2/-	2/-	21.	2/0	2/0

Our Wire Brushes are perfectly circular, of a flexible metallic material and have a good cleaning body. All above are in black leatherette pouches, but are supplied in leather pouches to order.


Wire Brush Pullthroughs are undoubtedly best, as they break up the Potassium Chloride fouling, which is the chief cause of rust. See remarks on page 14A.

MARKED FLANNELETTE

For Rifle Cleaning.

As issued by Government. Made up in rolls of 60 yds. (or thereabouts) four inches wide, marked across every two inches with a red stripe.


No. 1878. Large roll of 60 yards, 6/9. Post 9d. Small roll of 6 yards, 1/-. Post 3d. No. 187c.





KYNOCH CENTRE FIRE CARTRIDGES FOR HIGH

VELOCITY AND OTHER	SPORTING	RIFLES,	ETC.
Calibre and Description	Powder	Bullet weight	
.297/.230 (Morris) Short	Smokeless Smokeless	Grs. 37 37	per 100 5/- 8/-
·240 Flanged Nitro-Express (Holland) . ·240 Belted Rimless Nitro-Express (Holland) ·242 Rimless Nitro-Express (Vickers) ·297/·250 Rook Rifle · · · · · · · · · · · · · · · · · · ·	SmokelessSmokelessSmokelessSmokelessSmokelessSmokeless	100 100 100 56 86 65	£2 10 0 £2 10 0 £2 10 0 9/- 16/- 11/3
6.5 mm. (.256) Mannlicher (Dutch) 6.5 mm. (.256) Mannlicher-Schonauer	Smokeless Smokeless	160 160	£1 6 0 £1 6 6
6.5% Mannlicher	a design		
6.5 mm. (.256) Mauser (Portuguese) 6.5 mm. (.256) Krag-Jorgensen (Norwegian)	Smokeless	155 160	£1 5 6 £1 9 6
·26 Belted Rimless Nitro-Express (B.S.A.)	Smokeless	110	£2 11 6
·275 Flanged Magnum Nitro-Express (Hollan ·275 Belted Rimless Magnum Nitro-Express	d) Smokeless Smokeless	160 160	£2 11 6 £2 8 0
7 mm. Walking Stick, Shot	Black	1.000	9/6
7 mm. , Ball	Black Smokeless	45 173	7/6 £1 4 6
·280 Flanged Nitro-Express	Smokeless	160	£2 12 6
200 (or 205) Book Bid	Smokeless Smokeless	. 160	£2 0 0
7.62 mm. Rifle (Russian)	Smokeless	148	£1 11 6
.20 Elapsod (20140 L'ana)	Smokeless	140	15/-
20 Dimloss (Carrier of 11 100)	Smokeless	220 220	£1 19 0 £1 19 0
do. Copper Pointed	Smokeless	150	£2 6 0
·30—30 Winchester 7.65 mm. (·301) Mauser, Belgian and Turkisl	Smokeless a) Smokeless	170 219	£1 6 9 £1 9 6
303 British Mark VI	Smokeless	215	£1 5 6
-303 Savage	Smokeless Smokeless	174 180	£1 6 0 £1 6 9
·303 Magnum	Smokeless	175	£2 9 0
3/5/303 Nitro-Express	Smokeless Smokeless	215	£2 8 0
7.9 mm. (·311) Mauser (German)	Smokeless	$\frac{120}{227}$	£1 6 6
8 mm. (·315)Mannlicher (Austrian, Bulgarian a		0.1.1	
8 mm. (·315) Mannlicher-Schonauer	. Smokeless . Smokeless	244 200	£1 8 0 £1 7 0
9 mm / 915) Manager	. Smokeless	227	£1 6 6
318 Nitro-Express	16,00		
	viscos e		
·318 Rimless Nitro-Express	. Smokeless	250	£2 7 0
-320 Long (Rifle)	. Black . Smokeless	80 80	9/3
·32 Winchester "Special"	. Smokeless		£1 8 9
·33 Belted Rimless Nitro-Express (B.S.A.)	. Smokeless		£2 18 6
333 Rimless Nitro-Express	. Smokeless		£2 18 6 £2 18 6
·35 Winchester	. Smokeless		£2 2 0
351 Wincheste	r S.L.		
·351 Winchester Self-Loading Rifle	Smokeless	180	£1 2 4



Calibre and Description				Powder	Bullet Weight Grs.		Pricer 1	
9 mm. Mannlicher Schonauer				Smokeless	245	£ī	9	0
9 mm. Mauser				Smokeless	262	£1	8	0
360 No. 5 Rook Rifle				Smokeless	145	1	2/6	
·360 Nitro-Express		4.50.5		Smokeless	300	£2	8	9
-360 No. 2 Nitro-Express			19 3	Smokeless	320	£3	5	0
9:3 mm. Mauser	Value Value	12.45		Smokeless	285	£1	9	6
9.5 mm. Mannlicher Schonauer				Smokeless	270	£1	10	0
·375 Rimless Nitro-Express 24		* *		Smokeless	270	£1	10	0

375 Nitro-Express

.375 Belted Rimless Magnum Nitro-Express (Holland) Smokeless 300 £2 7 0 .380 Long (Rifle) Smokeless 124 13/- .38—40 Winchester Black 180 14/6 .450/.400 Nitro for Black Powder Express 23/8 in Smokeless 270 £2 4 3 .450/.400 Black Powder Express 23/8 in Black 230 £1 18 3
-38—40 Winchester -450/-400 Nitro for Black Powder Express 23/8-in. Smokeless 270 £2 4 3
100 100 Files I B 1 F 93 in Black 230 £1 18 3
·450/·400 Black Powder Express 2g-in.
450/-400 Nitro-Express, 3-in
401 Winchester Self-Loading Rifle Smokeless 200 £1 8 0

404 Nitro-Express

·404 Rimless Nitro-Express			Smokeless	400	£2		6	
·405 Winchester ··			Smokeless	300		2	0	
·10·75 mm. (·423) Mauser		12.	Smokeless	347	£1	Service Control	6	
·44—40 Winchester		200	Black	200		1/6		
·44—40 do			Smokeless	200	18	8/6		
·450 Nitro-Express			Smokeless	480	£3	7	3	
·450 Nitro for Black Powder Exp			Smokeless	365	£2	13	9	
·450 Black Powder Express, 31-in		2501 2501	Black	310	£2	3	9	
·500/·450 No. 1 Nitro for Black Po	wder Exp		N					
03 in			Smokeless	365	£3	0	0	
23-in	31-in		Smokeless	480	£3	10	6	
·577/·450 Solid Martini-Henry			Black	325	£2	8	0	
			Smokeless	480	£2	12	0	
Do. do			Smokeless	410	£2	12	0	
		10000	Smokeless	480	£3	10	6	
·500/·465 Nitro-Express			Smokeless	500	£3	10	6	
·470 Nitro-Express			Smokeless	480	£3	10	6	
·475 Nitro-Express	<u>7</u>		Smokeless	520	£3	10	6	
·476 Nitro-Express			Smokeless	570	£3	10	6	
500 Nitro-Express, 3-in	rece 3-in		Smokeless	440	£3	2	0	
·500 Nitro for Black Powder Exp		* 5050	Smokeless	570	£3	11	0	
500 Nitro-Express, 31-in.	Powder F	'vnress	D.1110111111111111111111111111111111111	10000000				
.577/.500 No. 2 Nitro for Black	· ··		Smokeless	440	£3	4	0	
2—13/16-in			Black	480	£2	10	0	
-577 Solid Snider		10.00	Black	480	£1	13	0	
·577 Coiled Snider	rtini Henr	-171	Black		1	7/3		
·577 Snider Blank (Snider or Ma	i tilli-i i cili		Smokeless	750	£4	1	0	
·577 Nitro-Express, 23-in.		1.5	Smokeless	750	£4	4	0	
·577 Nitro-Express, 3-in	oroge 3 ir	10/10	Smokeless	570	£3	9	0	
.577 Nitro for Black Powder Ex		1	Smokeless	900	£5	2	6	
•600 Nitro-Express · · ·			Cilionolog					



KYNOCH CENTRE FIRE CARTRIDGES FOR PISTOLS AND REVOLVERS.

Calibre and Description		Powder	Bullet Weight Grs.	Price per 100
5.5 mm. Velo Dog Revolver		Smokeless	45	10/-
6.35 mm. (.25) Auto Pistol		Smokeless	50	8/9
00 35		Smokeless	85	16/3
·30 Mauser Auto Pistol (in chargers)		Smokeless	85	18/-
7.62 mm. Nagant Revolver (Russian)	(*/*)	Smokeless	104	14/-
7.63 mm. Mannlicher Auto Pistol	1. 1.	Smokeless	85	15/-
7.65 mm. or .32 Auto Pistol or .30 Brown	ning Pistol	Smokeless	72	11/3
7.65 Parabellum Auto Pistol		Smokeless	92	15/-
·32 S. & W. Revolver		Smokeless	85	9/-
·32 S. & W. Long Revolver		Smokeless	98	9/9
·320 Revolver		Black	80	7/6
do		Smokeless	80	8/3
·32 Colt New Police Revolver		Smokeless	100	9/9
9 mm. Auto Pistol		Smokeless	110	15/9
9 mm. Parabellum Auto Pistol		Smokeless	124	16/9
·38 S. & W. Revolver		Black	145	9/9
do		Smokeless	145	10/9
·38 Colt Police Positive Revolver		Smokeless	150	10/9
·38 S. & W. "Special" Revolver	*.*	Smokeless	158	13/-









·380 Revolver			7			Black	124	10/-
do			• •		374	Smokeless	124	10/9
mm. Short Aut	to Pistol	•				Smokeless	95	13/6
38 Auto Pistol				* *:		Smokeless	130	16/9
410 Revolver		• •		78. 10		Black	160	12/-
44 S. & W. Rev	olver (Ame	ericar	1)			Black	220	13/3
do. do						Smokeless	220	14/9
45 Colt Auto Pis				4.40		Smokeless	200	19/6
45 Colt Auto Pis	stol (U.S.A	. Go	vt.)			Smokeless	230	19/6
450 Revolver						Black	225	12/-
do.	277.2	100				Smokeless	225	13/-
455 Revolver	¥5.					Black	265	15/-
do.		• •			*/*:	Smokeless	265	15/6
455 Webley Self-	-loading Pi	stol		2000	****	Smokeless	224	19/-









Cartridges made by the Savage Arms Corporation for

SAVAGE RIFLES MODELS 1899 AND 1920, ETC.





Description.	Velocity feet per second.	Muzzle Energy	Mid-range Trajectory.	Bullet, solid or soft nosed	Price per 100
·22 SHP	0000	foot pounds			31/6
		1218	2.958 in.	70 grs.	
·250-3000 Savage	3000	1737	2.49 ,,	87 ,,	34/6
·300 Savage	2700	2426	2.9 ,,	150 ,,	39/-
30/06 Springfield					42/-
25/20 Hi Power	2300	705	1.03 ,,	60 .,	14/6

	1	
1		4

	RIM-FI				TION	ı
FOR SALOON RIF	LES A	AND	PIST	OLS.	Price :	per 100.
·22 calibre Long Shot Cartridges	22 27		12.12			4/6
No 1 Bulleted Cartridges				22.00		1/6
No. 1 Bulleted Cartridges No. 1 Shot Cartridges		34.34	5455	394334		1/9
No. 1 Long Shot Cartridges		/####	19.00		•::(•::)	2/3
No. 1 Blank Cartridges in boxes of 100 No. 1 Blank Cartridges in boxes of 50) *		3533	8.00		1/3
No. 1 Blank Cartridges in boxes of 50				1.51.5	*:::*	1/6
No. 3 Bulleted Cartridges				(#60 x	+554	3/3
No. 3 Shot Cartridges						4/-
No. 3 Long Shot Cartridges	* *	****		*60*	288	5/-
CARTRIDGES OF WINCH	IFSTE	RΔ	ND	REM	INGT	ON
MANUF						Per 100
No. 1 Bore Conical Bullet Caps						2/-
·22 calibre W.R.F. smokeless					•0:•:	5/3
·22 calibre Winchester Automatic rim f						5/3
·22 Winchester 1903 Hollow po	oint, cent	tre fire	e, auto	matic :	rifle,	- 15
smokeless	4.4			62.00		5/6
·22 ,, Remington Special, hollow p	point, cer	atre fir	e, for I	Model 1	2CS	
smokeless		S-050				5/6
·22 ,, Remington Auto-loading, he	ollow poi	int, cer	ntre fir	e, smol	keless	5/6
·22 ,, W.C.F. Smokeless ·25 ,, Stevens', hollow point, cent						14/6
·25 , Stevens', hollow point, cent	re firė, ''	Lesmo	ok ''			8/-
·25 Automatic Pistol						13/9
·25/20 W.C.F. Model 92 Smokeless	2.5					17/-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						30/6
.270 ,, ,, 54 ,						52/6
·30 Government ,, 06 ,,		» ·			(40)	52/6
·30 W.C.F. ,, 94 ,,					6474	35/-
.32 ,, 92 .,				590.	*60	17/-
·32 S. & W. Revolver. Smokeless					474	10/3
·32 Short Colt Revolver. Smokeless			3 * 3 *	10 0 100	7855	10/3
·32 Long Colt Revolver. Smokeless						11/6
·32 S. & W. Long Revolver. Smokel	ess		• •		***	11/6
·32 Police Positive Revolver. Smoke	less				1.37	11/6
·32 Automatic Pistol. Smokeless					•00	15/-
·32 C.F. Model 94 Winchester Special	Smokel	ess			187	35/-
·32 Self-loader. Smokeless	38 .*	50 M	* *		• •	24/9
·32/40 C.F. Model 94 Smokeless		* *	****	5484		29/9
·35 Self Loader. Smokeless		* *	• •	• •		25/3
·35 W.C.F. Model 95 H.V. Smokeles	S			54694	14/64	50/6
·351 Self Loader. Smokeless	* *		• •		*11*	29/3
			• •	1.05	0.00	13/6
·380 Hammerless Auto Pistol. Smok	eless	• •	• •		• •	21/-
·38 S. & W. Revolver (special). Smo		• •	* *		3834	16/-
·38 Automatic Pistol. Smokeless	• •			• •		22 -
·38 Long Colt Revolver. Smokeless	* *		• •	14004		14/3
·38 Short Colt Revolver. Smokeless		• •		• •		13/3
·38 Police Positive Revolver. Smoke		* *	> ×	* * .	• •	13/6
·38 W.C.F. Model 92. Smokeless		• •	• •		1915	20/6
·38/55 C.F. Model 94. Smokeless			• •	* *	(*.6*	37/-
·401 Self Loader. Smokeless	* •	* *	* *	1.		37/-
·405 W.C.F. Model 95 H.V. Smokele		* *	* *	5 9 🖭	8 * 89 x	55/-
		• •	• •		• •	14/6
44 S. & W. Russian Revolver. Smol		* *	* *	* •	* *	19/-
44 W.C.F. Model 92. Smokeless	• •	• •	• •	* *		20/6
45 Colt Revolver. Smokeless	•00•0	••	*5.1*0		* #	$\frac{21}{20}$
455 ,, ,, ,,	• •		• •		2.2	25/6

FOR FIELD DAYS.



We have made special arrangements for the manufacture of these from new materials purchased from the Disposals Board which enables us to offer them at a price below the present manufacturing cost. Satisfaction guaranteed.

List No. B303. Case of 1000, Price 70/-

'303 MARK VII. TRACER CARTRIDGES.

These Cartridges were used during the War chiefly by Aeroplane Machine Gunners. They contain at the rear of the bullet a burning charge, which glows brightly and indicates the line of flight of the bullet.

Naturally, a sportsman would like to see exactly where his bullet strikes, whether high or low or wide of the mark and these cartridges enable him to see this perfectly.

The only possible objection to the use of this ammunition is that the burning material leaves a hard residue behind it which needs removing by an application of "Motty" Paste, or it can be cleared by firing a round or two of ordinary ammunition.

Price 20/- per 100.

Special quotations for larger quantities.

CHEAP '303 MARK VII. CARTRIDGES.

For hunting purposes where the extreme accuracy required in ammunition for target purposes is in most cases of less importance, we are able to supply limited quantities of 303 cartridges of British Government specification made for use in the war.

Our price for 100 is 10/-

REVOLVER BLANKS (for Starting Races) etc.

The following blank cartridges can always be supplied from stock.

'22" cal. Short Blanks		1/9 a 100	'380" cal. Colt		9/- per 100
'22" cal. Long Blanks	(4)4.4	2/- a 100	·38" cal. S. & W	***	9/- per 100
320" cal. Colt	222	7/6 per 100	' 4 50" cal	1000	12/- per 100
32" cal. S. & W	252	7/6 per 100	'455" cal		15/- per 100

RIFLE REPAIRS.

We stock all Service Rifle Components, B.S.A. Gun and Rifle Components, Martini parts, many Winchester parts and we undertake to supply any parts for standard interchangeable weapons to order.

SIGHTING.

We keep in stock the largest variety of Target Rifle, Sporting Rifle and Shot Gun Sights in the World and make the best possible job of fitting them to weapons and zeroing them.

EMPTY CARTRIDGE CASES.

We are prepared to purchase these at 3d. per lb. delivered Birmingham.

MARBLE'S OUTING EQUIPMENT. Ask for Marble's List No. 31.




Marble's Ideal Hunting Knife.

This was the first knife designed by Mr. Marble and on account of its quality—combination of several excellent features and beauty of design and finish—has won a world-wide reputation.

No. 46. Stag Handle. 5 in. Blade, 14/6 6 in. Blade, 15/6 7 in. Blade, 16/6 8 in. Blade, 18/-

No. 41. "IDEAL" KNIFE.

Leather handle.
5 in. Blade, 11/6 6 in. Blade, 12/6
7 in. Blade, 13/6 8 in. Blade, 15/-





"Woodcraft" Knife.

Some knives are adapted for sticking, some for skinning, still others for cleaning, slicing, breaking bones, etc., but Marble's Woodcraft Knife embodies all these desirable features

No. 49. Leather handle, Blade 4½in., with Sheath, 9/No. 59. Staghorn ,, ,, 12/-



"DeWeese" Knife.

Designed by Dall DeWeese, for use on expeditions after big game, where every item of the outfit has to be figured down to the lightest and most compact form possible.

No. 62. Blade 4in., Staghorn handle 31in., weight 3 ounces.
With leather Sheath. 8/-

Marble's Safety Folding Fish Knife.





The blade is made sharp at back of point for ripping and the back is an excellent fish scaler. It is a good all-round pocket knife for sportsmen, ranchmen and stackmen.

stockmen. No 78. Shown open closed. Price 6/-

Marble's Trout Knife.



Designed especially for dressing trout easily, neatly and rapidly, but is great for cleaning all fish. Forged from finest cutlery steel, equal to that used in best surgical instruments; 5½ ins. long, ½ inch thick. Insert little finger in ring, place remaining fingers and thumb back of blade and against the curve of the shank. It fits the hand beautifully and the moment it is placed in position for service, its convenience and usefulness will be appreciated.

No. 79. In Sheath. Price 3/-

(VIEW, OPEN)

Marble's Safety Hunting Knife.

(VIEW, CLOSED)




They have a long blade with a short handle, unlizing the extension guard as a surety lock open. The guard as well as blade is held in position by a spring, when either open or closed, bone chopper at back of point.

No. 83. Staghorn Handle, Blade 41 in., weight 4 ozs. Complete in Leather Charteness. The blades have

Staghorn Handle, Blade 41 in., weight 4 ozs. Staghorn Handle, Blade 5 in., weight 6 ozs. No. 85.

Complete in Leather Sheath. Price 16/6

Safety Pocket Axes.



With folding Pick as shown. Guard folds into steel handle, 18/6 No. 2P.

Without Pick, 20 ozs. ... 13/-No. 2. ,, 27 ozs. 14/6 No. 3. Hickory handle, 16 ozs. ... 8/-No. 5.

,, 20 ozs. ... No.6 .



Marble's Camp Axes.

are of the same high quality as the Safety Pocket Axes. The finest of steel, carefully tempered, is used in the blade, selected hickory is chosen for the handle and the same careful workmanship insures an axe that will "stand the gaff." No. 10

(as shown) Camp Axe, weight 20 ozs. Handles 16 No. 30. 3/-6/3 No. 9. No. 29. 3/-

16/-5/

MILLS SPORTSMEN'S SEATS.


We recommend these seats for the use of Range Officers and others who are not taking part as Competitors at Rifle Meetings. They take the place of the ordinary walking stick and provide an excellent seat at a moments notice.

TOURIST.

REGAL.

ELITE.







Stick ... Telescopic bright 38/ Umbrella ... 65/-


SHIRE.


45/- each Stick 52/6 ,, Telescopic 75/-Umbrella

TELESCOPIC. ORIGINAL

30/-Stick .. Telescopic bright 40/-Umbrella 70/-

CROOK.







Shire (Mahogany Seat)

Black .. 45/- each. With Pad

with Aluminium Fittings, Polished Bright 40/-, Screw on Bottom Plate 20/85/- each. Non-Telescopic, Black or Umbrella with Pad ... 35/Bright, 30/- each.

All models of seats can be supplied with Bronzed Steel Tube in place of the usual Wood Stick at above prices if preferred.

MARBLE'S WATERPROOF MATCH BOX.



Is really waterproof and still easily opened. Made of seamless brass about the size of a 10-gauge shell, fitted with a rubber lined cover. Holds enough matches to last several days. Besides being a convenience, it may save your life some day, as it has that of many others.

No. M181. Price 2/6. Post 2d.

MARBLE'S COAT COMPASS



Never goes wrong. It attaches to outside of coat and is waterproof. Always in sight and balances so readily that direction can be taken while walking. Does not easily become demagnetized. Made of brass, and is $1\frac{1}{8}$ inches in diameter.

Nos. 082L and 186L have luminous dials that point the way as plainly in the dark as in the

light, Weighs 2 ounces.

	0.010 = 0.11000.		
No. 082	Revolving dial		8/6
No. 082L	Luminous dial		11/-
No. 182	Stationary dial	985298	7/6

Marble's Pocket Compass

(Weight 1 ounce).

No. 184	Stationary dial	1.22	6/6
No. 186	Revolving dial		7/6
No. 186L	Luminous dial	***	9/6

MARBLE'S CLINCHER GAFF



Controlled entirely by one hand—always ready. There's nothing to set—no steel trap feature—no danger. A spring holds the jaws open. Just reach out—touch the fish—close your hand. Jaws of gaff shut with a flash and grip fish like a vice.

The only humane gaff on the market. Leaves no ugly holes or tears. Quicker and surer than a landing net, and

you can land a fish twice as far away as with a landing net of same length. Gaff is 18 inches long; 7½ inches between points; can be locked with points together.

No. 321 Nickel-plated ... 6/6

MARBLE'S SHOTGUN SIGHTS.



The chief and great advantage of the "Gold" Bi-Colour sight is that it will not break off as very often happens with an all-ivory sight. It can be seen in any light.

Sights for Double Guns.

No. 2	20 Bi-Col	lour Front,	Ivory	
	Rea	r and Reame	rs	5/6
No. 2	21 Bi-Co	lour Front S	ight	3/-
No. 2	23 Ivory	Rear Sight		2/-
No. 2	24 Front	Sight Ream	er	6d:
No. 2	26 Rear	Sight Reame	er	6d.

MARBLE'S ANTI-RUST ROPES.

When saturated with oil these "ropes" exclude all air and make it impossible for the barrels to rust or become pitted. One oiling will last a year.

They are longer than barrel and larger than bore. A

They are longer than barrel and larger than bore. A 12-gauge rope needs 3½ to 4 ounces of oil and a .30 calibre rope needs about two thirds of an ounce.

No. 140 For 10-gauge shotguns 2/9 each , 141 For 12-gauge shotguns 2/9 ,,

,, 142 For 16 gauge shotguns 29 ,, ,, 143 For 20-gauge shotguns 2/9 ,, No. 146 For 28-gange shotguns 2/9 each.

,, 144 For rifles (state calibre) 2/9 each.

, 145 For revolvers

(state calibre) 1/6

Testimonials of Marble's Goods.

K. Gusterson, Esq., The National Provincial Bank of England, Ltd., Ryde, Isle of Wight. 23/6/22.

"I wish to acknowledge receipt of the knife which you so promptly sent me.

"It is just the type of thing which I have been needing for some time. I do a lot of boating and fishing, and other knives always lose their hafts through getting wet, but this one being rivetted does away with that difficulty."

Mr. S. C. Holmes, c/o Taylor's Eagle Brewery Ltd., Greenheys, Manchester. 29/5/23.
"I have tried it (the Game Getter) out and am quite satisfied the .22 barrel is equal to any .22 rifle I have tried, in fact I was surprised, and the .410 is all that could be expected for so short a barrel"

THE CATAPULT WALKING STICK GUN.



The Gun is the invention of a Catapult expert. It shoots through a fork like an ordinary hand catapult, but uses catapults far more powerful. These are made of fine rubber strands twisted together.

It is the only absolutely silent gun and is really useful to those who desire to protect their fruit and crops.

With the stronger elastics, marauding cats and rabbits can be killed and it is remarkable, with practice, the degree of accuracy that can be attained.

When not in use the front fork is removable and the stick is then quite inconspicuous.

PRICES OF WALKING STICK GUNS AND ACCESSORIES.

List No. 20W. Chestnut, without backsight ... 5/6 Post 9d. ,, ,, 15W. Ash, with adjustable ,, ... 10/6 Post 9d.

Extra Catapults, light to strong.


No. 6. **3**d. ea. No. 8. $3\frac{1}{2}$ ea. No. 10. **4**d. ea. No. 12. **5**d. ea. No. 14. **6**d. ea. No. 20. **9**d. ea. No. 24. **1/-** ea.

Accessories:—Bullet Moulds to cast 3 2/6 each.

Loading Tongs for pulling the stronger Catapults... 2/6 each.

Shot 10d. per lb.

SPORTING RIFLE SLINGS.



No. 214F.

No. 214J. Best stout leather Sling with 2 spring swivel hooks.

Price 5/6; Post 3d.

No. 214F. Best Government Web Sling with 2 spring swivel hooks.

Price 4/6; Post 3d.

No. C.L.S.4. Strong Cable laid Cotton Sling with 2 spring swivel hooks.

Price 4/6; Post 3d.

SHOT GUNS AND ACCESSORIES SECTION CONTENTS.

Pages.

130/137 Double and Single Barrel Guns, Walking Stick Gun, Combination Folding Gun and Rifle.

138 Shot Gun Ammunition.

140/143 Shot Gun Cleaners.

144/146 Shot Cartridge Loading Tools.

147/149 Shot Gun Accessories.

151/152 Gun Covers and Cases.

153/154 Cartridge Bags and Belts.

155/156 Game Bags, Game Carriers.

157 Clay Birds, Traps etc.

158 Ferretting Accessories.

Sporting Preparations.

160/162 Traps, Snares and Decoys.

163 Dog Combs, Brushes, Whips.

165 Shot Gun Adapter ('22 cal.)

166a Aperture Sight for Springfield Rifle.

TWELVE BORE HAMMERLESS SHOT GUN. THE B.S.A.

WHY THE B.S.A. SHOT GUN BREECH is the STRONGEST IN the WORLD-


- Because the action is made of the highest grade nickel steel. Plenty of this very tough steel is left in the parts which take the strain of firing.
- Because this remarkable stiffness of the action enables us to do the whole of the locking by means of the bolt underneath the flats of the action.
- Because B.S.A. barrellumps are a solid part of the barrel substance.
- Because in dispensing with the top grip and the attendant friction, the legitimate fastening is no longer robbed of a necessary part of its bite. Top grips are not eliminated to save cost. It should be very clearly understood that they are entirely unnecessary in a high-class gun such as the B.S.A.
- Because, friction being at a minimum, we can give maximum strength to the closing spring, thus apply-a powerful locking impulse to the bolt.

A sweet-working top lever is thus combined with a grip on to something which can resist any reasonable stress and most unreasonable

Standard Model, List No. BSA15, Price £13 13 0

Do. with Ejector, List No. BSA16, Price £16 16 0

Ejector Model de Luxe, List No. BSA17. Price £19 19 0



Ejector Model. INTERCHANGEABILITY-All parts are strictly interchangeable.

Standard Model.

Lumps formed 28 or 30ins. Jessop's high-class fluid pressed steel. BARRELS solid with the barrels. Right cylinder. Left choke. B.S.A. special pattern (Anson & Deeley type. Sears, tumblers and other action parts of expensive chrome vanadium steel. Body of nickel ACTION steel. Top lever Automatic safety.

Snap-on type. Nicely checkered. FORE END ... Straight hand or half-pistol grip. Nicely checkered. Bend at heel 2in. at comb 1½in. length 14½ in. STOCK ...

About 63 lb. WEIGHT Specially attended to, to give this B.S.A. Gun the superb hand-BALANCE & TRIGGER) ling qualities of the best hand-made gun. PULL Every gun is nitro proved at the official proof house and is carefully

PROOF AND TESTS

tested. A certificate is issued with each gun.

B.S.A. SHOT GUNS, EJECTOR MODEL DE LUXE.



Double-barrelled Hammerless 12-bore. List No. B.S.A.17. £19 19 0

This gun has been produced to meet the needs of those sportsmen who, while desiring above all things strength, lightness, perfect balance, crisp trigger pulls, and killing power in a shot gun, are yet anxious to secure a weapon distinctive and beautiful in appearance and are prepared to pay a little extra for it.

It is the B.S.A. ejector model, fitted with very handsomely marked specially selected Italian walnut stock and fore-end, making it a really graceful and beautiful example of the gunmaker's craftsmanship, fully deserving the description "Model-de-luxe."

We feel that we have produced a weapon which will delight the discriminating sportsman both in its appearance and utility. It is beautifully engraved, part scroll and part wild duck, in London style, as illustrated.

Every gun is fully guaranteed, and with reasonable care should last a lifetime.

All parts are perfectly interchangeable, so ensuring speedy, economical replacement in case of accident.

Barrels—Jessop's special high-grade fluidpressed steel. Lumps formed solid with the barrels, and the barrels dovetailed together. Right cylinder. Left choke. 12 Bore.


Stock—Very handsomely marked speciallyselected Italian walnut. Straight hand or half-pistol grip. Bend at heel, 2in.; at comb, 1½in. Length 14½ in. Action—B.S.A. special pattern (Anson and Deeley type). Sears, tumblers, and other action parts of tough chrome vanadium steel. Body of nickelsteel toughened by special B.S.A. scientific treatment. This combination makes the action as a whole amazingly strong. Top lever. Automatic safety. B.S.A. ejector mechanism.

Length-Overall, 42½in.

Weight about 6lb. 12oz.

The B.S.A. Model-de-Luxe Shot Gun—the gun for the Connoisseur.

B.S.A. WILDFOWLING GUN (12 Bore).



The B.S.A. Wildfowling Gun has been specially designed to shoot the $2\frac{3}{4}$ in. or 3in. 12-bore "duck" cartridge, the standard loads of which are $1\frac{1}{4}$ oz. to $1\frac{1}{2}$ oz. shot. (The standard game cartridge is $2\frac{1}{2}$ in. in length and is generally loaded with $1\frac{1}{4}$ oz. shot.) The B.S.A. Wildfowling Gun weighs 8lbs. ($1\frac{1}{2}$ lbs. more than the average weight of the B.S.A. Standard Game Gun). A gun of less weight shooting the heavy 3in. cartridge load would give uncomfortable recoil results. Notwithstanding its weight the B.S.A. gun balances exceedingly well. It comes to the shoulder as readily as a fine game gun and does not entail fatigue in the course of a long day's shooting. The B.S.A. gun fitted with 2Sin. barrels gives just as good shooting—pattern and penetration—as a gun with longer barrels, and swings much faster. Given equal skill and conditions, a shooter using a B.S.A. Wildfowling Gun with 2Sin. barrels would be likely to kill more birds than one using a similar gun with 30in. barrels. Longer barrels are often asked for, but are quite unnecessary,

There is no objection to the use of $2\frac{3}{4}$ in. or $2\frac{1}{4}$ in. cartridges in the B.S.A. Wildfowling Gun with 3in. chambers.

List No. B.S.A.18. Price £14 14 0

B.S.A. SPECIAL CLAY PIGEON HAMMERLESS GUN.



In accordance with the request of several of the leading Clay Bird Shots we have decided to manufacture a number of B.S.A. Special Trap Guns and the model we have decided upon has been designed by one of the foremost Trap Shots in the United Kingdom and in recent trials has exceeded utmost expectations.

The special features, in addition to the nickel steel action, chrome vanadium steel parts, and solid lump, fluid pressed steel barrels, are as follows:—

Special body, thinned down considerably and all corners rounded.

Right barrel three quarter choke. Left full choke.

File cut square rib. Butt special and beautifully finished.

Barrels carefully bored to give just the desired pattern for clay pigeons.

Barrels 28ins. or 30ins. Stock straight hand or half pistol.

PRICES:

List No.	B.S.A.19,	Non-Ejector	11.5	 	£15	15	0	
List No	B S A 20	Ejector			£18	18	Ω	

THE WEBLEY HAMMERLESS CROSS BOLT GUN WITHOUT EJECTOR.



SPECIFICATION.

BARRELS ... Special steel, left choke, right cylinder (unless otherwise specified).

ACTION ... Box lock, cross-bolt, top lever, treble bite, nitro-proved.

STOCKS ... Selected walnut, straight or half-pistol hand.

ENGRAYING Neat border and scroll.

FINISH ... In spite of its low price, the finish of this gun is comparable to guns of a

very much higher grade.

Supplied in the following bores-

12 Bore. 28in. or 30in. barrels; approx. weight, 6lbs. 8ozs. Price £16 0 0 16 Bore. 28in. or 30in barrels.

20 Bore. 28in. barrels. Price £18 0 0

NEW MODEL "WEBLEY" SINGLE BARREL SEMI-HAMMERLESS EJECTOR GUN.



Price £4 4 0

SPECIFICATION:

BARRELS ... Special steel, with choke bore.

ACTION ... Patent improved ejector mechanism and top lever action. Patent firing

mechanism with V spring.

STOCK ... Walnut stock, half-pistol hand, chequered hand and chequered detachable

fore end.

FINISH ... High-class finish throughout. Nitro-proved.

Supplied in the following bores-12 Bore. 30in., 32in., 34in. or 36in. barrel; approx. weight, 6lbs.

16 Bore. 30in. barrel; approx. weight, 53lbs.


20 Bore. 28in. barrel; approx. weight, 5½lbs.

410 Bore. 28in. barrel; approx. weight, 51lbs.

Made under Webley Patents Nos. 200429, 199992 and 192914, other Patents applied for.

M

VICKERS "VANGUARD" SINGLE BARREL SEMI-HAMMERLESS EJECTOR GUN.



SPECIFICATION.

Forging in Vickers Steel. Solid lump. Full choke. Barrel

Walnut. Half pistol hand-grip. Chequered. Stock ...

Snap on. Chequered. Fore-end

Very strong, with positive start, so as to draw case out of Ejector chamber before ejector mechanism operates, with a view to ejecting damp cases so frequently met with in tropical climates.

... Full nitro London proof. Proof 64 lbs.


Weight

12 Gauge. List No. VIC.1. Price £4 4

16 Gauge. ", " VIC.2. Price £4 4 0

THE & R. SINGLE BARREL EJECTOR SHOT GUN. MODEL 1908.

We offer this gun for general knockabout purposes, such as for carrying in a boat or punt where it would be inadvisable to take an expensive gun. It takes down in the same manner as a double gun by pulling off the snap fore-end and unhooking the barrel from the frame. Made for '410", 12, 16 or 20 bore shot cartridges, with 30" barrels.



'410" bore-List No. HR1. 12 bore-List No. HR2.

16 bore—List No. HR3. 20 bore—List No. HR4.

Price 52/6 each.

PARKER'S B.R.G. .410 SHOT GUN.



Continental competitors like a thoroughbred.

List No BRC1 Brand and State of the Continental competitors like a thoroughbred. List No. BRG1. Bore 410 Price 55/-List No. BRG2. Bore 32 Price 55/-

THE WALKING STICK For .410 gauge cartridges 21/2 cases.

Illustration showing gun with breech closed.

Illustration shows gun with breech open and trigger exposed.

As the illustration shows, this gun exactly resembles a walking stick and as such it is decidedly useful as it can be carried on many occasions when a gun or rifle would be an encumbrance.

The breech is opened by giving the handle a half turn to the left, and a half turn to the right then cocks the gun and closes the breech.

The ornamental band is provided with a slot and when this is rotated the trigger springs out.

A spring ferrule is pressed into the muzzle when in use as a stick and this should

be removed before inserting a cartridge in the breech.

The gun is well made and not liable to get out of order, but it must be cleaned to preserve the barrel from rust. A pull thro' in a leather pouch, List No. 182E, a bottle of Young's .303" Cleaner and Rust Preventer and a packet of Flannel Patches, List of Young s 500 Oleans.
No. 155c is all that is needed.
List No. WSG1. Price 50/-

B.S.A. .410 BORE Single Barrel—Bolt Action—Ejector SHOT GUN.

Many are the ways in which this handy shot gun with its inexpensive ammunition may be utilized. In the garden, the orchard, around the farm, for the keeper, the ladies and boys and even for the experienced sportsman, there is no other shot gun which may be so economically used under such a variety of conditions. For many purposes it is as efficient as the 12 bore and certainly much less expensive.



List No. BSA14. Price £3 15 0.


SPECIFICATION. ACTION. Bolt type. Easily and quickly manipulated.

BARREL. Length 24in. Specially bored on B.S.A. patent system and choked to give the best possible penetration.


LENGTH. Over all, 42 in.

DISTANCE From trigger to end of stock, 13\frac{1}{4}\text{in.}

WEIGHT. About 41bs. 13 ozs.



No license is required to purchase or use the gun in the garden or grounds immediately adjacent to the house.




Reproduction of 15in. diagram at 20 yards with 2½in. cartridge No. 8 shot.

Reproduction of 15in. diagram at 20 yards with 2½in. cartridge No. 7 Shot.

The above diagrams are typical illustrations of the average shot of the B.S.A. 410 at 20 yards. The patterns are remarkably regular, and so close that a small bird could not possibly get through even if the comparatively large No. 7 shot were used. As will be seen a rabbit would receive quite a large number of No. 7 pellets at that distance. No. 8 shot is recommended for sparrow and other small bird shooting.

CLEANING AFTER SHOOTING ESSENTIAL.

As with all other firearms the necessity for immediate cleaning after shooting is an important item, which, if overlooked, means disaster to the gun and loss to the possessor. The cleaning implements illustrated can be thoroughly recommended—the pull-through for a preliminary clean out in the field and the rod for the more careful clean after the day's shooting.



Sectional illustration of '410 Cartridges 2in, and 24 in.

Pull-through complete in pocket pouch 2/3 List No. 182E Redwood Cleaning Rod, one joint, two piece, complete with jag, wire brush and mop 3/6 List No. FTR1.


MARBLE'S GAME GETTER TWO GUNS IN ONE-ONE GUN FOR ALL GAME.

TWO COMBINATIONS, with barrels 12, 15 or 18 inches.

1.—Upper barrel .22 calibre, rifled; chambered for Short, Long and Long Rifle cartridges. Lower barrel, smooth bore for .44 calibre and .410 gauge (12 m-m) 2 inch brass or paper shot shells, also .44 and .410 ball cartridges (not conical bullet).

Do not use IXL cartridges in smooth bores.

2.—Upper barrel .22 caliber. Lower barrel for .410 gauge 21/2 inch paper shot or ball cartridges.



Calibres '22 and '410 or '22 and '44

12 in. barrels, lock leaf, open and aperture rear sights and "gold" bead front sight holster: 31 lbs. ... List No. A12 Price £5 10 0 and holster; 3½ lbs. ,, A15 Price £5 17 15 in. barrels, otherwise as A-12: 3½ lbs. Price £6 5 18 in. barrels, otherwise same as A-12: 33 lbs. A18 Push on striker sets it for either firing pin. Either barrel used without change of sights.

Absolutely Guaranteed. Only the best of material and workmanship goes into the Game Getter. It is as strong and reliable as any sporting arm made, in spite of its light weight. Breech mechanism and frame very strong and fitted with extra care. Guaranteed not to shoot loose or open, even with most powerful ammunition.

Logical Game Getter Users. The Motorist, who wishes to shoot at game he sees along the roadside. The Fisherman who doesn't want a regular rifle or shotgun bumping around in his boat. The Big Game Hunter, for a sidearm for small game or target practice. Every person who has not known what sort of gun to carry.

Uses 6 Different Cartridges. The Game Getter takes all four sizes of '22 shells in the upper barrel-C. B. Cap, short, long and long rifle. It takes 44 shot cartridges and 44 round ball cartridges in the lower barrel—or 410 paper shot cartridges in the optional 410 calibre lower barrel. Takes all these cartridges without readjustment or change of sights.

The average pattern of shot placed in a 12" square from a Game Getter Gun at 50 feet is as follows:

12	INCH	GUN

410 2in, shell loaded with No. 71-2 shot	46
.410 2in. shell loaded with No. 10 shot	98
·44-40 Game Get. car. loaded with No. 8 shot	63
44-40 Game Get. car. loaded with No. 10 shot	


15 INCH GUN

410 2in, shell loaded with No. 7 1-2 shot	57
'410 2in. shell loaded with No. 10 shot	120
44-40 Game Get. car. loaded with No. 8 shot	98
·44-40 Game Get. car. loaded with No. 10 shot	

18 INCH GUN

·410 2in.	shell loa	ded with	No. 7	1-2 shot	61
·410 2in.	shell loa	ded with	No. 10	shot	136
	ame Get.				hot 88

·44-40 Game Get. car. loaded with No. 10 shot 140





.44 SHOT





.44 ROUND BALL



.410 SHOT CARTRIDGE (Actual Size)

138



MACHINE LOADED SHOT GUN CARTRIDGES.

Always the most satisfactory.













Gauge	Brand	Powder	Maker	Price per 100
2 and 16	British	6 1 1	17	4010
2 1 10	Smokeless	Smokeless		13/6
2 and 16	Bonax	E.C	Kynoch	15/-
2 and 16	Grand Prix	Smokeless Diamond	Eley	15/-
2 and 16	Primax	Smokeless Diamond	Kynoch	17/6
2 and 16	Pegamoid	Smokeless Diamond or E C	Elev	21/-
2 and 16	Zenith	Smokeless Diamond or E.C		19/-
2 and 16	Universal	Black Powder	17	12/-
	Eley Special 23"	Smoltalasa	Flor	15/-
2 4.14 20	Trapshooting	Smokeless	. Eley	10/-
20	"20 Gauge	Selected Smokeless	Elev	14/-
	"Gastight"	Selected Smokeless	T21.	14/- 18/6
410in.—2½in. case	Fourlong	Smokeless	. Eley	11/6
410in 2in. case	Fourten	Smokeless	731	9/6

Our prices are the lowest at time of publication, but as we invariably sell at competitive prices, clients can place their orders with confidence, knowing that we shall return or credit any amounts overpaid and invoice at the prevailing market price.

We can furnish a '410 black powder 2in. case cartridge suitable for shooting vermin at 8/- per 100.

Important.—Don't waste 12 gauge Cartridges for close shots at small birds and vermin. Carry a Parker .410 gauge Shot Gun Adapter (see page 165a).

RODDA'S PATENT ROTAX BULLET.

No. 133650/19.

Increased Velocity.


Enormous Penetration.

For use in Choke or Cylinder Bored Guns.

12, 16 or 20 Bore.

Suitable for Lion, Tiger, Leopard, Bear, Crocodile, Pig, and all species of Deer, etc., etc.

The Bullet.







Flat Trajectory.

Absolute Accuracy.



Showing Bullet loaded into cartridge.

Absolutely the best Bullet obtainable,

as is conclusively proved by the large number of testimonials continually received.

Great Smashing Power.

Muzzle Velocity, 1230 ft. per sec.

Muzzle energy 1690 ft. lbs.

Sales already exceed 50,000.

This new Bullet marks a great advance in Bullets for use in Shot Guns.

Owing to its peculiar construction and general shape, the **Rotax** Bullet is far ahead of any other bullet of its kind. It is deadly accurate, has great mush-rooming properties and will not keyhole. It can be used in either Choke or Cylinder bored guns and being powerful enough for any kind of big game, should find its place in every sportsman's outfit.

Ordinary standard Shot Gun loads.

The great value of this invention is that it increases the sphere of usefulness of the indispensable shot gun and in some instances does away with the necessity of carrying a rifle on sporting expeditions.

BULLET PRICES.

CARTRIDGE PRICES.

121	bore	List	No	. RX12		12	bore	List	No.	CX12	
16	,,	.,,	,,	RX16	21 /- per 100	16	,,	,,	"	CX16	47/- per 100
20	,,	,,	,,	RX20	1	20	,,	,,	,,	CX20 .	,

139A

SHOT GUN COMPONENTS.

Ask for special price list comprising Hammerless Action body Components. Trigger Barrel Butt and Fore-end Components. Hammer Gun Components. Lever Work and Safe Work Components.

SHOT GUN REPAIRS.

Birmingham is the centre of the Shot Gun Industry and all the notable improvements to the double barrel gun have originated in our city. We carry out repairs with promptitude as we have the best workmen at our service.

OLD ENGLISH GUN BLUEING SOLUTION.



An extremely useful preparation for professional and amateur gunsmiths.

Every true sportsman takes pride in his gun and its smart appearance. Nothing attracts more admiration for a good gun than its clean, ance. glistening barrel of cold blue steel.

When the barrel of your Rifle, Shot Gun or Pistol has lost its original colour, due to long use or exposure to the elements, no longer is it necessary to send it away to be refinished at the factory. Just obtain a fourounce bottle of Old English Blueing Solution, follow the directions for use carefully and in one hour or less, right in your home, you can restore your gun barrel to its original lustrous blue which will last indefinitely because it is produced by chemical reaction and is not merely a paint or veneer.

A four ounce bottle of Old English Blueing Solution will restore six rifle barrels-if you have paid before to have this work done you can quickly realise the saving of time and expense that is made possible by finishing your guns at home.

DIRECTIONS FOR USING OLD ENGLISH 1-hour BLUEING SOLUTION.

Two things necessary besides the Solution are: BOILING soft water and a clean cotton Use a tin or iron tank long enough to take your gun barrels—one about 34 inches long, three inches wide and four inches deep will take all kinds of barrels, and it can be bent from one piece of tin with ends soldered in.

After your barrels are well polished and all marks of emery removed with crocus or steel, carefully remove all grease and finger marks. The best way to do this is to boil in strong wool, carefully remove all grease and finger marks. lye water for five minutes and then when dry apply a small quantity of powdered lime; this if carefully applied will ensure the removal of all grease. Remember, all marks that show on the barrels BEFORE they are blued will show AFTER

Have your tank full of soft BOILING WATER, for the success of the work depends on keeping water boiling and the work hot. Place the Blueing Solution in a wide mouthed bottle, tied in one end of the tank of boiling water. Make a swab from a small piece of soft sponge or cotton, put it in the Solution, and let it become hot. After the barrels have been in the boiling water two minutes, take them out with a wire hook and very quickly wipe off all water with a clean cloth, then take the swab out of the Solution, squeezing out all the Solution you can against the neck of the bottle and go over your barrels with the swab as quickly as you can, using long, even strokes. As soon as all parts are covered, plunge into the boiling water again to kill the action of the Solution. Leave in boiling water one minute, boiling water again to kill the action of the Solution. then take out with a wire hook and with a cloth wipe off all loose rust that has formed on the Always handle with cloth, and rub with light, even strokes, being sure that your fingers do NOT come in contact with the work.

You will see the colour come on the barrels as soon as the Solution touches them, and a light rust will form on the steel. The action of the hot water kills the rust, and it should be wiped off with the cloth, leaving the steel blue. After wiping work well, put back in the tank for one minute, take out and give another coat of Solution. Repeat the process until you get the colour wanted. EVERY COAT MAKES THE COLOUR DEEPER, AND ABOUT EIGHT COATS WILL MAKE IT BLACK. When the barrels have attained the colour you desire, boil for three minutes, take out and wipe them with a WOOLLEN CLOTH having boiled linseed oil on it, and let them stand until cool.

Remember, all work after you start must be done quickly. Get the barrels back in the BOILING water immediately after coating with Solution. Have Solution as hot as possible, and KEEP YOUR FINGERS OFF THE BARRELS.


The result will be a blue on your If these directions are followed you cannot go wrong. Gun that is better than any factory blue and one that will LAST for years.

> 4-oz. Bottle. List No. P.B.4. Price **6/6**, post **6**d.

THE PARKER-HALE

NEW CELLULOID COVERED SHOT GUN CLEANING ROD.

WITH "COUNTRY LIFE" FLEXIBLE HORN JAG.



The firm of Parker have, during the last quarter-of-a-century, gained a world-wide reputation for the quality of their Rifle Accessories. Parker's Celluloid Covered Hard Steel Rifle Rods are as well known in the Dominions and United States as at home.

Major Pollard, of "Country Life," drew our attention to the fact that our New Flexible Shot Gun Jag, which is made of brass, would be better liked if made in a lighter material, and we have, therefore, produced it in horn. On testing the Jag we noticed that the brass joints of the ordinary gun Cleaning Rod scraped harshly against the barrel, and finding that there is no necessity for exterior metal joints, we have produced a celluloid covered rod which can be used with the greatest security in the most expensive guns by inexperienced servants.

The Parker-Hale Flexible Jag is slotted for Parker's Shot Gun Flannel Patches, a system of cleaning that is slowly but surely finding favour among

sportsmen.

With Flexible Horn Jags. With Flexible Brass Jags. For 12 g. guns. List No. SGR1. Price 6/6 For 12 g. guns. List No. SGB.1. Price 6/-SGR.2. 6/6 ,, 16 g. ,, " 16 g. " 6/-SGB.2. SGR.3. 20 g. 6/6 SGB.3. ,, ·410 & 28 g. guns " ·410 & 28 g. guns " SGR.4. 5/6 SGB.4.

THE "PARKER" WAY OF CLEANING.
With the New Celluloid Covered Rod, "Country Life" Horn Jag, Parker-Hale
Shot Gun Patches, and Young's ·303 Cleaner and Rust Preventer Oil is the



TROUBLELESS

SAFESURE



WAY

PRICES :-



Outfit consisting of Celluloid Covered Rod 4/6, with Horn Jag 2/-. Packet of 40 Flannel Patches 1/-, 4-Pint Brass Screw Stoppered Tin of Young's 303 Cleaner 2/-. Total 9/6, Post 6d.


If a Parker-Hale Flexible Brass Jag is preferred, the set can be supplied at 6d. less. Extract from an article by Dr. F.W. E. Wagner, M.A., Sc.D., in "The Farmers' Gazette,"

December, 1927.

"I lately added to my accessories a celluloid-covered cleaning rod for my 12-bore Guns. This came from Messrs. Parker, with one of their patent horn tops and 'cleaning Patches.' I am now wondering just why I dallied so long with the old fashioned wooden rods which were always so oily and greasy, and the old brushes which would persist in getting so dirty. Now, with 'Parker' equipment I can clean my Guns with clean appliances."

ORDINARY SHOT GUN CLEANING ROD SETS.

WOOD RODS for 12 and 16 gauge (quote size with order).









No. AW1. Two piece unpolished

Ash Rod with jag, mop and

Turks head brush ... 3/-

No. RW1. Two piece polished Redwood Rod with jag, mop and Turks head brush 3/6

No. R. W2. Three piece polished Redwood Rod with jag, mop and Turks head brush 5/-

No. E.W1. Two piece polished

Ebony Rod, with jag, mop
and Turks head brush 6/-

No. EW2. Three piece polished Ebony Rod with jag, mop and Turks head brush 7/6

No. GRI. One piece White Wood. Gamekeepers Rod with Brass Jag only. Price 2/9

Vood Rods for smaller bores. For .410 and 32 gauge (with implements). For 20 to 28 gauge (with implements). No. FTRI. No. RW3. Two piece Redwood 4/-Two piece Redwood Three ,, 5/6 Three ,, RW4. 5/6 FTR2. EW3. Two Ebony 6/6 FET1. Two 6/6 Ebony ... ,, EW4. Three ,, 8/-FET2. Three ,, 8/-,,

WEST END QUALITY GUN RODS.

We supply these Rods which are of selected extra stout wood with high grade furniture and best finished implements, to accompany high grade shot guns, when fitted into first-quality cases.

List No. EW5. Figured Ebony two piece Rod with gliding metal joint and socket, Parker-Hale Horn Jag for patches, 6-row Wire Brush, Washer

PARKER'S "HELVETIC" SHOT GUN CLEANING ROD.

Pat. No. 72064. Made for all gauges of guns-



PARKER

The Parker-Hale Jag wrapped with Parker's Flannel Patch.

Advantages:


Instantly assembled. Instantly taken down. No loose parts.

Has the advantages of a pull through combined with the rigidity of a solid rod. A boon to sportsmen and hunters.

The Parker-Hale Flexible Shot Gun Jag

List No. PAR3. 12 Gauge
..., ..., 5. 16 ...
..., 6. 20 ...
7. 410 ...
8/- each

If required with horn jag instead of brass jag, 6d. extra.



SPECIFICATION :

Sections-Stout brass with steel bushes; overall length 81 ins.

Cleaning Length-33 ins. under handle, including the Parker-Hale Flexible Jag.

Cord-Stout cable laid as used for Government pull throughs.

Screw Thread—Trade and Government standard.

Major G. Rigby-Lynn, United Service Club, Simla, India, wrote:

"I think the (Helvetic) Rods are quite the best rods I have ever seen and I am exceedingly pleased with them.

PARKER'S SPECIAL GUN TOW JAG. Much superior to the usual solid jag,



Much superior to the usual solid jag, suitable for 12 or 16 gauge guns, according to the quantity of tow put on. The jag being flexible allows it to pass the choke and the used tow can quite easily be removed.

List No. BJ10. Price 1/6 Post 2d.

THE PARKER-HALE FLEXIBLE SHOT GUN JAG.



Specially designed for the "Parker way" of cleaning shot guns with a flannel patch. The patch is slipped into the slot of the jag and wrapped around it. The implement being flexible causes the patch to press evenly on the bore thereby squeezing the oil into the pores of the steel. The slot allows the cleaner to be compressed by the choke.

The implement has been very strongly recommended by Mr. Henry Sharp, of the Shooting Times and Major H. R. Northover, the

champion Trap shooting expert.

List No. BJ3 for 12 gauge ... 1/6 Post 2d. List No. BJ4 for 16 gauge ... 1/6 ,, 2d.

List No. BJ5 for 20 gauge ... 1/6 ,, 2d.

List No. BJ6 for 28 & .410 gauge 1/6 ,, 2d.

PARKER'S FLANNEL SHOT GUN PATCHES.



These patches are suitable for 12, 16 and 20 bore Guns when used on one of the several sizes of Parker-Hale Jags. They are most economical and can be used over and over again if washed in paraffin when foul.

List No. 155C. Price 1/- Post 2d.

N.B.—For cleaning .410 gauge guns with Flexible Jag No. BJ6 use Parker's No. 155 Flannelette Patch which is thinner than the above and more suitable for the smaller bore.

THE "TOMLINSON" CLEANER.

For scouring neglected barrels.

No. KC1 10 Gauge Cleaner ... 2/- No. KC3 $\frac{16}{20}$,, , 2/- No. KC2 $\frac{12}{12}$, , , 2/- No. KC3 $\frac{16}{20}$, , , 2/- No. KC3 $\frac{16}{20}$, , , 2/- No. KC3 $\frac{16}{20}$, , , 2/- No. KC3 $\frac{16}{20}$, ... 2/- No. KC3 $\frac{16}{20}$,



THE "MARBLE" CLEANER.

This cleaner is guaranteed not to injure the bore.


These brushes are composed of twelve washers of softest brass gauze—smaller even than the choke—and are separated by wood fibre washers. The spring of the spiral core forces one side of each brush against a different part of the circumference of the bore, with the result that the cleaner acts as would a single large brush, except that equal pressure is exerted from chamber to muzzle regardless of choke. When brushes become worn on one side they can be turned. The cleaner is exceedingly durable.

No. MC1 10 Gauge cleaner... 4/6 each
,, MC2 12 ,, ,, ... 4/6 ,,
,, MC3 16 ,, ,, ... 4/6 ,,
,, MC5 28 ,, ,, ... 4/6 ,,

Note.—Unless otherwise ordered the whole of the above lines are supplied for 12 gauge.

PARKER'S LEATHER SHOT GUN POLISHER.

Built up of suitable buff leather discs that will absorb polishing materials such as Parker's Motty Paste or B.S.A. Cunirid that are necessary to restore a high polish to barrels which have been accidently neglected.



List No. SGP12. For 12 bore Guns. Price 4/- Post 2d.

142A

Rod Brushes and other Cleaning Implements.



PAYNE-GALLWEY WIRE BRUSHES.

Made of fine Brass Wire and ground perfectly circular to give a large wearing surface. Can be had with any number of rows.


				1	Pric	e	
List	No.	R1.	One R		2/	-)
,,	2.7	R2.	Two	,,	2	4	Mention
,,	2.7	R3.	Three	12	2	8	Gauges
,,	11	R4.	Four	-27	3/	-	> of Guns
,,	.,	R5.	Five	,,	3/	4	when
,,	,,	R6.	Six	,,	3/	8	ordering.
,,		R7.	Seven	**	4/	9	
,,	,,	R8.	Eight		4/	6	J

TURK'S HEAD WIRE BRUSH.



List No.
TH1. for 12 g. barrels
TH2. for 16 g.
TH3. for 20 g.
TH4. for 410 g.
Price 9d. each.

No. TH1. Other gauges made to order.



THE PARKER-HALE TWO-WAY SHOT GUN WIPER.

Substantially built out of brass rod, fills the barrel.

Use Motor Sponge Cloth saturated with Young's .303 Cleaner.

List No.

For 12 gauge barrels.

Price 9d.

WOOL MOPS.

List No.
WH1. for 12 g. barrels.
WH2. for 16 g. ,,
WH3. for 20 g. ,,
WH4. for 410 g. ,,
Price 9d. each.
Other gauges made to order.



No. WH1.



PARKER'S WASHER BRISTLE BRUSHES FOR SHOT GUNS.

The Washer system of building up brushes for Shot Gun cleaning is by far the most satisfactory from a service standpoint and Parker's quality of materials and workmanship is unequalled.

They should only be used for applying an aqueous solvent before wiping out and oiling with clean patches.

For 12 g. Guns. List No. C.1. Price 1/9
,, 16 g. ,, List No. C.2. ,, 1/9
,, 20 g. ,, List No. C.3. ,, 1/9
,, 28 g. ,, List No. C.4. ,, 1/9

GUN CHAMBER CLEANER.



HOW TO CLEAN A GUN WITH YOUNG'S ".303" CLEANER AND RUST PREVENTER.

Scrub out the bore with a brush kept for the purpose, steeped in an aqueous solvent (½ Young's ·303 Cleaner and ½ water) to remove the potassium chloride stain deposited by the cap fouling.
 Wipe out with a patch saturated with ·303 Cleaner, then with a dry patch and finish

with a clean oiled patch.

This will keep the barrels preserved for years as ·303 Cleaner thickens to a grease.

For prices of the Oil see pages 16 and 17.

GUN BARREL CLEANER PULL THROUGHS.




No. CB2.


Our Barrel Cleaners are made for Service with best cord, a perfectly circular brush giving a good cleaning surface and a generous flannel patch to fill the bore.

No. SB1. With Spiral Bristle Brush and plain Weight in black leatherette Pouch 2/-

- ,, SB2. As above, but with Oil Bottle
 Weight 3/-
- ,, SB3. Ditto, but with plain Weight and without a pouch. 1/6
- ,, CB1. With best Washer Brush, Oil Bottle Weight in best leather strap pouch. 5/8
- ,, CB2. As CB1, very best finish, double eyes for flannelette swabs 6/6

(Please state bore of gun when ordering.)
Larger bores than 12, to order at special prices.






REPLACEMENT PARTS for 12, 16 and 20 Gauge PULL THROUGHS.

No. PS1. Spiral Bristle Brush 9d. each. No. PT1. Best Cord Lengths ... " PC1. Washer Bristle Brush 2/6 " PT2. Red Flannel Patches... 1/- ,, Leatherette Pouches... PT3. 6d. each. PW1. Plain Brass Weight 6d. 9d. ,, PW2. Oil Bottle 1/6 PT4. Plain Leather ,, PT5. Strap Leather ,, ... 1/3 ,, PSW1. Spiral Wire Brush 1/3

THE MARBLE PULL THROUGH.

Made on similar lines to the "Marble" Rod Cleaner."



Price each


No. MPC1. 10 Gauge 5/6

,, MPC2. 12 Gauge 5/6

,, MPC3. 16 Gauge 5/6

" MPC4. 20 Gauge 5/6


LOADING MACHINES AND RAMMERS.



No. 2021.

LOADING IMPLEMENTS.

Prices quoted are for 12 and 16 Gauge. Other sizes will be quoted for on application.





No. RC1.

No. TR20. Best quality combined Turnover and Re-capper with push rod, japanned and with hardened lever. Price 22/8


No. RC1. Single Pillar, japanned re and de-capper. Price 6/6

No. TR20.


No. T020. Best Turnover with hardened Lever, japanned, see right illustration.

Price 8/6

No. T021. As above with push Rod. Price 9/6



No. T020.



No. RC3. Polished Brass re and de-capper with oval base. Price 10/6

No. RC4. Double pillar re and de-capper (as illustrated) japanned. Price 9/-

In all the above patterns Gauges '410. No. 28 and 10 can be had at small extra cost.


No. RC4.

RECAPPER NEEDLES.

(with standard threads.)

No. RN1. Recapper No.

,, RN2. ,, RN3. Price 6d., 6d.



No. RC3.

POWDER AND SHOT MEASURES.



No. PSM1. Combined Powder and Shot Measure with Birch Rammer handle. Price 2/6


PSM2. As above, with Ebony Rammer.

Price 3/-

PSM3. As PSM2 and Nickelled. Price 3/6

PSM4. Pair Measures for '410 cal. Price 4/6

Price.



3/-

" PM6. As PM5. and Nickelled



No. PM5

TURNSCREWS AND KEYS.

]	Price.
No.	TS	1.			with flat or Lock p	bla ck ha n in	dle and	l flat 	1/6
,,	,,	2.	As ab	ove w	ith Ebon	y handle			2/-
,,	,,	3.	Turns	crew,	flat woo	d handle, t	urned	blade	2/6
,,	,, -	4.	,,		Ebony	,, ,,	,,		3/-
	NK	3.	Nipple	e Key	, polishe	d, standar	d size		3/-
,,	,,	4.	,,	,,	,,	'41 0 bor	e	***	3/-
,,	,,	5.	,,	,,	Wood ha	ındle, muz	zle load	ding	3/-
,,	,,	6.	Steel	Tee	handle,	.,,		,,	3/-
,,	,,	7.	Hamn	nerles	s Disc K	ey	***	***	5/-

No. TS.3 and 4

No. NK.3 and 4

PAPER CARTRIDGE RE-SIZER.



Steel Re-sizing tool for hand use, as illustrated, blue finish. All sizes from '410 to '10 Gauge. Price 2/6

No. RST2. Brass Re-sizer. Polished. '410 to '10 Gauge. Price 2/6



STEEL WAD PUNCHES.

List									Price.
"AP."	Best Cast	Steel	Punches,	all sizes	to 10 ga	uge	33636.9		2/6
WP1.	Common	,,	,,	,,	,,		1.65%	***	2/-
WPM.	Cheapest	,,	,,	,,	,,				1/6

Punches of other sizes are stocked or made to order as below.

Size l in. 11 in. 11 in. lä in. 1 1 in. 1§ in. 13 in. 17 in. 2 in. Price 3/-4/-4/9 5/6 6/6 7/6 9/-11/-12/6

> Other sizes of circular or shaped Punches (made from forgings), quoted for on application.

SNAP CAPS. Long Pattern.



No BCl Brass polished, best finish. 4/6
,, NCl Nickel-plated ,, 5/NOTE—12 gauge are sent unless
otherwise ordered.

HEEL PLATES.

These are made of horn and are much superior to vulcanite, as there is no liability to breakage.

No.
HPl Ribbed pattern as each illustrated, 1/3

HP2 Plain pattern, ½in. thick, for lengthening stock ... 5/-

HP3 Plain pattern, 3in. thick, for lengthening stock .. 6/6

HP4 Plain pattern, lin. thick, for lengthening stock ... 8/-



RUBBER RECOIL SHOES




No. RP1.

Best rubber with thick resilient recoil pad.

5/- each.

GUN HAND PROTECTORS.

(State bore of Gun when ordering).



List No. HP12 Hand sewn, leather covered, best finish.

Price 7/6 Post 3d.




OIL BOTTLES for Gun and Revolver Cases.

No.	815H.	Glass	Bottle,	Round	$1, 1\frac{1}{2} \times 2$ in.				Price	2/-	
,,	2816S.	,,	,, 1	Square	, best, $1\frac{1}{2} \times 1$	$\frac{1}{2} \times 1\frac{1}{2}$	in.		,,	2/9	
,,	2816.	,,	,,	,, 2	nd quality,	$1\frac{1}{2} \times 1\frac{1}{2}$	$\times 21$ in		.,,,	2/9	
,,	2816H.	,,	,,		est	.,,		H	,,	4/-	
,,	2818	,,	,,		est, $2 \times 1\frac{3}{4} \times$			•••	77,	5/-	
,,	811N.	Metal	bottle,	Round	$1, \frac{3}{4} \times 1\frac{1}{8}$ in.				,,	2/-	
,,	817.	,,	,,	. ,,	$1\frac{1}{3} \times 2\frac{1}{8}$ in.				,	3/-	
,,	818.	,,	,,	,,	$1\frac{1}{2} \times 2\frac{1}{8}$ in.	with	remova	tole to	р.,,	4/6	

No. 821. Metal Bottle, best quality, Square, heavily nickelled.

					Size $1\frac{1}{2} \times 1\frac{1}{2} \times 2$ in.	Price	4/6
,,	823.	,,	,,	as above	$1\frac{3}{4} \times 1\frac{3}{4} \times 2$ in.	,,	4/6
	825.	,,,	,,	,,	$2 \times 2 \times 2_{\frac{1}{2}}$ in.	,,	5/3
	826.	150.00	1000	1	$,21 \times 15 \times 21$ in.	,,	5/3





PARKER'S ANTI-RECOIL PAD (Silver's Pattern).

Good quality for ordinary Shot Guns and Rifles.

List No. P.S.P.1. Price 7/6.

SILVER'S ANTI-RECOIL PADS.


Made of Vulcanite faced with best rubber. This well known butt pad is practically a standard fitting on first-class high velocity rifles and heavy duty shot guns.

List No. SP1. Suitable for 12 bore shot guns and sporting rifles. Price 10/6 each. List No. SP2. Large size for 8 bore guns. Price 17/6 ea.


CARTRIDGE EXTRACTORS.



No.		Price.
FH1.	Ring Extractor with	hook
	Brass	1/6
FH2.	Ditto, Nickelled	1/9



Spring Clip Cartridge Extractor suitable for all bores.
List No. SCl. Price 1/6



Combined Whistle and Extractor.			***		 ***	Price 3/3
Ditto, ditto (folding pattern)	,,	C16		7.55	 ***	Price 4/.
The state of the s						



No.					P	rice.
FR1.	3 Claw	Finger	Ring Extractor,	brass	1111	1/3
FR10.	199	,,	,,	nickelled	***	1/6
FR0.	2 Claw	,,	,,	brass	***	9d.
	(Plea	ase men	tion Gauge who	en ordering).	






HORN DOG WHISTLES.

No.	6A.	Horn	Whistle,	3ir	١.	1000	Price	1/6
,,	L7.	,,	,,	$3\frac{1}{2}i$	n.		11	2/-
		(Finis	sh is smoo					
					•		Post 2	d.

BIRD KILLERS.



No.		Price.
K20.	Plain, Nickelled	7/6
K22.	With Band Loop for	- 15
	Birds neck	9/-
K21.	Combined Killer,	
	Whistle and Cartridge	
	Extractor	10/-
KO21.	As above, and with	
	Cigar Cutter	
	(illustrated)	11/-
KC30.	White Metal Chain	
	for above, with Swivel	1/6

KNUCKLE DUSTERS.




List No.		Price.
KDB1.	Bronzed Iron	1/3
KDB2.	Solid Brass	3/-
KI)A3	Aluminium	2/9

LIFE PRESERVERS.



No.					P	rice.
LP2.	Malacca Cane	Handle	with (Cord Lo	op	2/6
LP3.	Black Braide	d, Stiff	330	6906		3/3
LP31.	,, ,,	Limp	2.55	7.04.00.04		2/9
LP32.	All Rubber, f	lexible				2/6



FINGER GUARDS.

No. Price.

TG1. Soft Metal Rubber Covered Guard, for attaching to Trigger Guard. Prevents bruising of the finger, and very readily fixed, as illustrated 2/-

rd ... **1**/-

RG2. Elastic Finger Ring Guard with Rubber Cushion ...

"CLENVEET" BARREL PRESERVING RODS.



Wood Rods covered with a specially impregnated cloth, made to fit the bore easily and well. All dampness is excluded, whilst the oily impregnation—which lasts almost indefinitely—keeps the bore in clean condition.

No.	PR12.	Pair '	'Clenveet'	Preserving	g Rods.	12 (Jauge		600	Price	4/-	Post	6d.
	PR16.	,,	,,	.,	19	16	, ,	30.0		,,,	4/-	,,,	6 d.
				101		20	,,	***	20.00	.,	4/-	,,	6d.

Single Rods can be supplied to order.

All Rods are sent for 30" Barrels unless otherwise ordered.

i de la constantina della cons

ALARM GUNS.

Provides an alarm against Trespassers, thereby protecting Orchards, Preserves, Poultry Farms and the like.

Takes a 12 bore blank C.F. Cartridge (loaded powder only), can be instantly loaded in the dark and made safe by the chain peg without unloading.

the chain peg without unloading.

The Gun is made of iron and steel throughout and is blacked to withstand the weather.


No. SAG1. Without Wire ... Price 10/6

,, SAG2. Improved pattern with base plate ,, 14/-

,, SAW1. Copper Wire in 300 feet coil ... ,, 3/-Blank Cartridges for same. Price 10/- per 100.

NOTE. Care should be taken to see that the mouth of the Cartridge Chamber is free from Soil and Clay.

SPORTSMAN'S COMBINATION KNIFE.



No. SK1. Carries 2 Blades, Screwdriver, Gimlet, Corkscrew, and Cartridge Extractor Price 6/6

GUN AND RIFLE SLING ATTACHMENTS.


Knowing of the demand there exists for these parts among firms and others who undertake restocking and converting guns and rifles we have introduced a complete line of well made but inexpensive steel attachments which will meet it.

1	1
- 1	О.

- 1. Barrel Eye with dovetail base 1/6
- 2. Butt or Fore-end Eye ... 1/-
- 3. Barrel Eye with curved base 2/-

No.

- 4. Barrel Eye with long base ... 2/
- 5. Band Swivel with long base (fin. inside) 2/-
- 6. Butt Swivel with buttress thread (do) 1/6



DENT RAISER (for smooth bore Barrels).




(Illustration shows extreme ends broken away).

The pressure piece shown projecting above the left hand diameter is raised to meet the dent by the right hand screw "leed," operating against an angle piece supporting it.

List No. DR12. Dent Raiser, best quality, for 12 Gauge ... Price 32/6 each.

- , ,, DR16 ,, ,, for 16 ,, ... ,, **32**/6
- ., ,, DR20 ,, ,, for 20 ,, ... ,, **32/6** ,

(The above complete set suits all Gauges from 10 to 24)




OVALS AND SHIELDS, for Gun Stocks.

List No.	Size $\frac{3}{4} \times \frac{5}{8}$ in.	each.	List No.	Size $\frac{15}{16} \times \frac{3}{4}$ in.	each
BWO1.	White Metal Ovals	6d.	BWO2.	White Metal Ovals	6 d.
BWS1.	,, Shields	6 d.	BWS2.	,, Shields	6d.
BSO1.	Silver Ovals	1/6	BSO2.	Silver Ovals	1/6
BSS1.	" Shields	1/6	BSS2.	" Shields	1/6
BGO1.	9ct. Gold Ovals	6/6	BGO2.	9ct. Gold Ovals	8/6
BGS1.	" Shields	6/6	BGS2.	" Shields	8/6


All the above have prongs of Copper.

SHOT GUN COVERS FULL LENGTH.

Unless otherwise stated, Covers for ordinary 12-bore guns will be supplied;



LEG OF MUTTON COVERS.



The following are for 12 Gauge Guns No. dismounted. Price. Strong Waterproof Brown Mail Z1... 12/-Canvas Cover Strong Waterproof Brown Mail Z_2 Canvas Cover, with cartridge pocket at side ... 7.3 Solid Leather Plain Cover ... 22/6 7.4 Solid Leather Blocked Cover, with Slide Lock ... 35/-

"CLENVEET" STOCK AND BARREL COVERS.



Invaluable for keeping Guns free from dampness when not in use.

No CGC. Set impregnated Covers .. Price 4/-


"CLENVEET" POLISHING CLOTHS.

These cloths are impregnated by a new process designed to supersede oily rags, and tend to preserve the finish on the steel work of the Rifle, also to polish the woodwork. They do not soil the hands.


						Price.
No. 205.	Small size	140404	***		***	1/-
No. 205A.	Large	115		15.50		1/6

152

SHOT GUN CASES. (For ONE 'Gun).




No. GCO.	Brown Canv	as Case	with lock	, strap	fastenings and l	oound corners	1888	Price, 18/-
GC1.	,, ,,	,,	,,	impro	ved appearance	***		20/-
GC2.	11		with Slid	e Lock,	full straps and	leather bound	Y = 10	30/-
GC3.	Waterproof	brown	Canvas	••		,,		37/6



No.								Price.
GC4.	Brown Canyas Case	e with Slide L	ock bound	edges ar	id brass	corners		42/-
GC5.	Best Green Willeso	len Canvas Ca	se as above	(2007) (100 (100)		1990	***	55/-
GC6.	Basil Leather Case	with straps a	nd lock	ve:		***		32/-
GC7.	Plain Leather Case				***			45/-
GC8.	Solid ,, ,,	red lined and	with slide					~ ~ .
GC9.	Strong ,. ,,	as above and	with brass	corners		547		70/-
	Superior ,, ,,	5.7	,,	,,		***		100/-
GC11.	Oak Case leather c	overed and	.,,			939		95/-
GC12.	,, ,, ,,	1.1	,,	,,	very be	st quality		140/-
No.	CASE	S FOR	PAIRS	OF	GUN	IS.		Price.
GC13.	Brown Canvas Ca	se, plain quali	ty			K * * *		42/6
GC16.	Strong quality lin			le lock				90/-
GC17.	,, ,, ,,	, improved	pattern wit	h brass	corners			120/-
NoteIn o	rdering any of the	above pattern	a length of	barrels a	and size	of bore sl	oul	ld be stated.

CARTRIDGE CARRIERS.

List.



HFC Brown Canvas as illustrated, 24 - 28 - 32 - 42 6 with slide lock HHI Leather carrier with slide lock 45|. 52|- 60|- 68|-HDN Leather carrier with outside straps & brass 63 | 70 - 76 - 82 corners XN As above, best


To hold 200, 300, 400, 500,

quality, brass corners & lined 70 | 76 | 84 | 92 | -

XX Ditto, without 60 | 68 | 75 | 84 | brass corners

List. To hold 100 E Brown Canvas Carrier, as right illustration ... 18/-

G Brown Leather Carrier, pattern on right ... 30/-



CARTRIDGE BAGS.







No. ET A2.



No. A5

To Hold

To Hold

To Hold

"UNIVERSAL" DESIGN.

No.					50	75	100
D1	Good quality waterproof mail canvas	bag, wit	h leather s	sling	5/-	6/-	7/- each.
DIF	As above, with front pocket			•••	5/9	6/9	7/9 ,,
El	Best quality waterproof mail canvas b	ag			6/-	8/-	9/6 ,,
ElF	As above, and with front pocket	<u> </u>	.1		7/6	9/-	10/6 ,,
E2	Leather bag with web sling		765 · · ·	1880	12/-	14/-	15/6 ,,

"ADVANCE" MODELS.

		100		
No.		50	75	100
Al	Strong waterproof brown canvas bag, with web sling	6/-	7/-	8/- each. 10/6,,
A2	Best waterproof brown canvas bag, with web sling			
A3	Brown leather bag, with brass furniture and web sling	15/6	18/-	20/- ,,
A4	Best quality leather bag, waterproof lined, with brass furniture			
	and web sling	21/-	24/-	27/- ,,
	Best quality leather bag, waterproof lined, with brass furniture			27/- ,,

"SUPREME" MODELS.

No.		50	75	100
A5	Superior quality best leather bag, handsewn throughout, waterproof lined, with brass furniture and web sling	30/-	34/-	each. 37/6
A6	Very best waterproof canvas bag, with brass furniture and			
	web sling	14/-	15 6	17/-

GUN SLINGS.

List No. SGS1 Leather Sling, adjustable for length, suitable for narrow "Continental" Band Swivels. Price 5/- each.

List No. SGS2 Leather carrying Sling for fitting to Shot Guns without Sling Attachments with leather loop for barrels and strap to fit round "small" of butt.


Price 6/6 each.

To hold 25 30


CARTRIDGE BELTS

Please state gauge with order. Otherwise we send No. 12.


No. CG1. Wide Leather Belt with Steel Clips. To hold 25, 10/6 30, 12/-




List No.



No. CG2 (above)



No. CG3 (above)



No. 9D (above)

THE TAI), 10 Hold 20, 30.	
CG2.	Good quality Leather Belt with Steel Clips 8/6 9/6	
GC3.	Good quality narrow Leather Belt with Steel Clips 7/6 8/6	
9A.	Cheap Web Belt, strongly made 3/6 4/-	
9B.	Strong Canvas Belt, leather bound, wide pattern with web sockets 6/- 6/9	
9C.	Leather Belt with leather sockets 6/- 7/-	
9D.	Leather Belt with leather sockets, wider pattern 8/- 9/6	
9E.	Leather Belt, best quality, wider pattern 9/- 10/6	
9F.	Leather Belt, very best quality, wide pattern,	

... 15/- 18/-RCC1. Spring Steel Cartridge Clip only, for rivetting to Belt 2/6 per doz.

and with bottoms to

sockets

SCC2. Cartridge Clip to slide on 14 in. width belt, requires no rivets. 2/6 per doz.

HOLSTERS

in good quality leather.



No.		=3.			Each
LH1.	For	Baby A	utomatic	Pistol	3/-
LH2.	,,	7.65	,,	,,	5/-
LH3.	,,	Bulldog	Revolve	r	5/-
LH4,	,,	Small C	onstabul Re	ary volver	6/6

LH5. ,, Large

BELTS WITH HOLSTER AND POUCH

strongly made in leather.




HBP1,	For	Baby A	utomatic	Pistol,	per set	10/-
HBP2.	,,	7.65	,,	,,	,,	11/6
HBP3.	٠,	Bulldog	Revolve	,,	,,	11/-
HBP4	.,	Small Co	onstabula	ry Revol	ver,,	12/6
BP6.	Pou	ch only	with Gu	sset	***	5/6

MONEY BELTS.

8/-

MA.	Tubular	Money	Belt,	good	quality	leathe	r, 2in. wide	4.4.4	38430	4/- each.
MB.	2.9	, .	,,	,,	.,,	,,	2½in. ,,	1400	0.00	5/6 ,,



GAME AND FISHING BAGS.

THE "HARDY" GAME BAG.

This is the strongest Canvas Bag made, being specially stiffened at bottom and side, giving extra strength.

HA. Leather lined throughout,

size 18 × 10in. 33/- each

HB Ditto,

size 20 × 11in. 37/6

HC Ditto,

size 22×12 in. 40/-

THE "VELDT" GAME BAG without Flap.

These bags are made in strong brown tanned Canvas and are fitted with Web Slings.

		S	ize 16	×14in.	18×16in.	20×17 in.
			No.	Price.	No. Price.	No. Price.
Without Net			VA 1	6/-	VA 2 7/-	VA 3 8/-
With Net		4.44	VB 1	9/-	VB 2 10/6	VB 3 12/-
With Net and	leather	lined	, VC 1	17/6	VC 2 20 /-	VC 3 22/6
Stout Waterpi	roof Ca	nvas	VD 1	13/6	VD 2 15/-	VD 3 17/-

Flaps can be fitted to the above patterns at small extra cost.

THE "COPPICE" GAME BAG.

A strong brown tanned Canvas Bag with Flap, Net and Web Sling.

Price.

No. VL. Size 18×16in. 11/-

THE "THICKET" GAME BAG.

A very fine strong Canvas Bag with gussets. Leather lined throughout. Price.

No. TA. Size 20×14in.

"TB. "18×16in. 32/-

32/-



THE "ANGLER" FISHING BAG.

No. Each.


G 1 Very strong Tanned Canvas, with web sling and flap, 18in. × 12in. 5/-

G 1F As above, and with front pocket 6/3

G 2 As G 1, but $15in. \times 10in.$ only ... 4/6

GF 2 As G 2, and with front pocket ... 5/3

GAME CARRIERS.



These Carriers are in polished oak with best brass fittings; all material and finish of the highest quality.

No. GHT. The "Field" Carrier; polished oak with leather handle. Price 4/(See left illustration)



No. 13V. (above)

No. 13V. Oak polished Carrier, with brass trap, Single. Price 7/-

No. 14V. as above and with cords. Price 6/6




No. 13F. (above)


No. 13F. Polished Oak Carrier double pattern with spring brass trap. Price 10/-

No. 13ZO. (See right side illustration.) Polished Oak
Carrier, best quality
throughout, complete with
Net. Price 25/-

No. 14ZO. Oak Carrier as above but without net. Price 14/-



GAME DESPATCH BOXES.




Made in strong board for despatch by post, printed ready for addressing. Ventilated and complete with fastening cord.

List No.	Size.	per dozen.
GB1.	$9\frac{3}{4} \times 6 \times 3\frac{1}{2}$	2/6
GB2.	$9\frac{1}{2}\times7\frac{1}{2}\times3\frac{7}{8}$	3/-
GB3.	$14\frac{3}{4}\times7\ \times3\frac{3}{8}$	3/6

For convenience of stocking the boxes are made collapsible and are sent out folded flat.





For Trap and Practice Shooting.

	-	. ap an	a radioc oncorning.
List	No.	S.R.T.1.	Single Rise Traps
			£3 5 0 ea.
,,	.,	D.R.1.	
,,	,,	E.T.T.1.	Automatic Angle Traps
			£27 0 0 ,
22	2.7	E.T.T.2.	Blanton Gun Type Thrower £4 0 0 ,,
,,	.,	E.T.T.3.	Large hand Flingers 6/6
		E.T.T.4.	
530	**		
,,	,,	E.C.B.1.	Clay Targets for Trap and large hand Flingers in barrel of 500 £3 7 6 per 1,000
.,	. ,,	E.C.B.2.	Match Clay Targets for do. £3 7 6 per 1,000
,,	.,	E.C.B.3.	Midget Clay Targets for small hand Flingers in barrels of 1,000
			£3 0 0 per 1,000
12	,,	E.C.B.4.	

STEEL INANIMATE BIRDS.





No. C.S.B.

This invention consists of a steel bird of the form of ordinary clay or composition No. JSB.1. birds, and are thrown from the various spring traps, hand flingers or throwers adapted for that purpose. They are practically *indestructible* and may be used an indefinite number of times, therefore they provide *first class shooting practice* at a nominal cost. Previous to use they are painted inside and out with a fairly thick mixture of blue powder mixed with water and allowed to dry. plainly visible in mid-air by the emission of distinct clouds of dust when the bird is struck, even with the shot from both barrels, or by a single pellet, and the shot marks may be clearly discerned. There is very little trouble in gathering them as the blue powder may be seen at a long distance. Price 12/- doz.

No. P.B.3. Box containing 1 lb. Blue Powder with Brush. Price 2/3 each.


The "Collapso." This is similar in shape to the above Steel Bird, and used No.CSB1... in the same way, but does not require painting previous to use; it is always ready. It consists of a steel disc and jointless rim, united by a short chain, the disc is held in position in its flight through space by a spring attached to the rim, and also by an adjustable peg, until it is released by a shot striking any part of the Bird, when it falls apart, and feathers, paper, &c., may be made to fly from it, giving it a very realistic appearance of the live object.


Price 3/6 each.



Inanimate Bird Thrower, The "Perfect." for Throwing all kinds of birds by hand. Easily manipulated and fitted with an adjustable holder for birds. List No. S.R.T.2. Price 11/6

FERRETING ACCESSORIES.






No.			Pric
HF0.	Ferreting Outfit, comple	te, as s	hown 6
A100.	Ferret Bag, to carry 2.	· ventil	lated,
	with draw cord	200	4/
A120.	As above to carry 4		6/
2329.	Ferret Gloves, leather		4/
FC1.	Best finished Collar with	buckle	e and
	"D"		9
FC2.	Best finished Collar ditto	with B	ell 1/
NPS.	Swivel Hooks for above,	nickelle	d 4
FCB.	Brass Bells, three sizes		2
FL10.	Ferret Line, 10 yards		1/
FL15.	,, ,, 15 ,,	444	1/
FL20.	,, ,, 20 ,,		2










Ferret Bell.

Muzzle. HM1.



Muzzle. BPM.

	92.545.55 UTF			2000	-	
List.					Price).
BSM.	Brass Spring Muzzle, as about in sizes - Small, Medium and		stration,	made 	4 d.	each.
HM1.	Nickel plated "Handy" Muz snap fastening, three sizes	zle, hin	nged and		1/-	,,
вРМ.	Brass Pin Muzzle, as shown	4000	666		5d.	
NPM.	Nickelled Muzzle do	1000	***	8886	6d.	

LONG RABBIT NETS AND PURSE NETS.

These are made from 3 cord Hemp Twine with 4 in. stitched mesh, or 2in. square.

No. LN1. Grey Net. To hang 3ft., complete with lines, &c., 50 yards long 20/ each. No. LN2. ... complete with lines, &c.,

No. LN2. ,, ,, ,, complete with lines, &c., 100 yards long 40/- each.

No. LN3. ,, ,, complete with lines, &c., 150 yards long 60/- each.

Tan or Green Nets can be had at 1/6, 2/- and 3/- extra, and 2½, 4 or 5 feet hangings can be had at proportionate prices.

No. PN1. Purse Net. Grey, Tan or Green, complete with rings, lines, and Pegs ... Price 10/6 doz.

SPORTING PREPARATIONS.



Simple in application. Remarkable in effect. (Invented by Mr. J. White in 1903).

For tainting out Rabbits—no Ferrets required. "Shooto" is an original scientific mixture, which compels rabbits to leave their burrows at earliest possible moment and lie out. Suffocation is guaranteed impossible, and it is guaranteed harmless in all circumstances. Protects Nests, Avairies and rearing field from foxes and dogs; no need to lose a single Pheasant or Partridge nest. (One gallon will protect 100 Nests). Protects shrubs, crops, roots, etc., from rabbits; lambs from foxes. Cures scaly-legged Poultry. Kills wasps. Keeps foxes out of earths and away from nests, pens, &c. Foxes or Badgers will not go to ground where "Shooto" is.

List No.	 •••	WS1.	WS2.	WS3.
In Tins	 	Quart.	Half Gallon.	One Gallon.
Price	 ***	3/9	7/-	13/6

With full directions for use.

" STAY-AT-HOME ".

A Preparation used successfully by Game Preservers for 30 years. (Directions for use supplied).

For catching up pheasants or bringing them to the Aviaries or central covers for nesting in the spring, or preventing partridges nesting near the boundary.

Wild partridges, grouse and duck can be collected from surrounding district into the space of one field, and after the hardest day's shooting all (including pheasants) will return that night; this has been conclusively proved by hundreds.


Quantity		Half Pint.	Pint.	Small Tin.	Large Tin.
List No.	4,373	SAH1.	SAH2.	SAH3.	SAH4.
Price	***	3/6	5/-	13/6	25/-

"FOXO" (Registered 1912).

Insuring no more "blank" coverts.

A harmless preparation, which will not only draw foxes to any desired covert, but will retain them there until hunted out, and even then they will return when all is quiet. A proved success and of great utility to hunting men. "Foxo" is not eaten, but draws by scent, which lasts from one to two months, and packet divided into four pieces and placed in sheltered dry under-covert such as bracken, briar, etc., is enough for 20 acres. Roving foxes from surrounding districts always call where once they have scented "Foxo," which causes them to congregate, searching for their species.

No. WF1. ... Per Packet 4/6 3 Packets 13/-



RUN TRAPS.

List No.		Pri	ce eacl
LT3. As on left,			
jaws	***	3443	2/-
LT4. As			2/6

A handy trap for use in the runs of small vermin.


"ORDINARY" DORSET RABBIT TRAPS.

List No.	Jaws	3in.	4in.	41 in.
LT6	First quality	5/-	5/9	6/6
	Second ,	4/6	4/9	5/6
	Third ,,	3/6	3 9	4/6

(Other widths of jaws quoted for).

Excellence of material and workmanship are special points in this trap; but whilst good and reliable the second quality is not so durable.

MOLE TRAP.



No. LT9. Japanned 10d., LT10. Galvanized 1/-

RABBIT SNARES AND PARTS.



No. BS2 Snare.

List No. Price. BHS1. Barnes' Humane Snare with Stop ring. Catches rabbits alive, complete with cord ... 2/ doz. BS2. As above, without stop ring ... 1. "Holdfast" Snare for Rabbits, 19in. long, complete with cords HS2. As above, without cords 1/6 ,, HS3. Holdfast Snare for Hares; 26in. long, complete with cords ... 2/6 HS4. As above, without cords 2/-SW1. Red Brass Snare Wire ... 3/- lb. in coils SW2 As above, twisted wire 3/4 ,, Tanned cord ... TC1. ... 6/6 CE1. Brass Eyelets, per gross 1/6 grs.



No. FC1.

FUSE, FOR BOLTING RABBITS OR HARES.

In Coils of 24 feet. Price 1/3 Carriage 8d.


Directions.—Cut the Fuse into Short length for convenience when carrying, after lighting on end push well into the hole of burrow. After inserting the Fuse put a spade or two of soil over the burrow, the fumes will then find their way through the burrow.

R. HARAGE

DECOY MODELS.



No.	RDP	Decoy Pigeon (wood), superior quality	***	Price	7/-
,,	DP2	,, ',, good quality		,,	6/6
,,,	DP3	", " with Aluminium head		,,	10/-
,,	DP4	"Stronglite" Pigeon, in Leather Maché, beautif	ully		
		coloured	7.4.4.30	٠,	10/-
,,	SWD	Decoy Duck, wood, natural size and colour (swhether male or female required)	tate	,,	8/6
· ,,	LRD	Duck, India Rubber, collapsible		,,	21/-
.,	LCD	Drake ,, ,,		,,	22/6



The above models are carefully made to represent life to size and colour, and all rubber goods are in extra quality material.

BIRD LIME.

For collecting small birds.

Also makes a trap for mice.

List No. CBL.1. In 1 lb. Jars. 2/3






CATAPULTS.


Sold to responsible persons only.

C50	Catapult complete, black japanned	2/3 each
C51	" Frame only	1/6 ,,
C52	" complete, Nickelled frame	2/9 ,,
C53	" Frame only	2/- ,,
C60	Elastic (square or round), best quality	1/- per yard
C61	Rubbers with Leather Sheaths, ready putting to frames	for 1/3 each

DECOY CALLS.


These selected Models render exactly the cry of the subject for which they are sounded, but naturally the completely successful use depends largely upon the skill of the user. It is not always possible to supply models of the exact form of the illustration, so clients are asked to accept our supply in such cases. Where indicated below one call renders several cries.








No. DY15. No. DY3.



No. DY10



No. DY13.


N	lame.				Price.
Deer a	nd Ro	е	***	***	1/9
Partrid	ge	• • • •	***		1/-
Snipe,	Lark	and	Wood	lcock	
				(wood)	1/3
Do.	Do.			(horn)	1/6
Do.	Do.		V4.0	(metal)	1/-
Duck	***	***	***	(wood)	1/9
Cuckoo	and	Pigeor	1	(wood)	2/6
Heathc	ock, J	ay an	d Ma	agpie	1/3
Pheasa	nt			(metal)	1/6
Bird of	Prey		V2.0	(wood)	1/6
Owl	222	9.00	14.7	(wood)	1/-
Rabbit		190	73.71	(wood)	1/3
Mice	3000	*(*)		(wood)	1/-
Stag	3355	1.00	(c	ushion)	2/-
Quail	253		(c	ushion)	2/3
Plover		1546	64.5	144	2/-
Teal	***	VX	***	***	1/6
Thrush	***	***	3.130	***	1/6
Blackbi	rd	185	***	***	1/6
Bullfine	ch				2/-
Cuckoo		\$440	(nie	ckelled)	2/6
Curlew		•••	***		2/3
Crow			***	(wood)	1/6
Fox or	Hare	1275	***	(wood)	1/6
Grouse	***		41	(wood)	2/-
Grouse				(metal)	1/6
Goldfin	ch		***		1/9
Hare	***	vacc.	***	(wood)	1/3
	Deer air Partrid Snipe, Do. Do. Duck Cuckoo Heathc Pheasa Bird of Owl Rabbit Mice Stag Quail Plover Teal Thrush Blackbi Bullfind Cuckoo Curlew Crow Fox or Grouse Goldfin	Partridge Snipe, Lark Do. Do. Do. Do. Do. Duck Cuckoo and Heathcock, J Pheasant Bird of Prey Owl Rabbit Mice Stag Quail Plover Teal Thrush Blackbird Bullfinch Cuckoo Curlew Crow Fox or Hare Grouse Goldfinch	Deer and Roe Partridge Snipe, Lark and Do. Do Do. Do Do. Do Cuckoo and Pigeor Heathcock, Jay an Pheasant Bird of Prey Owl Rabbit Mice Stag Quail Plover Teal Thrush Blackbird Blackbird Blackbird Blackbird Blackbird Cuckoo Curlew Crow Fox or Hare Grouse Goldfinch	Deer and Roe	Deer and Roe



DOG BRUSHES AND COMBS.

The Whalebone Dog Brush as illustrated.

No.
WB1. Dog Brush, with long black bristles, small 4/WB2. ,, ,, ,, ,, large 5/8
WB3. ,, ,, Wire 4/3



THE "SPIRAL" DOG COMB.



The illustration shows a section of the spiral comb (actual size) and the detached top which slides off to enable cleaning of the comb.

No. S.D.C.1. Spiral Comb 2/-

SOLID STEEL DOG COMB.



No. S.D.C.2. Polished Steel Dog Comb, made from one piece of steel. Price 2/-

ALUMINIUM COMBS.



THE "DURABLE" DOG COMB.

Mane ,,

10d.

,, AMC.



No. DDC. The "Durable" Dog Comb, nickel plated teeth soldered in. Price 6d. each.

DOG WHIPS.



M147 List No. Pattern. Price. M147. Malacca Handle Gents 2/6 ... Ladies 21-M148. As above with Whistle Gents 5/-Ladies 4/6 Malacca Handle, E.P. Dog's M152. Head Mount Gents 7/6 ... Ladies As above 7/-M153. With Whangee Handle, Chased Whistle Gents 7/6 As above Ladies 7/-M154. Buckhorn Handle with Whistle Gents 12/


M155. Flogger Brown with
Swivel for Collar ... Gents 6/
(Full List of patterns sent on application)

THE "PARKERIFLING" SYSTEM OF RE-BARRELLING BY MEANS OF A RIFLED TUBE.

This system of relining shot out barrels was originated in the year 1910 by our Mr. A. T. C. Hale, and has proved enormously successful. During the Great War upwards of 50,000 rifles were "Parkerifled" by us for the British Government, practically the whole of their armies being trained on the miniature range with "Parkerifled" .22 cal. Service Rifles.

The Exhibition Stand illustrated below shows the various stages in the process of "Parkerifling."

"PARKERIFLING" EXHIBITION STAND.




- The original barrel bored out to receive the internal barrel.
- The internal barrel or rifled tube.
- The original barrel fitted with the rifled tube.

This is one of the many hundreds of Targets that have been sent to us by our customers in praise of the extreme accuracy of "Parkerifling."

There are 20 shot holes on the target.

Two bullets have passed through each hole.



...(1)

.. (2)

....(3)

The Accuracy of Parkerifling.

The 2nd, 3rd and 4th high scores on the British Dewar Team of 1924 and the scorer of a "possible" at 100 yards, all used "Parkerifled" barrels.

We undertake to supply the rifled steel tubes in two lengths, viz:-


List No. P.R. 22. 28 ins. long for relining barrels up to 26 ins. in length.

,, ,, P.R. 23. 32 ins. long for relining barrels up to 30 ins. in length.

Alternatively, as the task of drilling out the original barrel needs power driven plant with a suds pump, we undertake to supply Tubes soldered into customer's barrels ready for chambering and breeching up.

We are prepared to supply an Exhibition stand, free of charge, to any of our friends who will undertake to exhibit it.

PATENT SHOT GUN ADAPTOR FOR THE '22 CALIBRE SHORT CARTRIDGES.



- The rifled Tube.
- R Breech Piece. C. Extractor.
- D. Centreing device (in barrel).
- Retaining Springs (Two).

Made for 12, 16 and 20 bore Shot Guns. Weight 7 ozs. Length 8g inches.

A. G. PARKER & CO., LTD., are Sole Agents for the British Empire

The invention has several uses:

It converts a Shot Gun into a Rook or Rabbit Rifle.

It is a very cheap form of home practice for rapid or unconscious aiming. (2)

It shows up persistent aiming faults and by aid of target diagrams, gun can be restocked or altered to fit the shooter.

The tube is put for convenience of loading in the right hand barrel of the gun, being held in position by the friction of two springs "E" on the walls of the chamber, the extractor "C" working in conjunction with the extractor or ejector of the gun. There is not therefore any modification to make to the gun. The eccentric block "D" can be adjusted to make an exact fit in any barrel.

The retaining springs "E" are not sufficiently strong to allow extraction of powerful

.22 cal. long rifle cartridges, but low power long rifle cartridges will extract.

To facilitate extraction it is better to use greased cartridges.

PRICES

List No. E.M.1 (for 12 gauge)	***	44.6	444	25/-
List No. E.M.2 (for 16 gauge)		676(6)	***	25/-
List No. E.M.3 (for 20 gauge)	***	680		25/-

Method of finding out if your gun fits you.

Place two targets that we will provide at different angles, viz. :- The first at

one foot from the ground and the second about 2 yards above the ground.

Take up a position 10 yards away and fire 10 consecutive shots, five on each card alternately. Do not take prolonged aim but shoot rapidly as under natural conditions always aiming at the same spot wherever the bullet may go. Repeat this performance, changing the target after each series of 10 shots until the grouping gives a sufficient indication of your point of impact.

The mean point of impact is at the point of intersection of a vertical and horizontal line drawn through the centre of the group.

If the butt of your gun fits you, the mean point of impact should be 4 inches above the point of aim.

If you do not get results corresponding with these data it shows that your butt is unsuitable and should be altered.

N.B.—We have made a speciality of adapting and converting centre fire weapons to use the wonderfully cheap and efficient .22 cal. rim fire long rifle cartridge.

We beg to draw attention to the following:-


Page 52 The Parker-Hale 6 shot Adapter for Webley Revolvers 52a The Webley single shot Adapter for Webley Revolvers 56c The Parker-Hale .303 cum .22 system for Vickers and Lewis Machine Guns 70 The Parker-Hale .303 cum .22 system for Service Rifles

We hope shortly to be able to market an Adapter for the Colt .455 Service Revolver

AUTOMATIC

165A

PARKER'S -410 CARTRIDGE ADAPTER FOR SHOT GUNS.




As will be seen from the illustration the adapter consists of a single piece of barrel 6" in length, chambered for the ·410 cartridge with a groove for extracting the case, and at the other end tapered for lightness.

It is chambered for the long $(2\frac{1}{2}")$ cartridge, and excellent patterns are attainable at upwards of 15 yards. It weighs 7 ozs., and can be easily carried in the gun or alternatively in a side pocket, loaded ready to be slipped into the chamber.

Extract from an article by Dr. F. W. E. Wagner, M.A., Sc.D., in "The Farmers' Gazette," December, 1927.

 $^{\prime\prime}$ I referred a couple of weeks ago to an Adapter by means of which the $\cdot 410$ Cartridges could be fired from a 12-bore Gun. I got one of these Adapters the other day from Messrs. Parker, Bisley Works, Birmingham. It is a neat and handy adjunct, being only some seven or eight inches long. It slips into the breech of a 12-bore and can be used without injuring the Gun in any way. The Adapter itself takes the $\cdot 410$ Cartridge, either long or short.

At the moment of writing I have not really tried it out having fired only a few shots, but I can say that pattern and penetration are very good at 25 yards. The Adapter is one of those things that will certainly become very popular. Your Gun can be a 12-bore or a 410 at choice; two Guns in one. And when one considers the relative cheapness of the 410 ammunition and remembers how many times one fires a 12-bore cartridge when a 410 would have done the trick, this invention of Messrs. Parker, seems to fill the bill. It is cheap, too; for "it only costs 7/6."



PARKER'S CARTRIDGE SNUFF BOX.



This neat contrivance is made up with the same tools as are used to produce British Service Rifle Cartridges. The body or shell is made of solid nickel, fluted and beautifully polished. The bullet is of Cupro nickel with the same Aluminium tip that is used in Service Rifle bullets. The nose of the bullet is cut away and exposes the aluminium tip which is held in position by a coil spring.

The illustrations are sufficient to indicate the method of replenishing the snuff. We have marketed it for the benefit of those who are already takers of either tobacco snuff or medicated snuff, because being composed of cartridge components it is distinctly in our line and is undoubtedly a much better idea than taking from a box.

The Cartridge Snuff Box is quite plain, nicely finished and has the holding capacity of an ordinary vest pocket box and apparently takes up less room. It is a pleasing and economical device which cannot get out of order.

List No. 283a. Price 1/3 post free.



MAJOR MAWE'S FIRE BY FRICTION SETS

To Produce Fire Without Matches.

These Fire by Friction Sets are improved copies of the sets used by the North American Indians for procuring fire.

The use of them teaches an art which may easily be of invaluable service to anyone going into the woods or jungle, even to the extent of life saving, i.e.,

if lost to give smoke signal.

The art is easily learnt if practice is commenced on an "easy" set, that is, one made of the best possible wood for the purpose, special leather thong, and all curves and angles worked out to give easiest results. Once efficiency in manipulation has been attained on this set, it is easy to make one from many different types of wood (any wood with alternate hard and soft grain), a bootlace and a knife or axe, and one need never again be without fire.

These Sets include very full and clear instructions. List No. FBF.1. Price 4/6 per Set. Post 9d.

THE MALLOCK ARMSTRONG EAR DEFENDER


for guarding the ears from Gun Deafness.

Price 4/3 Post 3d.

PARKER'S NO. 9G APERTURE SIGHT

adapted to

THE AMERICAN SPRINGFIELD RIFLE.



Photograph shows the Sight ready for use on the Springfield Rifle

This Sight has several advan-ges over existing American Sights and we admit two disadvantages also.

The disadvantages are:

(a) Greater vulnerability. (b) More working parts.

- The advantages are:

 (1) It can be fixed by means of existing facilities on the rifle in less than five minutes, no drilling, tapping and fitting being necessary.
 - (2) The rifle is not cut or otherwise mutilated.
 - (3) It has a six hole variable eyepiece.
 - (4) It has 40 minutes wind allowance right and left
 - (5) The windgauge and eleva-tion serew heads can be operated easily with the hand that is free.

Owing to the extremely high American Tariff wall, we have no intention of invading the American market by offering these sights to

Should the advantages of the Sight appeal to American riflemen. we shall be glad to hear from them and will quote very favourable prices if the demand should be sufficient to warrant manufacturing small quantities. For prices see page 6.




TERRY'S POCKET SCREWDRIVER.

A most useful little accessory for a rifleman, and especially for the owner of a B.S.A. No. 12 take-down rifle; for dealing with the taper body pin, also the action keeper pin.

It is so small that its size is unnoticeable in the vest pocket, yet its shape enables one to remove screws which a bulkier tool might not remove.

> Price 6d. Post 2d.

THE HAIRGRIP SPANNER.



POINTS.

- It is machined from steel stampings and properly hardened.
- It will grip a hair. It will open to well over % of an inch.
- The lock nut keeps it set when required.
- The stop pin prevents loss of parts. It is barely 3 inches long.
- It can be carried in the pocket.
- There is nothing to wear out.

 It is a delightful little tool and a pleasure to use and own. It is suitable for the


lighter nuts of a Motor Cycle and is capable of adjusting all the nuts on a push-cycle.

It is a boon to the Wireless Constructor and a welcome addition to every work bench and tool kit.

List No. S.P.A.1. Price 2/9, post free.

THE PARKER LATTEY MAGNIFYING SIGHT.

FOR S.M.L.E. RIFLES.



The Sight is a modification of the Lattey Sight designed by Mr. Lattey of the N.R.A. School of Musketry during the War period.

We have redesigned it to be easily fitted to an ordinary Short Service Rifle by removing the nose-cap screws and substituting a long one for it.

The Lens, in conjunction with the usual aperture sight and a small reducing lens that is screwed behind the evepiece of the aperture sight, magnifies the object aimed at about $2\frac{1}{2}$ times.

The ordinary blade foresight is used for aiming so that the removal and refixing of the lens foresight does not alter elevation or direction in the slightest. *

We have introduced this attachment for the benefit of those who wish to take part in Match Rifle Events with the Service Rifle for the sake of the sport and the practice obtainable as well as the by no means remote possibility of getting into the Prize List.

List No. O.S.S.7. Optical foresight as illustrated and with rear sight lens holder suitable for most service rifle aperture sights in neat lined oak case. Price 30/-

N.B.—We are prepared to supply and fit latest pattern Eyepiece holders, which take the rear lens, and new sunk plates to original Parker Hale No. 5 Sights at 6/- each.

INDEX.

Page	Page
Accessories, Machine Gun 56E	Cartridges for Revolvers and Pistols 125
Adapter, Cleaning, Vickers' 98 K.N.S 18a "Record" 39	for Savage Rifles 126
K.N.S 18A	Shot 138, 139
,, "Record" 39	22" Calibre 96, 96A, 96B
Shot Gun, .22" calibre 165	303 127
Shot Gun, .410" calibre165A	
Adaptors, Machine Gun 56c, 56D	Cartridge Bags 153
Pistol 52, 52A, 53 Aim Correctors 41, 42	Belts 154 Block 97
Aiming Devices 41 42	, Block 97 , Box and Stand 97
Aiming Devices 41, 42 Air Pistols 58, 59 Rifles 60, 61, 62, 64a	Carriers 152
Rifles 60, 61, 62, 64A	., Snuff Box 166
Ammunition	Case Shooting 24
95в, 96, 123, 124 ,125, 126, 127, 138, 139	Case, Kleanrifle
,, Carrier 28	Cases, Gun 152
Anti-Nickel Cream 20	Revolver and Pistol 568
Aperture Sights 6, 7A, 80A, 81, 117, 118, 166A	Catapults 161
Aperture Sights, Service Rifle 6, 7A, 7B, 166A	Catapult, Gun
,, Small Bore 80A, 81 Sight, Air Rifle 62, 62A	Cleaning Accessories, Shot Gun 141, 142, 143
Armourers' Tools and Materials 44, 45, 46, 47	Adapter, Vickers' 98
Automatic Delivery Machines 63A	Cleaning, Advice on 82
Auto-Pistol Magazines 48A	Cleaning Rod Stop 90
Axes 128	Outfits
	Service Kille 10. 11. 11a
D (C)	Small Bore 83, 83A
Bags, Cartridge	Pistol and Revolver 56
Shooting 22 23 00	Clincher Gaff
Backsights Aperture 6 81 117 1174 118	Cloths, Clenveet 98, 151
Backsight Protectors 8 9 80	Coil Holder 167
	Compasses
Barrel Clearing Tool 47	Components, Air Rifle 62
Barrel Clearing Tool	Course Cure Course Cure Course Cure Course Cure Components, Air Rifle 62
., Reflectors 29, 87	B.S.A. Martini 76 Converted Martini 78
Bayonets 45A	Lee Enfield 5
bells, Air Kille Target 05A	Winchester Repeater 111
Belts, Cartridge 154	
,, Money 154	,, Rifle 26, 90
Binoculars 29A, 33, 166 Birds, Inanimate 157 Bird Killers 148	., Rifle 26, 90 Cunirid, B.S.A 18 Cyclists' Rifle Carriers 48
Bird Killers 148	Cyclists' Rifle Carriers 48
, Lime 161	D
,, Lime	Darts, Air Rifle 63
Bolt, Dummy Cleaning 18A	Dead Black 8
Books on Shooting 27A	Dead Centre Eyepiece 7A. 80A
Breakable Discs 92B	Decoy Birds 161 ,, Calls 162
Brushes, Cleaning 14, 14A, 84, 121, 141	Definer, Circle
., and Combs, Dog 163	Dent Raiser 150
Jag	Discs, Aiming 42
Bullets, Rotax 139	Breakable 92A
Bulls Eyes 37	Rotateable 6, 74, 804
Butt Shoe 98	,, Spotting 38
,, Stop 93	Dummy Cartridges 41
Button Brushes 48	., Cleaning Bolt 18A
,, Sticks 48	May 1170 - III. Allin
Blueing Solution 139A	Ear Defenders 166
F	Elbow Pads 27
Canes, Swagger 48	Equipment Sundries 48
Canvas, for Targets 38	Eye Cups, Rubber 29
Carbide Lamp 8	Eyesight Testing 34
Cartridges, of American make 126	Extractors, Cartridge 148
., Auxiliary 113	76231 St
., Blank 127	Ferreting Accessories 158
Dummy 41	Field Glasses 33
., (Kynoch) Centre fire 123, 124	Flags, Range and Signalling 38, 41

Filmitebe 6

Page	Page
	Monocle
Flannelette Patches 13, 86	Mops, Wool 12, 88, 121, 141
,, Rolls 13, 122	Morris Tubes 19A
Flash Spotter 43A	"Motty" Paste 19
Fluor Oil 18 Fore-end Grips 98	
	Never Nickel Lubricant 20
Foresight, Interchangeable 79B	Nightsightlight 1154
Foresights, Small Bore 79, 79A, 29B	Oil El
,, Service Rifle 8 ,, Sporting 116, 1174	Oil, Fluor
	,, 3 in 1 17
Foresight Protectors 9, 62, 80	
1 Oldigit 1 lotectors /, 02, 00	,, Young's .303 16, 17
,, Protector, Leather 101 ,, Shade 80	Oil Bottles, Glass 15, 88, 147
	Optical Sights 119
Friction Sets 166 Funnels, Hot Water 46	Outfits, Cleaning 20, 97
	Ovals and Shields 150
Fuse, for Bolting Rabbits 160	Pads, Elbow 27
Game Bags 155	
Carriers 156	,, recon
., Despatch Boxes 156	" Sheepskin, Arm and Shoulder 27A
Gauges, Barrel 19, 19A, 46, 87	Paint, for Targets 63A
Gauges, Barrel 19, 19A, 46, 87 Grouping 38, 57, 92	"Parkerifling" 66, 67, 68, 69, 69a, 164 Paste, Motty 19
., Handicapping 92B	Paste, Worty 19
Shot Hole 63A, 64, 92B	Patch Box, Target 37 Pellets, Air Rifle 63
Glasses, Field 33	Pellets, Air Rifle 63
Grease Gun Rod, Revolver and Pistol 56	Pencils, Cartridge 48
Grip, Attachable Pistol 798	Pencil, Everpointed 36
Grips, Fore-end 98	Petroleum Jelly 17
,, Teeth 29	Pistol Grip, Attachable
Guns, Alarm 149	Pistols, Air 58, 59
,, Shot 130 to 137	,, Automatic 51, 53, 54, 55
,, Walking Stick 135	., .22 Target 53 Plates, for Aperture Sights 7
Gun Cases 152	
" Covers 151	Plugs, Cleaning 85, 120
Guards, Finger 149	Polishing Paste, B.S.A 18
Guardo, Finiger	Protectors, Backsight 8, 9, 80
Head Rest 81	,, Foresight 9, 62, 80
Heel Plates 147	., Leather 101
Helvetic Cleaning Rods 11, 120, 140	., Gun Hand 147 Practice Rods 43
Holsters 154	
Hooks, Lantern 48	
Hooks, Swivel 90	Pullthroughs 15, 88, 122
Interchangeable Foresights 798	Quickloader 97
	Triffree of the first of the state of the st
Inanimate Bird Thrower 157	Rag Extractor 120 Range Sundries 38
Jags 13, 18, 85, 120, 142	Range Sundries 38
Iag. Brushes 12, 85	Reamer for Sights 7
Jag, Brushes 12, 85 Key, Morse Dummy 41	Rebarrelling 4
Klean-Rifle Case 214	"Record" Adaptor 39
Klean-Rifle Case 21A Kleenwell Oil, B.S.A 18	Refills for Score Books 36
Knife, Fork and Spoon combined 48	Reflectors, Barrel 29, 87
,, Sportsman's combination 149	Re-sizers, Cartridge 146
Knives Marbles 128	Rests, Rifle and Telescope 28
Knives, Marbles 128 Knivele Dusters 148	Revolvers 49, 50, 53, 54
Knuckle Dusters 148	Revolvers, List of Smith & Wesson, Colt,
Knuckle Dusters 148 K.N.S. Adaptor for cleaning with 184	Revolvers, List of Smith & Wesson, Colt,
Knuckle Dusters 148	Revolvers, List of Smith & Wesson, Colt, etc 48A Revolver Loader, Prideaux 56B
Knuckle Dusters 148 K.N.S. Adaptor for cleaning with 18A K.N.S. Outfit 18A	Revolvers, List of Smith & Wesson, Colt, etc. 48A Revolver Loader, Prideaux 56B Rheostat and Switch 168
Knuckle Dusters	Revolvers, List of Smith & Wesson, Colt, etc. 48A Revolver Loader, Prideaux 56B Rheostat and Switch 168 Rifle Covers 26, 91
Knuckle Dusters 148 K.N.S. Adaptor for cleaning with 18A K.N.S. Outfit 18A Lanyards, Service Revolver 56B Lens Holder, Stewards 81 Life Preservers 148	Revolvers, List of Smith & Wesson, Colt. 48A etc. 48A Revolver Loader, Prideaux 56B Rheostat and Switch 168 Rifle Covers 26, 91 Rifles, Air 60 to 62, 64A
Knuckle Dusters 148 K.N.S. Adaptor for cleaning with K.N.S. Outfit 18A Lanyards, Service Revolver Lens Holder, Stewards 81 Life Preservers 148 Loading Machines, Cartridge 144, 145	Revolvers, List of Smith & Wesson, Colt, etc. 48A Revolver Loader, Prideaux 56B Rheostat and Switch 168 Rifle Covers 26, 91 Rifles, Air 60 to 62, 64A Rifles, Air 60 to 62
Knuckle Dusters 148 K.N.S. Adaptor for cleaning K.N.S. Outfit	Revolvers, List of Smith & Wesson, Colt, etc. 48A Revolver Loader, Prideaux 56B Rheostat and Switch 168 Rifle Covers 26, 91 Rifles, Air 60 to 62, 64A Rifles, Air 60 to 62 Lists of Winchester, Savage,
Knuckle Dusters 148 K.N.S. Adaptor for cleaning K.N.S. Outfit	Revolvers, List of Smith & Wesson, Colt, etc. 48A Revolver Loader, Prideaux 56B Rheostat and Switch 168 Rifle Covers 26, 91 Rifles, Air 60 to 62, 64A Rifles, Air 60 to 62 Lists of Winchester, Savage, Remington, Austrian, Small
Knuckle Dusters	Revolvers, List of Smith & Wesson, Colt. etc. 48A
Knuckle Dusters 148 K.N.S. Adaptor for cleaning with K.N.S. Outfit 18a Lanyards, Service Revolver Lens Holder, Stewards 81 Life Preservers 148 Loading Machines, Cartridge 144, 145 Loops, Cleaning 13, 85, 120 Lubricant, Never Nickel 20 Machine Gun Accessories	Revolvers, List of Smith & Wesson, Colt. 48A etc. 48A Revolver Loader, Prideaux 56B Rheostat and Switch 168 Rifle Covers 26, 91 Rifles, Air 60 to 62, 64A Rifles, Air 60 to 62 Lists of Winchester, Savage, Remington, Austrian, Small Arms 99A, 99B Repeating and Automatic
Knuckle Dusters 148 K.N.S. Adaptor for cleaning with <t< td=""><td>Revolvers, List of Smith & Wesson, Colt, etc</td></t<>	Revolvers, List of Smith & Wesson, Colt, etc
Knuckle Dusters 148 K.N.S. Adaptor for cleaning with <t< td=""><td>Revolvers, List of Smith & Wesson, Colt, etc</td></t<>	Revolvers, List of Smith & Wesson, Colt, etc
Knuckle Dusters 148 K.N.S. Adaptor for cleaning with 18A K.N.S. Outfit <td>Revolvers, List of Smith & Wesson, Colt, etc</td>	Revolvers, List of Smith & Wesson, Colt, etc
Knuckle Dusters	Revolvers, List of Smith & Wesson, Colt. etc. 48A Revolver Loader, Prideaux 56B Rheostat and Switch 60 to 62, 64A Rifle Covers 60 to 62, 64A Rifles, Air 60 to 62, 64A Rifles, Air 60 to 62 Remington, Austrian, Small Arms 799A, 99B Repeating and Automatic 107A, 108 to 112 Service 70A, 108 to 112 Service 70A, 108 to 117 Rifles, Air 70A, 108 to 107 Rifles, Air 70A, 108 to 108 Rifles,
Knuckle Dusters	Revolvers, List of Smith & Wesson, Colt, etc
Knuckle Dusters	Revolvers, List of Smith & Wesson, Colt. etc. 48A Revolver Loader, Prideaux 56B Rheostat and Switch 60 to 62, 64A Rifle Covers 60 to 62, 64A Rifles, Air 60 to 62, 64A Rifles, Air 60 to 62 Remington, Austrian, Small Arms 799A, 99B Repeating and Automatic 107A, 108 to 112 Service 70A, 108 to 112 Service 70A, 108 to 117 Rifles, Air 70A, 108 to 107 Rifles, Air 70A, 108 to 108 Rifles,

SECOND HAND WEAPONS.

We have large and fairly varied stocks of arms and with our knowledge and facilities for Rebarrelling, Parkerifling, Testing and Renovating customers can frequently get a rifle equal to new at or about $\frac{2}{3}$ rds the usual price, backed with the guarantee of satisfaction given in our Terms of Business.

Important Notice to High-class Gunmakers and Shot Gun Experts.

CHOKE AND CHAMBER CALIPERS.

We have by us a limited number of beautifully made Calipers for measuring the angle of choke and for gauging the chambers of 12, 16 and 20 bore Shot guns.

Price in neat oak case £8 8. 0.

A DISCLAIMER.

The line triangle which has hitherto constituted a part of our trade mark, is justly claimed by Messrs. Westley Richards & Co., Ltd., as their property. We have, therefore, deleted it from our device as appended. In cases where the device appears on half tone illustrations, Messrs. Westley Richards have been good enough to allow it to remain to avoid destruction of the blocks.

TRADE



TESTIMONIALS.

The following testimonials showing the value of genuine "A. G. PARKER" goods are expressive of the care we take to give satisfaction.

Extract from a letter (accompanying the present of a Bisley Rifle Vice to a sporting friend) from Major Lloyd, of Kimbrace, dated 17/10/25.

"If ever you require the best articles for a Rifle, send to A. G. PARKER, Bisley Works, Birmingham."

From Monsieur A. Courquin, St. Juery, France, dated 9/11/25.

'C'est là encore une belle reference pour votre excellent Trueshape Soft. Crèpe (Elbow Pads) je recommande toujours vos produits à mes amis française."

Mr. James W. Fox, Bank of Montreal, 24th April, 1926, wrote with reference to

Rounsquare "Rods and special implements:-

"It is extremely good of you to give such careful attention to these trifling orders of mine, but I am endeavouring to show my appreciation by telling others of the high quality of your products and of your unfailing courtesy and attention to the filling of even the smallest order."

Richard Lawton, Esq., Woburn Park, Woburn Bletchley.

"Your new Service Rifle Sight is a beautiful piece of work."

The Secretary, Uganda Volunteer Reserve, Entebbe, Uganda. The new Sights are excellent." "All arrived in good condition.

Lieut.-Col. J. Hamilton Leigh, Strontian, Argyllshire, on the 4th Oct., 1927:— "Many thanks for the .470 Cleaning Rod. It's exactly what I wanted, and the split jag is a splendid idea for a rifle as well as a gun."

W. Ameer Ali, District Judge, Gonda, U.P. India. 11/11/27 :-

"The parcel has just arrived. Many thanks. looks just the thing for the jungle." The Helvetic Cleaning Rod

Lagos Rifle Club, H. E. Bradley, Esq., Lagos, Nigeria, B.W.A.:-


"I should like to say I am very pleased with the goods you have so far supplied to the Lagos Rifle Club, and for the prompt and efficient manner in which you forward them to Nigeria. Your catalogues are in great demand by members of the Club, and I should be grateful if you would forward 12 more."

L. A. Reid, Esq., Trinidad, B.W.I. February, 1928:

"The goods are of the most superior quality, and your house cannot fail to please the nuttiest gun crank.'

A. F. Wingate, Esq., Buckfastleigh, S. Devon. 28/2/28 :-

'The goods to hand with thanks, and many thanks for their prompt despatch and careful packing. All the goods appear entirely satisfactory and of fine manufacture.'



Mr. A. T. C. Hale (Managing Director) and two of his sons created a record at the 1926 Bisley Meeting by winning places in the King's final stage. Mr. F. C. Hale also won the Wimbledon Cup and won a place in the English Twenty, tieing the highest score in the International Match. All three used Parker S.M.L.E. Ball Burnished Non-nickelling Rifles tested and adjusted by Mr. A. C. Hale.

AGENCIES, &c.

Sole Distributors of-

STEPHEN YOUNG'S .303 CLEANER AND RUST PREVENTER,
THE FAMOUS GUN AND RIFLE OIL.

Sole Agents in the U.K. and Crown Colonies for—
THE MARBLE ARMS AND MANUFACTURING CO., HUNTING AND SHOOTING SPECIALISTS.

Sole Agents in the U.K. for—
THE HARTFORD ARMS AND EQUIPMENT CO., makers of THE HARTFORD .22 cal. AUTOMATIC TARGET PISTOL, etc.

Sole Agents in the U.K. for— THE FIALA COMBINATION .22" CAL. RIFLE AND PISTOL.

Sole Manufacturers of— THE SUB-TARGET PRACTICE ROD, THE BEST DEVICE FOR TEACHING AIMING.

Sole Empire Agents for—
THE E.M. PATENT .22" CAL. SHOT GUN ADAPTOR, THE AIM CORRECTOR FOR SHOT GUNS.

Sole Empire Makers of— THE "HELVETIC" POCKET CLEANING ROD FOR RIFLES AND SHOT GUNS.

Sole Empire Agents for— THE "RECORD" .168" CAL. SERVICE RIFLE ADAPTOR.

Special Agents for— B.S.A. (GUNS) LIMITED.

Wholesale Agents for— NOBEL .22 cal. rim fire CARTRIDGES.

PARKER'S WORKSHOP AND EXHIBITION MARQUEE AT BISLEY.

